

Take Off

Freestanding

Federal Government

HPL finish only available

TFL finish not available



CANADA
price list

Effective October 04th 2022

UPDATED - January 20th 2025
update summary - p.N01



LAZER EDGE

artopex®

Interactive Buttons

- 

Main Table of Contents.
- 

Visual index
- 

General information
- 

Go back to the page you previously viewed.



interactive links

index, page tabs & page references

- document optimized for dual pages view

Visual index	IV04
General information	IG01
A - Assembled Desks & Returns	A01
B - Knock-down tables	B01
C - Mounted surfaces	C01
D - Legs & supports	D01
E - Storage	E01
F - Pedestals	F01
G - Personnal storage	G01
H - Hutches & Top storage	H01
I - Supported-panels	i01
J - Tackboards	J01
K - Screens	K01
L - Back tiles	L01
M - Small walls	M01
N - Electricity	N01
O - Complements	O01

Visual index



Visual index

Assembled Desks & Returns	IV06
Knock-down tables	IV10
Mounted surfaces	IV24
Legs & supports	IV30
Storage	IV33
Pedestals	IV50
Personnal storage	IV52
Hutches & Top storage	IV54
Supported-pannels	IV61
Tackboards	IV66
Screens	IV70
Back tiles	IV77
Small walls	IV83
Electricity	IV86
Complements	IV88

Assembled Desks & Returns

Assembled Desk

Assembled rectangular desk

A02

DiU3672

DiU3072

DiU3066

DiU3060

DiU2472


DiU2466

DiU2460

DiU2172

DiU2166

DiU2160



DiF3672

DiF3072

DiF3066

DiF3060

DiF2472


DiF2466

DiF2460

DiF2172

DiF2166

DiF2160



DiY3672

DiY3072

DiY3066

DiY3060

DiY2472


DiY2466

DiY2460

DiY2172

DiY2166

DiY2160



DiZ3672

DiZ3072

DiZ3066

DiZ3060

DiZ2472


DiZ2466

DiZ2460

DiZ2172

DiZ2166

DiZ2160



DiS3672

DiS3072

DiS3066

DiS3060

DiS2472


DiS2466

DiS2460

DiS2172

DiS2166

DiS2160



DiT3672

DiT3072

DiT3066

DiT3060

DiT2472


DiT2466

DiT2460

DiT2172

DiT2166

DiT2160



DiV3672

DiV3072

DiV3066

DiV3060

DiV2472


DiV2466

DiV2460

DiV2172

DiV2166

DiV2160



DiW3672

DiW3072

DiW3066

DiW3060

DiW2472


DiW2466

DiW2460

DiW2172

DiW2166

DiW2160



DiP3672

DiP3072

DiP3066

DiP3060

DiP2472


DiP2466

DiP2460

DiP2172

DiP2166

DiP2160




Assembled Desks & Returns


Assembled rectangular desk

A11

DiM3672
DiM3072
DiM3066
DiM3060
DiM3048
DiM2472
DiM2466
DiM2460
DiM2448
DiM2172
DiM2166
DiM2160




DiN3672
DiN3072
DiN3066
DiN3060
DiN3048
DiN2472
DiN2466
DiN2460
DiN2448
DiN2172
DiN2166
DiN2160




Assembled bow front desk

A13


DDU3672
DDU3666
DDU3660




DDT3672
DDT3666
DDT3660




DDY3672
DDY3666
DDY3660




DDM3672
DDM3666
DDM3660




DDP3672
DDP3666
DDP3660



DDN3672
DDN3666
DDN3660



DDS3672
DDS3666
DDS3660



Assembled returns


IV08 Canada

Assembled Desks & Returns

Assembled return with full height modesty panel
(FF pedestal on left)

A26


REV2460
REV2454
REV2448
REV2442
REV2436
REV2430
REV2148
REV2142
REV2136
REV2130



Assembled return (UF pedestal on right)

A28


REN2460
REN2454
REN2448
REN2442
REN2436
REN2430
REN2148
REN2142
REN2136
REN2130



Assembled return with short modesty panel
(FF pedestal on left)

A27


REDV2460
REDV2454
REDV2448
REDV2442
REDV2436
REDV2430
REDV2148
REDV2142
REDV2136
REDV2130



Assembled return (UF pedestal on left)

A29


REM2460
REM2454
REM2448
REM2442
REM2436
REM2430
REM2148
REM2142
REM2136
REM2130



Knock-down tables

Rectangular tables

Rectangular table (full end panels)B02

Ti3684-LL		Ti2184-LL
Ti3678-LL		Ti2178-LL
Ti3672-LL		Ti2172-LL
Ti3666-LL		Ti2166-LL
Ti3660-LL		Ti2160-LL
Ti3654-LL		Ti2154-LL
Ti3648-LL		Ti2148-LL
		Ti2142-LL
Ti3084-LL		Ti2136-LL
Ti3078-LL		Ti2130-LL
Ti3072-LL		Ti2124-LL
Ti3066-LL		
Ti3060-LL		Ti1884-LL
Ti3054-LL		Ti1878-LL
Ti3048-LL		Ti1872-LL
Ti3042-LL		Ti1866-LL
Ti3036-LL		Ti1860-LL
Ti3030-LL		Ti1854-LL
Ti3024-LL		Ti1848-LL
		Ti1842-LL
Ti2484-LL		Ti1836-LL
Ti2478-LL		Ti1830-LL
Ti2472-LL		Ti1824-LL
Ti2466-LL		
Ti2460-LL		
Ti2454-LL		
Ti2448-LL		
Ti2442-LL		
Ti2436-LL		
Ti2430-LL		
Ti2424-LL		




Knock-down tables

Rectangular table (recessed end panel)

B05

Ti3084 ...
Ti3078 ...
Ti3072 ...
Ti3066 ...
Ti3060 ...
Ti3054 ...
Ti3048 ...
Ti3042 ...
Ti3036 ...
Ti3030 ...
Ti3024 ...

Ti2484 ...
Ti2478 ...
Ti2472 ...
Ti2466 ...
Ti2460 ...
Ti2454 ...
Ti2448 ...
Ti2442 ...
Ti2436 ...
Ti2430 ...
Ti2424 ...





Ti2184 ...
Ti2178 ...
Ti2172 ...
Ti2166 ...
Ti2160 ...
Ti2154 ...
Ti2148 ...
Ti2142 ...
Ti2136 ...
Ti2130 ...
Ti2124 ...

Ti1884 ...
Ti1878 ...
Ti1872 ...
Ti1866 ...
Ti1860 ...
Ti1854 ...
Ti1848 ...
Ti1842 ...
Ti1836 ...
Ti1830 ...
Ti1824 ...

Rectangular table (combined materials end panels)


B09

TiX3684-LL
TiX3678-LL
TiX3672-LL
TiX3666-LL
TiX3660-LL
TiX3654-LL
TiX3648-LL



TiX3084 ...
TiX3078 ...
TiX3072 ...
TiX3066 ...
TiX3060 ...
TiX3054 ...
TiX3048 ...
TiX3042 ...
TiX3036 ...
TiX3030 ...
TiX3024 ...

TiX2484 ...
TiX2478 ...
TiX2472 ...
TiX2466 ...
TiX2460 ...
TiX2454 ...
TiX2448 ...
TiX2442 ...
TiX2436 ...
TiX2430 ...
TiX2424 ...






Knock-down tables

Rectangular tables


Rectangular table (open metal end panels)

B12

TiO3684-LL		TiO2484 ...	
TiO3678-LL		TiO2478 ...	
TiO3672-LL		TiO2472 ...	
TiO3666-LL		TiO2466 ...	
TiO3660-LL		TiO2460 ...	
TiO3654-LL		TiO2454 ...	
TiO3648-LL		TiO2448 ...	
TiO3084 ...		TiO2442 ...	
TiO3078 ...		TiO2436 ...	
TiO3072 ...		TiO2430 ...	
TiO3066 ...		TiO2424 ...	
TiO3060 ...			
TiO3054 ...			
TiO3048 ...			
TiO3042 ...			
TiO3036 ...			
TiO3030 ...			
TiO3024 ...			


Rectangular table (open metal end panels)

B15

TiO3084-CC		TiO2484-CC
TiO3078-CC		TiO2478-CC
TiO3072-CC		TiO2472-CC
TiO3066-CC		TiO2466-CC
TiO3060-CC		TiO2460-CC
TiO3054-CC		TiO2454-CC
TiO3048-CC		TiO2448-CC
TiO3042-CC		TiO2442-CC
TiO3036-CC		TiO2436-CC
TiO3030-CC		TiO2430-CC
TiO3024-CC		TiO2424-CC

Rectangular table with 6" overhang (mixed end panels)

B17


TiXR3684		TiXR3084
TiXR3678		TiXR3078
TiXR3672		TiXR3072
TiXR3666		TiXR3066
TiXR3660		TiXR3060
TiXR3654		TiXR3054
TiXR3648		TiXR3048
		TiXR3042
		TiXR3036
		TiXR3030
		TiXR3024

Knock-down tables

Rectangular table with 6" overhang (open metal end panels)

B18

TiOR3684
TiOR3678
TiOR3672
TiOR3666
TiOR3660
TiOR3654
TiOR3648




TiOR3084
TiOR3078
TiOR3072
TiOR3066
TiOR3060
TiOR3054
TiOR3048
TiOR3042
TiOR3036
TiOR3030
TiOR3024

Bow tables

Bow front table

B19


TD368442-LL
TD367842-LL
TD367242-LL
TD308436-LL
TD307836-LL
TD307236-LL
TD306636-LL
TD306036-LL




Bow front table with curved interior access
and integrated half-return

B20

TCL30427224-LL
TCL30427221-LL
TCL30427218-LL
TCL30426618-LL




TCR30427224-LL
TCR30427221-LL
TCR30427218-LL
TCR30426618-LL




Rectangular table with integrated half-return

B21

TCOL30488424-LL
TCOL30487824-LL
TCOL30487224-LL
TCOL30486624-LL
TCOL30486024-LL
TCOL30427224-LL
TCOL30426624-LL
TCOL30426024-LL



TCOR30488424-LL
TCOR30487824-LL
TCOR30487224-LL
TCOR30486624-LL
TCOR30486024-LL
TCOR30427224-LL
TCOR30426624-LL
TCOR30426024-LL



Knock-down tables

Dual depth tables

Dual depth table

B22

TWL302472 ...

TWL302466 ...

TWL302460 ...

TWL302454 ...


TWL302448 ...

TWL302442 ...

TWL302436 ...

TWL302430 ...

TWL302424 ...



TWR302472 ...

TWR302466 ...

TWR302460 ...

TWR302454 ...


TWR302448 ...

TWR302442 ...

TWR302436 ...

TWR302430 ...

TWR302424 ...



TWL241872 ...

TWL241866 ...

TWL241860 ...

TWL241854 ...


TWL241848 ...

TWL241842 ...

TWL241836 ...

TWL241830 ...

TWL241824 ...



TWR241872 ...

TWR241866 ...

TWR241860 ...

TWR241854 ...


TWR241848 ...

TWR241842 ...

TWR241836 ...

TWR241830 ...

TWR241824 ...



TWL211872 ...

TWL211866 ...

TWL211860 ...

TWL211854 ...

TWL211848 ...

TWL211842 ...

TWL211836 ...

TWL211830 ...

TWL211824 ...

TWR211872 ...

TWR211866 ...

TWR211860 ...

TWR211854 ...

TWR211848 ...

TWR211842 ...

TWR211836 ...

TWR211830 ...

TWR211824 ...


Knock-down tables

Corner tables

90° corner table

B26

CSL4830-CC
CSL4230-CC
CSL4824-CC
CSL4224-CC
CSL3624-CC
CSL3618-CC




CSR4830-CC
CSR4230-CC
CSR4824-CC
CSR4224-CC
CSR3624-CC
CSR3618-CC

Corner table (open metal "CC" end panels)

B27

CSOL4830-CC
CSOL4230-CC
CSOL4824-CC
CSOL4224-CC
CSOL3624-CC
CSOL3618-CC




CSOR4830-CC
CSOR4230-CC
CSOR4824-CC
CSOR4224-CC
CSOR3624-CC
CSOR3618-CC



90° left extended corner table

B29

COL84483030 ...
COL78483030 ...
COL72483030 ...
COL66483030 ...
COL60483030 ...




COL84483024 ...
COL78483024 ...
COL72483024 ...
COL66483024 ...
COL60483024 ...
COL84482430 ...
COL84422430 ...
COL78482430 ...
COL78422430 ...
COL72482430 ...
COL72422430 ...



90° corner table with curved interior access


B28

COL48483030 ...
COL48483024 ...
COL48482430 ...
COL48482424 ...
COL42422424 ...
COL36362424 ...
COL36361818 ...




CL

COR48483030 ...
COR48483024 ...
COR48482430 ...
COR48482424 ...
COR42422424 ...
COR36362424 ...
COR36361818 ...



LC



CC

COL66482430 ...
COL66422430 ...
COL60482430 ...
COL60422430 ...
COL48422430 ...




COL84482424 ...
COL84422424 ...
COL78482424 ...
COL78422424 ...
COL72482424 ...
COL72422424 ...
COL66482424 ...
COL66422424 ...
COL60482424 ...
COL60422424 ...
COL48422424 ...

Knock-down tables

Corner tables





90° right extended corner table

B29

COR84483030 ...		COR66482430 ...
COR78483030 ...		COR66422430 ...
COR72483030 ...		COR60482430 ...
COR66483030 ...		COR60422430 ...
COR60483030...		COR48422430 ...
COR84483024 ...		COR84482424 ...
COR78483024 ...		COR84422424 ...
COR72483024 ...		COR78482424 ...
COR66483024 ...		COR78422424 ...
COR60483024 ...		COR72482424 ...
COR84482430 ...		COR72422424 ...
COR84422430 ...		COR66482424 ...
COR78482430 ...		COR66422424 ...
COR78422430 ...		COR60482424 ...
COR72482430 ...		COR60422424 ...
COR72422430 ...		COR48422424 ...

90° extended corner table with ergonomic interior access

B32


CEL72362418 ...		CER72362418 ...	
CEL66362418 ...		CER66362418 ...	
CEL60362418 ...		CER60362418 ...	
			

Knock-down tables

Reversible returns


Reversible return B34

RER2460
RER2454
RER2448
RER2442
RER2436
RER2430
RER2148
RER2142
RER2136
RER2130
RER1836
RER1830



Reversible return (open metal end panel) B36

RERO2460
RERO2454
RERO2448
RERO2442
RERO2436
RERO2430




RERO2148
RERO2142
RERO2136
RERO2130

RERO1848
RERO1842
RERO1836
RERO1830

Reversible return (combined material end panel) B35


RERX2460
RERX2454
RERX2448
RERX2442
RERX2436
RERX2430
RERX2148
RERX2142
RERX2136
RERX2130
RERX1848
RERX1842
RERX1836
RERX1830



Bridge

Bridge return B37

REB2448
REB2442
REB2436
REB2430




REB2148
REB2142
REB2136
REB2130

REB1848
REB1842
REB1836
REB1830

Bridge-surface B38

REBS2448
REBS2442
REBS2436
REBS2430





REBS2148
REBS2142
REBS2136
REBS2130

REBS1848
REBS1842
REBS1836
REBS1830



Knock-down tables

Shelves

Countertop (to convert a regular desk into a reception desk)B39

RSB128413		RSQ128413	
RSB127813		RSQ127813	
RSB127213		RSQ127213	
RSB126613		RSQ126613	
RSB126013		RSQ126013	
RSB125413		RSQ125413	
RSB124813		RSQ124813	
RSB124213		RSQ124213	
RSB123613		RSQ123613	
RSB123013		RSQ123013	
RSB122413		RSQ122413	

Extension countertopB41

RSR128413		RSL128413	
RSR127813		RSL127813	
RSR127213		RSL127213	
RSR126613		RSL126613	
RSR126013		RSL126013	
RSR125413		RSL125413	
RSR124813		RSL124813	
RSR124213		RSL124213	
RSR123613		RSL123613	
RSR123013		RSL123013	
RSR122413		RSL122413	


Knock-down tables

Tables with metal legs and modesty

"D" shaped table with rounded end
with modesty panel (tubular leg)

B43

DMDA3684
DMDA3678
DMDA3672
DMDA3666




DMDA3084
DMDA3078
DMDA3072
DMDA3066
DMDA3060
DMDA3048

"D" shaped table with straight end
with rounded corners with modesty panel (tubular leg)

B46

DMiAA3684
DMiAA3678
DMiAA3672
DMiAA3666




DMiAA3084
DMiAA3078
DMiAA3072
DMiAA3066
DMiAA3060
DMiAA3048

"D" shaped table with arched end
with modesty panel (tubular leg)

B44

DMAA3684
DMAA3678
DMAA3672
DMAA3666




DMAA3084
DMAA3078
DMAA3072
DMAA3066
DMAA3060
DMAA3048

"P" shaped table with modesty panel (tubular leg)


B47

PMAL364284
PMAL364278
PMAL364272



PMAL303684
PMAL303678
PMAL303672
PMAL303666
PMAL303660


PMAR364284
PMAR364278
PMAR364272



"D" shaped table with straight end
with modesty panel (tubular leg)

B45

DMiA3684
DMiA3678
DMiA3672
DMiA3666





DMiA3084
DMiA3078
DMiA3072
DMiA3066
DMiA3060
DMiA3048

PMAR303684
PMAR303678
PMAR303672
PMAR303666
PMAR303660

Convergent tables with metal post leg and modesty

Convergent tables with "T" shaped end panel


"D" shaped table with rounded end with "T" end panel	B52	"D" shaped table with arched end with "T" end panel	B53
DTD3678		DTA3678	
DTD3672		DTA3672	
DTD3666		DTA3666	
DTD3660		DTA3660	
DTD3084		DTA3084	
DTD3078		DTA3078	
DTD3072		DTA3072	
DTD3066		DTA3066	
DTD3060		DTA3060	
DTD3054		DTA3054	
DTD3048		DTA3048	
DTD2472		DTA2472	
DTD2466		DTA2466	
DTD2460		DTA2460	
DTD2454		DTA2454	
DTD2448		DTA2448	

Knock-down tables

Convergent tables with "T" shaped end panel

"D" shaped table with straight end with "T" end panel B54

DTi3678
DTi3672
DTi3666
DTi3660




DTi3084
DTi3078
DTi3072
DTi3066
DTi3060
DTi3054
DTi3048

DTi2472
DTi2466
DTi2460
DTi2454
DTi2448

"D" shaped table with straight end with rounded corners with "T" end panel B55

DTiA3678
DTiA3672
DTiA3666
DTiA3660




DTiA3084
DTiA3078
DTiA3072
DTiA3066
DTiA3060
DTiA3054
DTiA3048


DTiA2472
DTiA2466
DTiA2460
DTiA2454
DTiA2448

"P" shaped table with "T" end panel B56

PTL303672
PTL303666
PTL303660



PTR303672
PTR303666
PTR303660



Knock-down tables

Rectangular tables with "L" support

Rectangular surface-mounted table with "L" support (laminated end panel)B57

DPIl3684

DPIl3678

DPIl3672

DPIl3666

DPIl3660

DPIl3084

DPIl3078

DPIl3072

DPIl3066

DPIl3060


DPIl2484

DPIl2478

DPIl2472

DPIl2466

DPIl2460



DPiR3684

DPiR3678

DPiR3672

DPiR3666

DPiR3660

DPiR3084

DPiR3078

DPiR3072

DPiR3066

DPiR3060


DPiR2484

DPiR2478

DPiR2472

DPiR2466

DPiR2460



Rectangular surface-mounted table with "L" support (combined-material end panel)B59

DPiXL3684

DPiXL3678

DPiXL3672

DPiXL3666

DPiXL3660

DPiXL3084

DPiXL3078

DPiXL3072

DPiXL3066

DPiXL3060


DPiXL2484

DPiXL2478

DPiXL2472

DPiXL2466

DPiXL2460



DPiXR3684

DPiXR3678

DPiXR3672

DPiXR3666

DPiXR3660

DPiXR3084

DPiXR3078

DPiXR3072

DPiXR3066

DPiXR3060


DPiXR2484

DPiXR2478

DPiXR2472

DPiXR2466

DPiXR2460



Rectangular surface-mounted table with "L" support (open metal end panel)B61

DPiOL3684

DPiOL3678

DPiOL3672

DPiOL3666

DPiOL3660

DPiOL3084

DPiOL3078

DPiOL3072

DPiOL3066

DPiOL3060


DPiOL2484

DPiOL2478

DPiOL2472

DPiOL2466

DPiOL2460



DPiOR3684

DPiOR3678

DPiOR3672

DPiOR3666

DPiOR3660

DPiOR3084

DPiOR3078

DPiOR3072

DPiOR3066

DPiOR3060


DPiOR2484

DPiOR2478

DPiOR2472

DPiOR2466

DPiOR2460




Knock-down tables

Rectangular tables with "L" support


Rectangular surface-mounted table with 6" overhang with "L" support (combined-material end panel)

B63

DPiXRL3684
DPiXRL3678
DPiXRL3672
DPiXRL3666
DPiXRL3660
DPiXRL3084
DPiXRL3078
DPiXRL3072
DPiXRL3066
DPiXRL3060




DPiXRR3684
DPiXRR3678
DPiXRR3672
DPiXRR3666
DPiXRR3660
DPiXRR3084
DPiXRR3078
DPiXRR3072
DPiXRR3066
DPiXRR3060




Rectangular surface-mounted table with 6" overhang with "L" support (open metal end panel)

B64

DPiORL3684
DPiORL3678
DPiORL3672
DPiORL3666
DPiORL3660
DPiORL3084
DPiORL3078
DPiORL3072
DPiORL3066
DPiORL3060



DPiORR3684
DPiORR3678
DPiORR3672
DPiORR3666
DPiORR3660
DPiORR3084
DPiORR3078
DPiORR3072
DPiORR3066
DPiORR3060




Rectangular returns with "L" support


Rectangular surface-mounted return with "L" support

B65

REEPL2472
REEPL2466
REEPL2460
REEPL2172
REEPL2166
REEPL2160
REEPL1872
REEPL1866
REEPL1860



REEPR2472
REEPR2466
REEPR2460
REEPR2172
REEPR2166
REEPR2160
REEPR1872
REEPR1866
REEPR1860



"D" shaped surfaces

C02

DLDR3084
DLDR3078
DLDR3072

DLDR2484
DLDR2478
DLDR2472

C04

DLAR3084
DLAR3078
DLAR3072

DLAR2484
DLAR2478
DLAR2472

C06


DLiR3084
DLiR3078
DLiR3072

DLiR2484
DLiR2478
DLiR2472


Mounted surfaces

Surface-mounted "D" shaped surface with straight end with rounded corners with "L" support C08

DLiAL3684
DLiAL3678
DLiAL3672



DLiAR3684
DLiAR3678
DLiAR3672



DLiAL3084
DLiAL3078
DLiAL3072


DLiAR3084
DLiAR3078
DLiAR3072

DLiAL2484
DLiAL2478
DLiAL2472


DLiAR2484
DLiAR2478
DLiAR2472

Modular "D" shaped surface with rounded end D24 Modular "D" shaped surface with arched end C12

DSD3684
DSD3678
DSD3672
DSD3666
DSD3660



DSA3684
DSA3678
DSA3672
DSA3666
DSA3660
DSA3654



DSD3084
DSD3078
DSD3072
DSD3066
DSD3060
DSD3054



DSA3084
DSA3078
DSA3072
DSA3066
DSA3060
DSA3054
DSA3048

DSD2484
DSD2478
DSD2472
DSD2466
DSD2460
DSD2454
DSD2448

DSA2484
DSA2478
DSA2472
DSA2466
DSA2460
DSA2454
DSA2448
DSA2442





Mounted surfaces

"D" shaped surfaces

Modular "D" shaped surface with straight end	C14	Modular "D" shaped surface with straight end with rounded corners	C17
DSi3684		DSiA3684	
DSi3678		DSiA3678	
DSi3672		DSiA3672	
DSi3666		DSiA3666	
DSi3660		DSiA3660	
DSi3654		DSiA3654	
DSi3084		DSiA3084	
DSi3078		DSiA3078	
DSi3072		DSiA3072	
DSi3066		DSiA3066	
DSi3060		DSiA3060	
DSi3054		DSiA3054	
DSi3048		DSiA3048	
DSi2484		DSiA2484	
DSi2478		DSiA2478	
DSi2472		DSiA2472	
DSi2466		DSiA2466	
DSi2460		DSiA2460	
DSi2454		DSiA2454	
DSi2448		DSiA2448	
DSi2442		DSiA2424	
DSi2184			
DSi2178			
DSi2172			
DSi2166			
DSi2160			
DSi2154			
DSi2148			
DSi2142			
DSi1884			
DSi1878			
DSi1872			
DSi1866			
DSi1860			
DSi1854			
DSi1848			
DSi1842			

Mounted surfaces

Modular surfaces


Modular trapezoid surface with rounded corners	C19	Modular pebble surface with rounded corners	C20
STRA362484 STRA362478 STRA362472 STRA362466 STRA362460		SPEBL3684 SPEBL3678 SPEBL3672 SPEBL3666 SPEBL3660	
STRA302484 STRA302478 STRA302472 STRA302466 STRA302460		SPEBL3084 SPEBL3078 SPEBL3072 SPEBL3066 SPEBL3060	
		SPEBR3684 SPEBR3678 SPEBR3672 SPEBR3666 SPEBR3660	
		SPEBR3084 SPEBR3078 SPEBR3072 SPEBR3066 SPEBR3060	
Modular rectangular surface			C22
SSi3684 SSi3678 SSi3672 SSi3666 SSi3660		SSi2184 SSi2178 SSi2172 SSi2166 SSi2160 SSi2154 SSi2148 SSi2142 SSi2136 SSi2130	
SSi3084 SSi3078 SSi3072 SSi3066 SSi3060 SSi3054 SSi3048 SSi3042 SSi3036 SSi3030		SSi1884 SSi1878 SSi1872 SSi1866 SSi1860 SSi1854 SSi1848 SSi1842 SSi1836 SSi1830	
SSi2484 SSi2478 SSi2472 SSi2466 SSi2460 SSi2454 SSi2448 SSi2442 SSi2436 SSi2430			

Mounted surfaces

Modular rectangular surface (with grommet/multi-outlet options positionned at the recessed depth)

C27

SSiR3684
SSiR3678
SSiR3672
SSiR3666
SSiR3660




SSiR3084
SSiR3078
SSiR3072
SSiR3066
SSiR3060
SSiR3054
SSiR3048
SSiR3042

Modular surfaces

Modular rectangular surface with rounded corners

C28

SSiA3684
SSiA3678
SSiA3672
SSiA3666
SSiA3660



SSiA2184
SSiA2178
SSiA2172
SSiA2166
SSiA2160
SSiA2154
SSiA2148
SSiA2142
SSiA2136
SSiA2130

SSiA3084
SSiA3078
SSiA3072
SSiA3066
SSiA3060
SSiA3054
SSiA3048
SSiA3042
SSiA3036
SSiA3030

SSiA2484
SSiA2478
SSiA2472
SSiA2466
SSiA2460
SSiA2454
SSiA2448
SSiA2442
SSiA2436
SSiA2430

SSiA1884
SSiA1878
SSiA1872
SSiA1866
SSiA1860
SSiA1854
SSiA1848
SSiA1842
SSiA1836
SSiA1830

Mounted surfaces

Modular rectangular surface with rounded corners (with grommet/multi-outlet options positionned at the recessed depth) C32


SSiAR3684
SSiAR3678
SSiAR3672
SSiAR3666
SSiAR3660




SSiAR3084
SSiAR3078
SSiAR3072
SSiAR3066
SSiAR3060
SSiAR3054
SSiAR3048
SSiAR3042

Surface-attached "teardrop" surface C33

SXGL3637
SXGL3034
SXGL2432




SXGR3637
SXGR3034
SXGR2432





Surface-attached semi-circle meeting surface C34

SXDC3660
SXDC3354
SXDC3048



Supports


D02



STDLTR360905
STDLTR300905
STDLTR240905
STDLTR210905
STDLTR180905

STDLTR340905
STDLTR280905
STDLTR220905
STDLTR190905
STDLTR160905

D04



STDM200905
STDM140905


Legs & supports

Legs

Monolithic laminate leg

D05


LEMO120528



Round tubular metal post leg

D10

AC-LER28



Round telescopic metal post leg

D06


AC-LETELT4



Square tubular metal post leg

D11


AC-LES28



Straight ALU post leg

D07

AC-LEDA28




Angled wood post leg

D12

AC-LEAW28



AC-LEDACA28



Angled metal post leg

D13

AC-LEAM28



Angled ALU post leg

D09

AC-LEAA28



Folded metal corner post leg


D14

AC-LECMS28




Legs


D15




D19



D16



D21



D17




TEPR360928
TEPR300928
TEPR240928
TEPR210928
TEPR180928

D18



TEPR340928
TEPR280928
TEPR220928
TEPR190928
TEPR160928

D23




Storage

Storage 23" high

Open credenza - 23" high

E02


CZOO247223
CZOO246023
CZOO217223
CZOO216023




Credenza with 2 drawers - 23" high

E03

CZUFO247223
CZUFO246023
CZUFO217223
CZUFO216023




CZOUF247223
CZOUF246023
CZOUF217223
CZOUF216023




Combined storage credenza - 23" high

E04

CZDUFO247223
CZDUFO246023
CZDUFO217223
CZDUFO216023




CZOUFD247223
CZOUFD246023
CZOUFD217223
CZOUFD216023




Credenza - 23" high

E05


CZUFUF247223
CZUFUF246023
CZUFUF217223
CZUFUF216023




CZUFDD247223
CZUFDD246023
CZUFDD217223
CZUFDD216023



CZ4D247223
CZ4D246023
CZ4D217223
CZ4D216023



CZDDUF247223
CZDDUF246023
CZDDUF217223
CZDDUF216023




Storage 23" high


Storage unit - 23" high

E08


CZO243623
CZO243023
CZO213623
CZO213023



CZUF243623
CZUF243023
CZUF213623
CZUF213023



CZDD243623
CZDD243023
CZDD213623
CZDD213023




Storage 29" high


Assembled credenza - 29" high

E11


CZFFDD247229
CZFFDD246029
CZFFDD217229
CZFFDD216029




CZCO247229
CZCO246029
CZCO217229
CZCO216029




CZDDFF247229
CZDDFF246029
CZDDFF217229
CZDDFF216029




CZOC247229
CZOC246029
CZOC217229
CZOC216029




CZ4D247229
CZ4D246029
CZ4D217229
CZ4D216029




CZFFE247229
CZFFE246029
CZFFE217229
CZFFE216029




CZ4F247229
CZ4F246029
CZ4F217229
CZ4F216029




CZEFF247229
CZEFF246029
CZEFF217229
CZEFF216029




CZFFO247229
CZFFO246029
CZFFO217229
CZFFO216029




CZCE247229
CZCE246029
CZCE217229
CZCE216029



CZOFF247229
CZOFF246029
CZOFF217229
CZOFF216029



CZEC247229
CZEC246029
CZEC217229
CZEC216029




Storage

Storage 29" high


Storage unit - 29" high

E18


SFF243629
SFF243029
SFF213629
SFF213029



SDD243629
SDD243029
SDD213629
SDD213029




SUUFF243629
SUUFF243029
SUUFF213629
SUUFF213029




Single cabinets 29", 35" and 41" high

E21

SDL241841
SDL241835
SDL241829
SDL241241
SDL211841
SDL211835
SDL211829
SDL211241



SDR241841
SDR241835
SDR241829
SDR241241
SDR211841
SDR211835
SDR211829
SDR211241




Storage 35" high


Assembled credenza - 35" high

E22

CZ4D247235
CZ4D246035
CZ4D217235
CZ4D216035




CZ2U4D247235
CZ2U4D246035
CZ2U4D217235
CZ2U4D216035




Storage unit - 35" high

E24

SDD243635
SDD243035
SDD213635
SDD213035



SUDD243635
SUDD243035
SUDD213635
SUDD213035




Storage

Storage 41" high


Storage unit - 41" high

E26

SFFF243641
SFFF243041
SFFF213641
SFFF213041



SDD243641
SDD243041
SDD213641
SDD213041




Storage 53" high

Lateral file cabinets with 4 drawers - 53" high

E28

S4F243653
S4F243053
S4F213653
S4F213053




22" high storage unit without top

22" high storage unit without top

E29

LBKN243622
LBKN243022
LBKN213622




LBKN213022
LBKN183622
LBKN183022


22" high storage unit without top

E30

LDDN243622
LDDN243022
LDDN213622
LDDN213022
LDDN183622
LDDN183022



LUFN243622
LUFN243022
LUFN213622
LUFN213022
LUFN183622
LUFN183022




Storage

28" high storage unit without top


28" high storage unit without top E32

LBKN243628
LBKN243028
LBKN213628
LBKN213028
LBKN183628
LBKN183028




Lateral file cabinets without top E35

L2FN243628
L2FN243028
L2FN213628
L2FN213028
L2FN183628
L2FN183028



28" high storage unit without top E33

LDDN243628
LDDN243028
LDDN213628
LDDN213028
LDDN183628
LDDN183028




Combined storage unit without top E36

LCNL243628
LCNL243028
LCNL213628
LCNL213028
LCNL183628
LCNL183028



28" high storage unit without top E34


LUDDN243628
LUDDN243028
LUDDN213628
LUDDN213028
LUDDN183628
LUDDN183028




34" high storage unit without top

34" high storage unit without top E37

LDDN243634
LDDN243034
LDDN213634
LDDN213034
LDDN183634
LDDN183034



LUDDN243634
LUDDN243034
LUDDN213634
LUDDN213034
LUDDN183634
LUDDN183034



Storage

40" high storage unit without top

40" high storage unit without top

E38

LBKN243640


LBKN243040

LBKN213640

LBKN213040

LBKN183640

LBKN183040



L3FN243640


L3FN243040

L3FN213640

L3FN213040

L3FN183640

L3FN183040



LDDN243640


LDDN243040

LDDN213640

LDDN213040

LDDN183640


LDDN183040



Storage

Rectangular surfaces

Rectangular surface for laminate storage without top E42

LTOP42108		LTOP24108
LTOP42102		LTOP24102
LTOP4296		LTOP2496
LTOP4290		LTOP2490
LTOP4284		LTOP2484
LTOP4278		LTOP2478
LTOP4272		LTOP2472
LTOP4266		LTOP2466
LTOP4260		LTOP2460
LTOP4254		LTOP2454
LTOP4248		LTOP2448
LTOP4242		LTOP2442
LTOP4236		LTOP2436
LTOP4230		LTOP2430
LTOP4224		LTOP2424
LTOP36108		LTOP21108
LTOP36102		LTOP21102
LTOP3696		LTOP2196
LTOP3690		LTOP2190
LTOP3684		LTOP2184
LTOP3678		LTOP2178
LTOP3672		LTOP2172
LTOP3666		LTOP2166
LTOP3660		LTOP2160
LTOP3654		LTOP2154
LTOP3648		LTOP2148
LTOP3642		LTOP2142
LTOP3636		LTOP2136
LTOP3630		LTOP2130
LTOP3624		LTOP2124
LTOP30108		LTOP18108
LTOP30102		LTOP18102
LTOP3096		LTOP1896
LTOP3090		LTOP1890
LTOP3084		LTOP1884
LTOP3078		LTOP1878
LTOP3072		LTOP1872
LTOP3066		LTOP1866
LTOP3060		LTOP1860
LTOP3054		LTOP1854
LTOP3048		LTOP1848
LTOP3042		LTOP1842
LTOP3036		LTOP1836
LTOP3030		LTOP1830
LTOP3024		LTOP1824

🏠

☰

i

↶

A

B

C

D

E

F

G

H

I

J

K

L


M

N

O


Rectangular surfaces

E48




MTOP18108
MTOP18102
MTOP1896
MTOP1890
MTOP1884
MTOP1878
MTOP1872
MTOP1866
MTOP1860
MTOP1854
MTOP1848
MTOP1842
MTOP1836
MTOP1830

Open compact console - 29" high E53




CCOO157223
CCOO156623
CCOO156023
CCOO155423
CCOO154823




CCO154229
CCO153629
CCO153029

Compact console without top with one open section and one sliding door - 22" high




CCO154223
CCO153623
CCO153023



CCOSN157222
CCOSN156622
CCOSN156022
CCOSN155422
CCOSN154822
CCOSN154222
CCOSN153622
CCOSN153022

CCOO157229
CCOO156629
CCOO156029
CCOO155429
CCOO154829




Storage

Compact consoles

Compact console without top with one sliding door and one open section - 22" high

E55


CCSON157222
CCSON156622
CCSON156022
CCSON155422
CCSON154822
CCSON154222
CCSON153622
CCSON153022



Compact console without top with hinged doors - 28" high

E59


CC4DN157228
CC4DN156628
CC4DN156028
CC4DN155428
CC3DN154828
CC3DN154228
CC2DN153628
CC2DN153028



Compact console without top with one open section and one sliding door - 28" high

E56


CCOSN157228
CCOSN156628
CCOSN156028
CCOSN155428
CCOSN154828
CCOSN154228
CCOSN153628
CCOSN153028



Rectangular surface for compact console

E60


LTOPCC1572
LTOPCC1566
LTOPCC1560
LTOPCC1554
LTOPCC1548
LTOPCC1542
LTOPCC1536
LTOPCC1530



Compact console without top with one sliding door and one open section - 28" high

E57


CCSON157228
CCSON156628
CCSON156028
CCSON155428
CCSON154828
CCSON154228
CCSON153628
CCSON153028



Compact console without top with one open section and one sliding door, with pneumatic mechanism - 22" high

E61


CCPOPOSN157222
CCPOPOSN156622
CCPOPOSN156022
CCPOPOSN155422
CCPOPOSN154822



Compact console without top with hinged doors - 22" high

E58


CC4DN157222
CC4DN156622
CC4DN156022
CC4DN155422
CC3DN154822
CC3DN154222
CC2DN153622
CC2DN153022



Compact console without top with one sliding door and one open section, with pneumatic mechanism - 22" high

E62

CCPOPSON157222
CCPOPSON156622
CCPOPSON156022
CCPOPSON155422
CCPOPSON154822




Storage

Compact consoles

Compact console without top with hinged doors,
with pneumatic mechanism on right - 22" high

E63


CCPOP4DNR157222
CCPOP4DNR156622
CCPOP4DNR156022
CCPOP4DNR155422
CCPOP3DNR154822



Compact console without top with hinged doors,
with pneumatic mechanism on left - 22" high

E64

CCPOP4DNL157222
CCPOP4DNL156622
CCPOP4DNL156022
CCPOP4DNL155422
CCPOP3DNL154822




Tops and surfaces for compact console with pneumatic mechanism

Rectangular surface for compact console
with pneumatic mechanism on right

E65


LTOPCCPOPR1572
LTOPCCPOPR1566
LTOPCCPOPR1560
LTOPCCPOPR1554
LTOPCCPOPR1548



Rectangular surface with rounded corners
for pneumatic mechanism of compact console

E68


SSiAPOPOP2034
SSiAPOPOP2028
SSiAPOPOP2022



Rectangular surface for compact console
with pneumatic mechanism on left


E66

LTOPCCPOPL1572
LTOPCCPOPL1566
LTOPCCPOPL1560
LTOPCCPOPL1554
LTOPCCPOPL1548



Rectangular meeting surface for pneumatic mechanism of compact console


E69

SSiPOPM2734
SSiPOPM2728

Rectangular surface for pneumatic mechanism of compact console


E67

SSiPOP2034
SSiPOP2028
SSiPOP2022



Rectangular meeting surface with rounded corners
for pneumatic mechanism of compact console

E70

SSiAPOPM2734
SSiAPOPM2728

Round meeting surface for pneumatic mechanism of compact console

E71


SSRPOP3434
SSRPOP2828




Storage

Cushion for storage units

Fabric cushion for storage units E72

CUST2472		CUST1872
CUST2460		CUST1860
CUST2436		CUST1836
CUST2430		CUST1830
CUST2172		CUST1572
CUST2160		CUST1566
CUST2136		CUST1560
CUST2130		CUST1554
		CUST1548
		CUST1542
		CUST1536
		CUST1530



Felt cushion for storage units E74

CUSF2472		CUSF1872
CUSF2460		CUSF1860
CUSF2436		CUSF1836
CUSF2430		CUSF1830
CUSF2172		CUSF1572
CUSF2160		CUSF1566
CUSF2136		CUSF1560
CUSF2130		CUSF1554
		CUSF1548
		CUSF1542
		CUSF1536
		CUSF1530

Waste management storage

Waste management unit with hinged doors, without top - 40" high	E76	Recycling sticker	E77
LDDWMN243640 LDDWMN243040 LDDWMN213640 LDDWMN213040 LDDWMN183640 LDDWMN183040		AR	

Combined storage unit with laminate hinged doors and 3 lateral file drawers E78	
ADD3F243672 ADD3F243072 ADD3F213672 ADD3F213072 ADD3F243666 ADD3F243066 ADD3F213666 ADD3F213066	
Combined storage unit with open section on top and 2 lateral file drawers E80	
AOFF243654 AOFF243054 AOFF213654 AOFF213054	

Combined storage unit with open section on top and 2 lateral file drawers	E79	Combined storage unit with laminate hinged doors and 2 lateral file drawers	E81
AOFF243672		ADDF243672	
AOFF243072		ADDF243072	
AOFF213672		ADDF213672	
AOFF213072		ADDF213072	
AOFF243666		ADDF243666	
AOFF243066		ADDF243066	
AOFF213666		ADDF213666	
AOFF213066		ADDF213066	


Storage

Combined storage unit with open section
on top and 2 hinged doors

E82

AODD243672
AODD243072
AODD213672
AODD213072

AODD243666
AODD243066
AODD213666
AODD213066




Storage unit with 2 hinged doors with shelves

E84

SHELVES

ADD243672
ADD243072
ADD213672
ADD213072


ADD243666
ADD243066
ADD213666
ADD213066



Combined storage unit with open section
on top and 2 hinged doors

E83

AODD243654
AODD243054
AODD213654
AODD213054





Storage unit with 2 hinged doors with shelves

E85

SHELVES

ADD243654
ADD243054
ADD213654
ADD213054



Wardrobe storage



Combined storage unit with 2 hinged doors (wardrobe and shelves)

E86

WARDROBE ON THE LEFT

AWD243672
AWD243072
AWD213672
AWD213072



AWD243666
AWD243066
AWD213666
AWD213066



WARDROBE ON THE RIGHT

ADW243672
ADW243072
ADW213672
ADW213072

ADW243666
ADW243066
ADW213666
ADW213066




Storage unit

IV46 Canada


Storage

Combined wardrobe storage unit with mini-cabinet and UF drawers E96

AWDUF242454
AWDUF212454




ADUFW242454
ADUFW212454




Combined wardrobe storage unit with mini-cabinet and UUF drawers E97

AWDUUF242466
AWDUUF212466




ADUUFW242466
ADUUFW212466




Combined wardrobe storage unit with mini-cabinet and FF drawers E98

AWDFF242466
AWDFF212466




ADFFW242466
ADFFW212466




Combined wardrobe storage unit with mini-cabinet and UFF drawers E99

AWDUFF242472
AWDUFF212472



ADUFFW242472
ADUFFW212472




Storage

Bookcases

Bookcase 84" high

E100


- BK243684
- BK243084
- BK213684
- BK213084
- BK183684
- BK183084
- BK153684
- BK153084
- BK123684
- BK123084



Bookcase 72" and 66" high

E101

- BK243672
- BK243072
- BK213672
- BK213072
- BK183672
- BK183072
- BK153672
- BK153072
- BK123672
- BK123072




- BK243666
- BK243066
- BK213666
- BK213066
- BK183666
- BK183066
- BK153666
- BK153066
- BK123666
- BK123066

Bookcase 54" high

E102


- BK243654
- BK243054
- BK213654
- BK213054
- BK183654
- BK183054
- BK153654
- BK153054
- BK123654
- BK123054




Bookcase 41" and 29" high

E103

- BK243641
- BK243041
- BK213641
- BK213041
- BK183641
- BK183041
- BK153641
- BK153041
- BK123641
- BK123041



- BK243629
- BK243029
- BK213629
- BK213029
- BK183629
- BK183029
- BK153629
- BK153029
- BK123629
- BK123029




Storage

Adjustable shelves


Extra adjustable shelf for storage units with 1 door E104

SHEA2222
SHEA1922
SHEA2216
SHEA1916
SHEA2210
SHEA1910




Extra adjustable shelf for storage units with 2 doors and with open section E105

SHEB2234
SHEB1934
SHEB1634
SHEB2228
SHEB1928
SHEB1628




Extra adjustable shelf for combined wardrobe storage units with 2 doors E106

SHEC2217
SHEC1917
SHEC2214
SHEC1914




Extra adjustable shelf for combined wardrobe storage units E107

SHED2214
SHED1914



Extra adjustable shelf for bookcases E108

SHEBK2334
SHEBK2328
SHEBK2034
SHEBK2028
SHEBK1734
SHEBK1728
SHEBK1434
SHEBK1428
SHEBK1134
SHEBK1128



A

B

C

D

E

F

G

H

I

J

K

L

M

N


O

Pedestals

Drawer for surface-mounted table

F02

TTD181605




Suspended pedestal

Suspended UF pedestal

F03

SPUF181618




Freestanding pedestals

Freestanding UUF pedestal - without top

F04


FPUUF181628



Freestanding FF pedestal - without top

F05

FPFF181628




Support pedestals

Support UUF pedestal with finished back - without top

F06

FSPUUF301628
FSPUUF241628
FSPUUF211628
FSPUUF181628




FSPUUF301228
FSPUUF241228
FSPUUF211228
FSPUUF181228

Support FF pedestal with finished back - without top

F07

FSPFF301628
FSPFF241628
FSPFF211628
FSPFF181628




FSPFF301228
FSPFF241228
FSPFF211228
FSPFF181228

Pedestals

Mobile pedestals


Mobile UUF pedestal F08

MPUUF181627




Mobile UF pedestal F10

MPUF181621



Mobile FF pedestal F09

MPFF181627



Cushion for mobile pedestal


Fabric cushion for mobile pedestal F11

CUST1816



Felt cushion for mobile pedestal F12


CUSF1816



Pedestals for floating modular surface

Open pedestal with finished back with spacer for floating modular surface F13


PFTO301627
PFTO241627
PFTO211627
PFTO181627



PFTO301227
PFTO241227
PFTO211227
PFTO181227

FF pedestal with finished back with spacer for floating modular surface F15


PFTFF301627
PFTFF241627
PFTFF211627
PFTFF181627



PFTFF301227
PFTFF241227
PFTFF211227
PFTFF181227

UUF pedestal with finished back with spacer for floating modular surface F14


PFTUUF301627
PFTUUF241627
PFTUUF211627
PFTUUF181627










PFTUUF301227
PFTUUF241227
PFTUUF211227
PFTUUF181227

Laminate spacer for floating surface F16

SPFT2005
SPFT1405




Personnal storages

Mobile storage with openings and hinged doors at the bottom		G02	Mobile personal storage		G04
MSOODD152440			PSMOTOS201221		
			PSMOTDL201221		
Felt tile for mobile storage with openings and hinged doors at the bottom		G03			
TMSOODDF2237 TMSOODDF2210			PSMOTDR201221		
			PSMDL201221		
			PSMDR201221		

Personnal storages


Fabric cushion for mobile personal storage G07

PSCUST2012




Felt cushion for mobile personal storage G08

PSCUSF2012




Metal tool box G09

PSTBOX



Personal suspended metal storage G10

PSMS



A

B

C

D

E

F

G

H

I

J

K

L

M

N


O

Hutches & Top storage

Hutches with laminate support legs


Open hutch with laminate support legs

H02

HLO148443		HLO148437
HLO147843		HLO147837
HLO147243		HLO147237
HLO146643		HLO146637
HLO146043		HLO146037
HLO145443		HLO145437
HLO144843		HLO144837
HLO144243		HLO144237
HLO143643		HLO143637
HLO143043		HLO143037
HLO142443		HLO142437


Hutch with hinged doors and laminate support legs

H04

HLD148443		HLD148437
HLD147843		HLD147837
HLD147243		HLD147237
HLD146643		HLD146637
HLD146043		HLD146037
HLD145443		HLD145437
HLD144843		HLD144837
HLD144243		HLD144237
HLD143643		HLD143637
HLD143043		HLD143037
HLD142443		HLD142437

Hutch with hinged doors and laminate support legs ("contemporary" aluminum frame - frosted acrylic interior panel)

H06

HLDC148443		HLDC148437
HLDC147843		HLDC147837
HLDC147243		HLDC147237
HLDC146643		HLDC146637
HLDC146043		HLDC146037
HLDC145443		HLDC145437
HLDC144843		HLDC144837
HLDC144243		HLDC144237
HLDC143643		HLDC143637
HLDC143043		HLDC143037
HLDC142443		HLDC142437


Hutches & Top storage

Hutches with laminate support legs

Hutch with hinged doors and laminate support legs ("contemporary" aluminum frame - opaque acrylic interior panel)

H08

HLDCO148443
HLDCO147843
HLDCO147243
HLDCO146643
HLDCO146043
HLDCO145443
HLDCO144843
HLDCO144243
HLDCO143643
HLDCO143043
HLDCO142443




HLDCO148437
HLDCO147837
HLDCO147237
HLDCO146637
HLDCO146037
HLDCO145437
HLDCO144837
HLDCO144237
HLDCO143637
HLDCO143037
HLDCO142437

Hutch with hinged doors, central opening and laminate support legs

H10

HLH147243
HLH146643
HLH146043
HLH145443
HLH144843
HLH144243




HLH147237
HLH146637
HLH146037
HLH145437
HLH144837
HLH144237

Hutch with flipper door(s) and laminate support legs (standard mechanism)

H11


HLFTD147243
HLFTD146643
HLFTD146043
HLFTD145443
HLFTD144843
HLFTD144243
HLFTD143643
HLFTD143043
HLFTD142443




HLFTD147237
HLFTD146637
HLFTD146037
HLFTD145437
HLFTD144837
HLFTD144237
HLFTD143637
HLFTD143037
HLFTD142437

Hutch with flipper door(s) with laminate support legs ("Easy-down" mechanism)

H13




H15



Open hutch with open metal support legs

H16




Hutches & Top storage

Hutches with metal support legs

Hutch with hinged doors and open metal support legs H18


HMD148443
HMD147843
HMD147243
HMD146643
HMD146043
HMD145443
HMD144843
HMD144243
HMD143643
HMD143043
HMD142443



HMD148437
HMD147837
HMD147237
HMD146637
HMD146037
HMD145437
HMD144837
HMD144237
HMD143637
HMD143037
HMD142437

Hutch with hinged doors and open metal support legs ("contemporary" aluminum frame - frosted acrylic interior panel) H20


HMDCA148443
HMDCA147843
HMDCA147243
HMDCA146643
HMDCA146043
HMDCA145443
HMDCA144843
HMDCA144243
HMDCA143643
HMDCA143043
HMDCA142443



HMDCA148437
HMDCA147837
HMDCA147237
HMDCA146637
HMDCA146037
HMDCA145437
HMDCA144837
HMDCA144237
HMDCA143637
HMDCA143037
HMDCA142437

Hutch with hinged doors and open metal support legs ("contemporary" aluminum frame - opaque acrylic interior panel) H22


HMDCO148443
HMDCO147843
HMDCO147243
HMDCO146643
HMDCO146043
HMDCO145443
HMDCO144843
HMDCO144243
HMDCO143643
HMDCO143043
HMDCO142443



HMDCO148437
HMDCO147837
HMDCO147237
HMDCO146637
HMDCO146037
HMDCO145437
HMDCO144837
HMDCO144237
HMDCO143637
HMDCO143037
HMDCO142437


Hutch with hinged doors with central opening with open metal support legs

H24




HMH147237
HMH146637
HMH146037
HMH145437
HMH144837
HMH144237

H25



HMFTD147237
HMFTD146637
HMFTD146037
HMFTD145437
HMFTD144837
HMFTD144237
HMFTD143637
HMFTD143037
HMFTD142437

H27



HMFDW147237
HMFDW146637
HMFDW146037
HMFDW145437
HMFDW144837
HMFDW144237
HMFDW143637
HMFDW143037
HMFDW142437


Hutches & Top storage

Wall mounted hutches

Open wall mounted hutch

H29

HWO147217
HWO146617
HWO146017
HWO145417
HWO144817
HWO144217
HWO143617
HWO143017
HWO142417




Wall mounted hutch with hinged doors ("contemporary" aluminum frame - opaque acrylic interior panel)

H32

OPAQUE ACRYLIC


HWDCO147217
HWDCO146617
HWDCO146017
HWDCO145417
HWDCO144817
HWDCO144217
HWDCO143617
HWDCO143017
HWDCO142417



Wall mounted hutch with hinged doors

H30


HWD147217
HWD146617
HWD146017
HWD145417
HWD144817
HWD144217
HWD143617
HWD143017
HWD142417



Wall mounted hutch with hinged doors and a central opening

H33

HWH147217
HWH146617
HWH146017
HWH145417
HWH144817
HWH144217




Wall mounted hutch with hinged doors ("contemporary" aluminum frame - frosted acrylic interior panel)

H31

ACRYLIQUE GIVRÉ


HWDCA147217
HWDCA146617
HWDCA146017
HWDCA145417
HWDCA144817
HWDCA144217
HWDCA143617
HWDCA143017
HWDCA142417



Wall mounted hutch with flipper door(s) (standard mechanism)

H34


HWFTD147217
HWFTD146617
HWFTD146017
HWFTD145417
HWFTD144817
HWFTD144217
HWFTD143617
HWFTD143017
HWFTD142417








Wall mounted hutch with flipper door(s) ("Easy-down" mechanism)

H35

HWFDW147217
HWFDW146617
HWFDW146017
HWFDW145417
HWFDW144817
HWFDW144217
HWFDW143617
HWFDW143017
HWFDW142417





Hutches & Top storage

Open wall mounted module	H36	Bookcase hutch with door(s)	H38
HWB107208 HWB106608 HWB106008 HWB105408 HWB104808 HWB104208 HWB103608 HWB103008 HWB102408		HPDD143643 HPDD143043 HPDD143637 HPDD143037 HPDO143643 HPDO143043 HPDO143637 HPDO143037 HPOD143643 HPOD143043 HPOD143637 HPOD143037	  
HBK143643 HBK143043 HBK143637 HBK143037			

Supported-panels

Storage-supported panels for storage 23" H.

Storage-supported laminate panel	i02	Storage-supported laminate panel with shelf cut-outs (single shelf)	i04
PDL847223 PDL787223 PDL727223 PDL667223 PDL607223 PDL547223 PDL487223 PDL427223 PDL367223 PDL307223 PDL247223		PDL1T847223 PDL1T787223 PDL1T727223 PDL1T667223 PDL1T607223 PDL1T547223 PDL1T487223 PDL1T427223 PDL1T367223 PDL1T307223 PDL1T247223	
PDL846623 PDL786623 PDL726623 PDL666623 PDL606623 PDL546623 PDL486623 PDL426623 PDL366623 PDL306623 PDL246623		PDL1T846623 PDL1T786623 PDL1T726623 PDL1T666623 PDL1T606623 PDL1T546623 PDL1T486623 PDL1T426623 PDL1T366623 PDL1T306623 PDL1T246623	
PDL845423 PDL785423 PDL725423 PDL665423 PDL605423 PDL545423 PDL485423 PDL425423 PDL365423 PDL305423 PDL245423		PDL1T845423 PDL1T785423 PDL1T725423 PDL1T665423 PDL1T605423 PDL1T545423 PDL1T485423 PDL1T425423 PDL1T365423 PDL1T305423 PDL1T245423	




Supported-panels

Storage-supported laminate panel
with shelves cut-outs (two shelves)

i06

PDL2T847223
PDL2T787223
PDL2T727223
PDL2T667223
PDL2T607223
PDL2T547223
PDL2T487223
PDL2T427223
PDL2T367223
PDL2T307223
PDL2T247223




PDL2T846623
PDL2T786623
PDL2T726623
PDL2T666623
PDL2T606623
PDL2T546623
PDL2T486623
PDL2T426623
PDL2T366623
PDL2T306623
PDL2T246623

Storage-supported laminate panel
for wall-mounted hutch installed at 72" H.

i07


PDLH845523
PDLH785523
PDLH725523
PDLH665523
PDLH605523
PDLH545523
PDLH485523
PDLH425523
PDLH365523
PDLH305523
PDLH245523



Storage-supported laminate panel
for wall-mounted hutch installed
at 72" H., with shelf cut-out

i08

PDLH1T845523
PDLH1T785523
PDLH1T725523
PDLH1T665523
PDLH1T605523
PDLH1T545523
PDLH1T485523
PDLH1T425523
PDLH1T365523
PDLH1T305523
PDLH1T245523




Storage-supported felt panel

i09

PDF427223
PDF367223
PDF307223
PDF247223

PDF426623
PDF366623
PDF306623
PDF246623




PDF425423
PDF365423
PDF305423
PDF245423

Storage-supported tackable felt panel
for wall-mounted hutch installed at 72" H.

i10

PDFH425523
PDFH365523
PDFH305523
PDFH245523



Supported-panels


Storage-supported tackable fabric-covered panel

i11

PDT427223
PDT367223
PDT307223
PDT247223

PDT426623
PDT366623
PDT306623
PDT246623


PDT425423
PDT365423
PDT305423
PDT245423



Storage-supported fabric-covered panel for wall-mounted hutch installed at 72" H.

i12

PDTH425523
PDTH365523
PDTH305523
PDTH245523



Storage-supported panels for storage 29" H.


Storage-supported laminate panel

i13

PDL847229
PDL787229
PDL727229
PDL667229
PDL607229
PDL547229
PDL487229
PDL427229
PDL367229
PDL307229
PDL247229

PDL846629
PDL786629
PDL726629
PDL666629
PDL606629
PDL546629
PDL486629
PDL426629
PDL366629
PDL306629
PDL246629

PDL845429
PDL785429
PDL725429
PDL665429
PDL605429
PDL545429
PDL485429
PDL425429
PDL365429
PDL305429
PDL245429




Storage-supported laminate panel with shelf cut-outs (single shelf)

i15

PDL1T847229
PDL1T787229
PDL1T727229
PDL1T667229
PDL1T607229
PDL1T547229
PDL1T487229
PDL1T427229
PDL1T367229
PDL1T307229
PDL1T247229

PDL1T846629
PDL1T786629
PDL1T726629
PDL1T666629
PDL1T606629
PDL1T546629
PDL1T486629
PDL1T426629
PDL1T366629
PDL1T306629
PDL1T246629

PDL1T845429
PDL1T785429
PDL1T725429
PDL1T665429
PDL1T605429
PDL1T545429
PDL1T485429
PDL1T425429
PDL1T365429
PDL1T305429
PDL1T245429




Supported-panels

Storage-supported laminate panel
with shelves cut-outs (two shelves)

i17

PDL2T847229
PDL2T787229
PDL2T727229
PDL2T667229
PDL2T607229
PDL2T547229
PDL2T487229
PDL2T427229
PDL2T367229
PDL2T307229
PDL2T247229




PDL2T846629
PDL2T786629
PDL2T726629
PDL2T666629
PDL2T606629
PDL2T546629
PDL2T486629
PDL2T426629
PDL2T366629
PDL2T306629
PDL2T246629

Storage-supported laminate panel
for wall-mounted hutch installed at 72" H.

i18


PDLH845529
PDLH785529
PDLH725529
PDLH665529
PDLH605529
PDLH545529
PDLH485529
PDLH425529
PDLH365529
PDLH305529
PDLH245529



Storage-supported laminate panel for wall-mounted hutch
installed at 72" H., with shelf cut-out

i19

PDLH1T845529
PDLH1T785529
PDLH1T725529
PDLH1T665529
PDLH1T605529
PDLH1T545529
PDLH1T485529
PDLH1T425529
PDLH1T365529
PDLH1T305529
PDLH1T245529




Storage-supported felt panel

i20

PDF427229
PDF367229
PDF307229
PDF247229

PDF426629
PDF366629
PDF306629
PDF246629


PDF425429
PDF365429
PDF305429
PDF245429



Storage-supported tackable felt panel
for wall-mounted hutch installed at 72" H.

i21

PDFH425529
PDFH365529
PDFH305529
PDFH245529




Supported-panels

Storage-supported tackable fabric-covered panel i22

PDT427229
PDT367229
PDT307229
PDT247229


PDT426629
PDT366629
PDT306629
PDT246629

PDT425429
PDT365429
PDT305429
PDT245429




Storage-supported fabric-covered panel for wall-mounted hutch installed at 72" H. i23

PDTH425529
PDTH365529
PDTH305529
PDTH245529




Laminate shelf (square corners) for storage-supported laminate panel i24

SHELPL1182
SHELPL1176
SHELPL1170
SHELPL1164
SHELPL1158
SHELPL1152
SHELPL1146
SHELPL1140
SHELPL1134
SHELPL1128
SHELPL1122




Laminate shelf (round corners) for storage-supported laminate panel i25

SHELPLA1182
SHELPLA1176
SHELPLA1170
SHELPLA1164
SHELPLA1158
SHELPLA1152
SHELPLA1146
SHELPLA1140
SHELPLA1134
SHELPLA1128
SHELPLA1122



Metal shelf shelf for storage-supported laminate panel i26

SHEMPDL0578
SHEMPDL0572
SHEMPDL0566
SHEMPDL0560
SHEMPDL0554
SHEMPDL0548
SHEMPDL0542
SHEMPDL0536
SHEMPDL0530
SHEMPDL0524
SHEMPDL0518



Tackboard for 43" high hutches


IV66 Canada

Tackboards

Fabric tackboard for 43" high hutches with horizontal pigeonhole unit and with horizontal grommet

J08


BT8221
BT7621
BT7021
BT6421
BT5821
BT5221
BT4621
BT4021
BT3421
BT2821
BT2221



Felt tackboard for 37" high hutches without horizontal pigeonhole unit and without horizontal grommet

J09

BF8221
BF7621
BF7021
BF6421
BF5821
BF5221
BF4621
BF4021
BF3421
BF2821
BF2221




Tackboard for 43" high hutches

Fabric tackboard for 43" high hutches with horizontal pigeonhole unit and with horizontal grommet

J10


BT8220
BT7620
BT7020
BT6420
BT5820
BT5220
BT4620
BT4020
BT3420
BT2820
BT2220



Fabric tackboard for 37" high hutches without horizontal pigeonhole unit and with horizontal grommet

J12


BT8219
BT7619
BT7019
BT6419
BT5819
BT5219
BT4619
BT4019
BT3419
BT2819
BT2219



Felt tackboard for 37" high hutches without horizontal pigeonhole unit and without horizontal grommet

J11


BF8220
BF7620
BF7020
BF6420
BF5820
BF5220
BF4620
BF4020
BF3420
BF2820
BF2220





Felt tackboard for 37" high hutches without horizontal pigeonhole unit and with horizontal grommet

J13

BF8219
BF7619
BF7019
BF6419
BF5819
BF5219
BF4619
BF4019
BF3419
BF2819
BF2219



Tackboard for 37" high hutches

Felt tackboard for 37" high hutches with horizontal pigeonhole unit and without horizontal grommet	J15	Felt tackboard for 37" high hutches with horizontal pigeonhole unit and with horizontal grommet	J17
BF8216		BF8215	
BF7616		BF7615	
BF7016		BF7015	
BF6416		BF6415	
BF5816		BF5815	
BF5216		BF5215	
BF4616		BF4615	
BF4016		BF4015	
BF3416		BF3415	
BF2816		BF2815	
BF2216		BF2215	

Wall-mounted fabric tackboard for wall-mounted hutches installed 72" high	J18	Wall-mounted felt tackboard for wall-mounted hutches installed 72" high	J19
WBT7226		WBF7226	
WBT6626		WBF6626	
WBT6026		WBF6026	
WBT5426		WBF5426	
WBT4826		WBF4826	
WBT4226		WBF4226	
WBT3626		WBF3626	
WBT3026	WBF3026		
WBT2426		WBF2426	


Tackboards

Wall-mounted tackboard for wall-mounted hutches installed 66" high

Wall-mounted fabric tackboard for wall-mounted hutches installed 66" high

J20


WBT7220
WBT6620
WBT6020
WBT5420
WBT4820
WBT4220
WBT3620
WBT3020
WBT2420



Wall-mounted felt tackboard for wall-mounted hutches installed 66" high

J21

WBF7220
WBF6620
WBF6020
WBF5420
WBF4820
WBF4220
WBF3620
WBF3020
WBF2420




Mounting brackets for hutch-type tackboard

Mounting brackets for hutch-type fabric tackboard

J22


AC-HKBT



Mounting brackets for hutch-type felt tackboard

J22


AC-HKBF



A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Laminate privacy screen


K02




PPOVL7215
PPOVL6615
PPOVL6015
PPOVL5415
PPOVL4815
PPOVL4215
PPOVL3615
PPOVL3015
PPOVL2415
PPOVL2115
PPOVL1815

PPOVL7213
PPOVL6613
PPOVL6013
PPOVL5413
PPOVL4813
PPOVL4213
PPOVL3613
PPOVL3013
PPOVL2413
PPOVL2113
PPOVL1813

K03




PPOVLEL3815
PPOVLEL3215
PPOVLEL3813
PPOVLEL3213



PPOVLER3815
PPOVLER3215
PPOVLER3813
PPOVLER3213


K04



PPFRL7229
PPFRL6629
PPFRL6029
PPFRL5429
PPFRL4829
PPFRL4229
PPFRL3629
PPFRL3029
PPFRL2429

PPFRL7227
PPFRL6627
PPFRL6027
PPFRL5427
PPFRL4827
PPFRL4227
PPFRL3627
PPFRL3027
PPFRL2427

K05



PPUNL7223
PPUNL6623
PPUNL6023
PPUNL5423
PPUNL4823
PPUNL4223
PPUNL3623
PPUNL3023
PPUNL2423


PPUNL7213
PPUNL6613
PPUNL6013
PPUNL5413
PPUNL4813
PPUNL4213
PPUNL3613
PPUNL3013
PPUNL2413

Screens

Felt privacy screen with rounded corners

K06

PPOVFA7225
PPOVFA6625
PPOVFA6025
PPOVFA5425
PPOVFA4825
PPOVFA4225
PPOVFA3625
PPOVFA3025
PPOVFA2425
PPOVFA2125
PPOVFA1825




PPOVFA7215
PPOVFA6615
PPOVFA6015
PPOVFA5415
PPOVFA4815
PPOVFA4215
PPOVFA3615
PPOVFA3015
PPOVFA2415
PPOVFA2115
PPOVFA1815

PPOVFA7213
PPOVFA6613
PPOVFA6013
PPOVFA5413
PPOVFA4813
PPOVFA4213
PPOVFA3613
PPOVFA3013
PPOVFA2413
PPOVFA2113
PPOVFA1813


Felt privacy screen with rounded corners,
exceeding in front of the surface

K08

PPOVFAEL3825
PPOVFAEL3225
PPOVFAEL3815
PPOVFAEL3215
PPOVFAEL3813
PPOVFAEL3213




PPOVFAER3825
PPOVFAER3225
PPOVFAER3815
PPOVFAER3215
PPOVFAER3813
PPOVFAER3213



Felt double privacy screen with rounded corners

K09

PPFRFA7239
PPFRFA6639
PPFRFA6039
PPFRFA5439
PPFRFA4839
PPFRFA4239
PPFRFA3639
PPFRFA3039
PPFRFA2439



PPFRFA7229
PPFRFA6629
PPFRFA6029
PPFRFA5429
PPFRFA4829
PPFRFA4229
PPFRFA3629
PPFRFA3029
PPFRFA2429

PPFRFA7227
PPFRFA6627
PPFRFA6027
PPFRFA5427
PPFRFA4827
PPFRFA4227
PPFRFA3627
PPFRFA3027
PPFRFA2427

Felt modesty panel with rounded corners

Translucent acrylic privacy screen

K12

-

- PPOVA7225
PPOVA6625
PPOVA6025
PPOVA5425
PPOVA4825
PPOVA4225
PPOVA3625
PPOVA3025
PPOVA2425
PPOVA2125
PPOVA1825

- PPOVA7215
PPOVA6615
PPOVA6015
PPOVA5415
PPOVA4815
PPOVA4215
PPOVA3615
PPOVA3015
PPOVA2415
PPOVA2115
PPOVA1815




- PPOVA7213
PPOVA6613
PPOVA6013
PPOVA5413
PPOVA4813
PPOVA4213
PPOVA3613
PPOVA3013
PPOVA2413
PPOVA2113
PPOVA1813

- Translucent acrylic privacy screen, exceeding
in front of the surface

K14

- PPOVAEL3825
PPOVAEL3225
PPOVAEL3815
PPOVAEL3215
PPOVAEL3813
PPOVAEL3213

- PPOVAER3825
PPOVAER3225
PPOVAER3815
PPOVAER3215
PPOVAER3813
PPOVAER3213




Screens

Translucent acrylic double privacy screen

K15

PPFRA7239
PPFRA6639
PPFRA6039
PPFRA5439
PPFRA4839
PPFRA4239
PPFRA3639
PPFRA3039
PPFRA2439




PPFRA7229
PPFRA6629
PPFRA6029
PPFRA5429
PPFRA4829
PPFRA4229
PPFRA3629
PPFRA3029
PPFRA2429

PPFRA7227
PPFRA6627
PPFRA6027
PPFRA5427
PPFRA4827
PPFRA4227
PPFRA3627
PPFRA3027
PPFRA2427

Translucent acrylic modesty

K17

PPUNA7223
PPUNA6623
PPUNA6023
PPUNA5423
PPUNA4823
PPUNA4223
PPUNA3623
PPUNA3023
PPUNA2423




PPUNA7213
PPUNA6613
PPUNA6013
PPUNA5413
PPUNA4813
PPUNA4213
PPUNA3613
PPUNA3013
PPUNA2413


Felt rounded corner privacy screen

K18

PPFRFACAL307239
PPFRFACAL306639
PPFRFACAL306039
PPFRFACAL305439
PPFRFACAL304839
PPFRFACAL304239
PPFRFACAL303639



PPFRFACAR307239
PPFRFACAR306639
PPFRFACAR306039
PPFRFACAR305439
PPFRFACAR304839
PPFRFACAR304239
PPFRFACAR303639



PPFRFACAL247239
PPFRFACAL246639
PPFRFACAL246039
PPFRFACAL245439
PPFRFACAL244839
PPFRFACAL244239
PPFRFACAL243639

PPFRFACAR247239
PPFRFACAR246639
PPFRFACAR246039
PPFRFACAR245439
PPFRFACAR244839
PPFRFACAR244239
PPFRFACAR243639

PPFRFACAL187239
PPFRFACAL186639
PPFRFACAL186039
PPFRFACAL185439
PPFRFACAL184839
PPFRFACAL184239
PPFRFACAL183639

PPFRFACAR187239
PPFRFACAR186639
PPFRFACAR186039
PPFRFACAR185439
PPFRFACAR184839
PPFRFACAR184239
PPFRFACAR183639


PPFRFACAL307229
PPFRFACAL306629
PPFRFACAL306029
PPFRFACAL305429
PPFRFACAL304829
PPFRFACAL304229
PPFRFACAL303629

Screens


Felt rounded corner privacy screen

K19

PPFRFACAR307229
PPFRFACAR306629
PPFRFACAR306029
PPFRFACAR305429
PPFRFACAR304829
PPFRFACAR304229
PPFRFACAR303629



PPFRFACAL247229
PPFRFACAL246629
PPFRFACAL246029
PPFRFACAL245429
PPFRFACAL244829
PPFRFACAL244229
PPFRFACAL243629



PPFRFACAR247229
PPFRFACAR246629
PPFRFACAR246029
PPFRFACAR245429
PPFRFACAR244829
PPFRFACAR244229
PPFRFACAR243629

PPFRFACAL187229
PPFRFACAL186629
PPFRFACAL186029
PPFRFACAL185429
PPFRFACAL184829
PPFRFACAL184229
PPFRFACAL183629

PPFRFACAR187229
PPFRFACAR186629
PPFRFACAR186029
PPFRFACAR185429
PPFRFACAR184829
PPFRFACAR184229
PPFRFACAR183629

PPFRFACAL307227
PPFRFACAL306627
PPFRFACAL306027
PPFRFACAL305427
PPFRFACAL304827
PPFRFACAL304227
PPFRFACAL303627

PPFRFACAR307227
PPFRFACAR306627
PPFRFACAR306027
PPFRFACAR305427
PPFRFACAR304827
PPFRFACAR304227
PPFRFACAR303627

PPFRFACAL247227
PPFRFACAL246627
PPFRFACAL246027
PPFRFACAL245427
PPFRFACAL244827
PPFRFACAL244227
PPFRFACAL243627

PPFRFACAR247227
PPFRFACAR246627
PPFRFACAR246027
PPFRFACAR245427
PPFRFACAR244827
PPFRFACAR244227
PPFRFACAR243627

PPFRFACAL187227
PPFRFACAL186627
PPFRFACAL186027
PPFRFACAL185427
PPFRFACAL184827
PPFRFACAL184227
PPFRFACAL183627

PPFRFACAR187227
PPFRFACAR186627
PPFRFACAR186027
PPFRFACAR185427
PPFRFACAR184827
PPFRFACAR184227
PPFRFACAR183627


Felt symmetric rounded corner privacy screen

K24

PPFRFACA303039
PPFRFACA242439

PPFRFACA303029
PPFRFACA242429

PPFRFACA303027
PPFRFACA242427




Screens


Felt square corner privacy screen

K22

PPFRFACL307239
PPFRFACL306639
PPFRFACL306039
PPFRFACL305439
PPFRFACL304839
PPFRFACL304239
PPFRFACL303639



PPFRFACR307239
PPFRFACR306639
PPFRFACR306039
PPFRFACR305439
PPFRFACR304839
PPFRFACR304239
PPFRFACR303639



PPFRFACL247239
PPFRFACL246639
PPFRFACL246039
PPFRFACL245439
PPFRFACL244839
PPFRFACL244239
PPFRFACL243639

PPFRFACR247239
PPFRFACR246639
PPFRFACR246039
PPFRFACR245439
PPFRFACR244839
PPFRFACR244239
PPFRFACR243639

PPFRFACL187239
PPFRFACL186639
PPFRFACL186039
PPFRFACL185439
PPFRFACL184839
PPFRFACL184239
PPFRFACL183639

PPFRFACR187239
PPFRFACR186639
PPFRFACR186039
PPFRFACR185439
PPFRFACR184839
PPFRFACR184239
PPFRFACR183639

PPFRFACL307229
PPFRFACL306629
PPFRFACL306029
PPFRFACL305429
PPFRFACL304829
PPFRFACL304229
PPFRFACL303629

PPFRFACR307229
PPFRFACR306629
PPFRFACR306029
PPFRFACR305429
PPFRFACR304829
PPFRFACR304229
PPFRFACR303629

PPFRFACL247229
PPFRFACL246629
PPFRFACL246029
PPFRFACL245429
PPFRFACL244829
PPFRFACL244229
PPFRFACL243629

PPFRFACR247229
PPFRFACR246629
PPFRFACR246029
PPFRFACR245429
PPFRFACR244829
PPFRFACR244229
PPFRFACR243629

PPFRFACL187229
PPFRFACL186629
PPFRFACL186029
PPFRFACL185429
PPFRFACL184829
PPFRFACL184229
PPFRFACL183629

PPFRFACR187229
PPFRFACR186629
PPFRFACR186029
PPFRFACR185429
PPFRFACR184829
PPFRFACR184229
PPFRFACR183629


PPFRFACL307227
PPFRFACL306627
PPFRFACL306027
PPFRFACL305427
PPFRFACL304827
PPFRFACL304227
PPFRFACL303627

PPFRFACR307227
PPFRFACR306627
PPFRFACR306027
PPFRFACR305427
PPFRFACR304827
PPFRFACR304227
PPFRFACR303627


Felt square corner privacy screen

K24

PPFRFACL247227
PPFRFACL246627
PPFRFACL246027
PPFRFACL245427
PPFRFACL244827
PPFRFACL244227
PPFRFACL243627



PPFRFACR247227
PPFRFACR246627
PPFRFACR246027
PPFRFACR245427
PPFRFACR244827
PPFRFACR244227
PPFRFACR243627




PPFRFACL187227
PPFRFACL186627
PPFRFACL186027
PPFRFACL185427
PPFRFACL184827
PPFRFACL184227
PPFRFACL183627

PPRFACR187227
PPRFACR186627
PPRFACR186027
PPRFACR185427
PPRFACR184827
PPRFACR184227
PPRFACR183627

Felt symmetric square corner privacy screen

K25

PPFRFAC303039
PPFRFAC242439




PPRFAC303029
PPRFAC242429

PPFRFAC303027
PPFRFAC242427

Metal bridge connector for felt privacy panel -
for straight-line junction

K26


BCPPFS



Metal bridge connector for felt privacy panel -
for corner junction

K27


BCPPFL



Plastic bridge connector for acrylic privacy panel -
for straight-line junction

K28


BCPPAS



Plastic bridge connector for acrylic privacy panel -
for corner junction

K29

BCPPAL




Back tiles for storage unit

Laminate back tiles

Laminate back tile (for 22" and 23" high units)

L02

TDL1791X0515
TDL1638X0515
TDL1486X0515
TDL1334X0515
TDL1181X0515
TDL1029X0515
TDL0876X0515
TDL0724X0515



Laminate back tile (for 53" high units)

L06


TDL0876X1275
TDL0724X1275



Laminate back tile (for 28" and 29" high units)

L03

TDL1791X0667
TDL1638X0667
TDL1486X0667
TDL1334X0667
TDL1181X0667
TDL1029X0667
TDL0876X0667
TDL0860X0667
TDL0724X0667
TDL0708X0667
TDL0419X0667



Laminate back tile (for 54" high units)

L07


TDL0876X1290
TDL0860X1290
TDL0724X1290
TDL0708X1290
TDL0571X1290
TDL0419X1290
TDL0267X1290



Laminate back tile (for 34" and 35" high units)

L04

TDL1791X0819
TDL1486X0819
TDL0876X0819
TDL0724X0819
TDL0419X0819



Laminate back tile (for 66" high units)

L08


TDL0876X1609
TDL0860X1609
TDL0724X1609
TDL0708X1609
TDL0571X1609
TDL0419X1609






Laminate back tile (for 40" and 41" high units)

L05

TDL0876X0987
TDL0860X0987
TDL0724X0987
TDL0708X0987
TDL0419X0987
TDL0267X0987



Back tiles for storage unit

Laminate back tile (for 72" high units)		L09	Laminate back tile (for 43" high hutch and bookcase hutch)		L12
TDL0876X1761 TDL0860X1761 TDL0724X1761 TDL0708X1761 TDL0571X1761			TDL1775X1058 TDL1622X1058 TDL1470X1058 TDL1318X1058 TDL1165X1058 TDL1013X1058 TDL0860X1058 TDL0708X1058 TDL0555X1058		
TDL0876X1747 TDL0860X1747 TDL0724X1747 TDL0708X1747 TDL0571X1747			TDL2080X1053 TDL1927X1053 TDL1775X1053 TDL1622X1053 TDL1470X1053 TDL1318X1053 TDL1165X1053 TDL1013X1053 TDL0876X1053 TDL0860X1053 TDL0724X1053 TDL0708X1053 TDL0555X1053		
Laminate back tile (for 84" high units)		L10			
TDL0860X2068 TDL0708X2068					
Laminate back tile (for 37" high hutch and bookcase hutch)		L11			
TDL1775X0905 TDL1622X0905 TDL1470X0905 TDL1318X0905 TDL1165X0905 TDL1013X0905 TDL0860X0905 TDL0708X0905 TDL0555X0905					
TDL2080X0900 TDL1927X0900 TDL1775X0900 TDL1622X0900 TDL1470X0900 TDL1318X0900 TDL1165X0900 TDL1013X0900 TDL0876X0900 TDL0860X0900 TDL0724X0900 TDL0708X0900 TDL0555X0900					


Back tiles for storage unit

Felt back tile

Felt back tile (for 22" and 23" high units)

L13


TDF1791X0515
TDF1638X0515
TDF1486X0515
TDF1334X0515
TDF1181X0515
TDF1029X0515
TDF0876X0515
TDF0724X0515



Felt back tile (for 53" high units)

L17


TDF0876X1275
TDF0724X1275



Felt back tile (for 28" and 29" high units)

L14


TDF1791X0667
TDF1638X0667
TDF1486X0667
TDF1334X0667
TDF1181X0667
TDF1029X0667
TDF0876X0667
TDF0860X0667
TDF0724X0667
TDF0708X0667
TDF0419X0667



Felt back tile (for 54" high units)

L18


TDF0876X1290
TDF0860X1290
TDF0724X1290
TDF0708X1290
TDF0571X1290
TDF0419X1290
TDF0267X1290



Felt back tile (for 34" and 35" high units)

L15


TDF1791X0819
TDF1486X0819
TDF0876X0819
TDF0724X0819
TDF0419X0819



Felt back tile (for 66" high units)

L19


TDF0876X1609
TDF0860X1609
TDF0724X1609
TDF0708X1609
TDF0571X1609
TDF0419X1609



Felt back tile (for 40" and 41" high units)





L16

TDF0876X0987
TDF0860X0987
TDF0724X0987
TDF0708X0987
TDF0419X0987
TDF0267X0987



TDF0876X1595
TDF0860X1595
TDF0724X1595
TDF0708X1595
TDF0571X1595
TDF0419X1595

Back tiles for storage unit

Felt back tile (for 72" high units)		L20	Felt back tile (for 37" high hutch and bookcase hutch)		L22		
TDF0876X1761 TDF0860X1761 TDF0724X1761 TDF0708X1761 TDF0571X1761			TDF1775X0905 TDF1622X0905 TDF1470X0905 TDF1318X0905 TDF1165X0905 TDF1013X0905 TDF0860X0905 TDF0708X0905 TDF0555X0905				
TDF0876X1747 TDF0860X1747 TDF0724X1747 TDF0708X1747 TDF0571X1747			TDF2080X0900 TDF1927X0900 TDF1775X0900 TDF1622X0900 TDF1470X0900 TDF1318X0900 TDF1165X0900 TDF1013X0900 TDF0876X0900 TDF0860X0900 TDF0724X0900 TDF0708X0900 TDF0555X0900				
Felt back tile (for 84" high units)			L21	Felt back tile (for 43" high hutch and bookcase hutch)		L23	
TDF0860X2068 TDF0708X2068				TDF1775X1058 TDF1622X1058 TDF1470X1058 TDF1318X1058 TDF1165X1058 TDF1013X1058 TDF0860X1058 TDF0708X1058 TDF0555X1058			
				TDF2080X1053 TDF1927X1053 TDF1775X1053 TDF1622X1053 TDF1470X1053 TDF1318X1053 TDF1165X1053 TDF1013X1053 TDF0876X1053 TDF0860X1053 TDF0724X1053 TDF0708X1053 TDF0555X1053			


Back tiles for storage unit

Acrylic back tile

Opaque acrylic back tile (for 22" and 23" high units)

L24


TDA1791X0515
TDA1638X0515
TDA1486X0515
TDA1334X0515
TDA1181X0515
TDA1029X0515
TDA0876X0515
TDA0724X0515



Opaque acrylic back tile (for 53" high units)

L28


TDA0876X1275
TDA0724X1275



Opaque acrylic back tile (for 28" and 29" high units)

L25


TDA1791X0667
TDA1638X0667
TDA1486X0667
TDA1334X0667
TDA1181X0667
TDA1029X0667
TDA0876X0667
TDA0860X0667
TDA0724X0667
TDA0708X0667
TDA0419X0667



Opaque acrylic back tile (for 54" high units)

L29


TDA0876X1290
TDA0860X1290
TDA0724X1290
TDA0708X1290
TDA0571X1290
TDA0419X1290
TDA0267X1290



Opaque acrylic back tile (for 34" and 35" high units)

L26


TDA1791X0819
TDA1486X0819
TDA0876X0819
TDA0724X0819
TDA0419X0819



Opaque acrylic back tile (for 66" high units)

L30


TDA0876X1609
TDA0860X1609
TDA0724X1609
TDA0708X1609
TDA0571X1609
TDA0419X1609



Opaque acrylic back tile (for 40" and 41" high units)

L27

TDA0876X0987
TDA0860X0987
TDA0724X0987
TDA0708X0987
TDA0419X0987
TDA0267X0987



TDA0876X1595
TDA0860X1595
TDA0724X1595
TDA0708X1595
TDA0571X1595
TDA0419X1595


Opaque acrylic back tile (for 72" high units)	L31	Opaque acrylic back tile (for 37" high hutch and bookcase hutch)	L33
TDA0876X1761 TDA0860X1761 TDA0724X1761 TDA0708X1761 TDA0571X1761		TDA1775X0905 TDA1622X0905 TDA1470X0905 TDA1318X0905 TDA1165X0905 TDA1013X0905 TDA0860X0905 TDA0708X0905 TDA0555X0905	
TDA0876X1747 TDA0860X1747 TDA0724X1747 TDA0708X1747 TDA0571X1747		TDA2080X0900 TDA1927X0900 TDA1775X0900 TDA1622X0900 TDA1470X0900 TDA1318X0900 TDA1165X0900 TDA1013X0900 TDA0876X0900 TDA0860X0900 TDA0724X0900 TDA0708X0900 TDA0555X0900	
Opaque acrylic back tile (for 84" high units)	L32	Opaque acrylic back tile (for 43" high hutch and bookcase hutch)	L34
TDA0860X2068 TDA0708X2068		TDA1775X1058 TDA1622X1058 TDA1470X1058 TDA1318X1058 TDA1165X1058 TDA1013X1058 TDA0860X1058 TDA0708X1058 TDA0555X1058 TDA2080X1053 TDA1927X1053 TDA1775X1053 TDA1622X1053 TDA1470X1053 TDA1318X1053 TDA1165X1053 TDA1013X1053 TDA0876X1053 TDA0860X1053 TDA0724X1053 TDA0708X1053 TDA0555X1053	

Small walls

Small walls

Freestanding small wall M02

FSW157240
FSW156640
FSW156040
FSW155440
FSW154840
FSW154240
FSW153640
FSW153040
FSW152440




FSW157217
FSW156617
FSW156017
FSW155417
FSW154817
FSW154217
FSW153617
FSW153017
FSW152417

FSW157228
FSW156628
FSW156028
FSW155428
FSW154828
FSW154228
FSW153628
FSW153028
FSW152428

Mobile small wall M04

MSW157240
MSW156640
MSW156040
MSW155440
MSW154840
MSW154240
MSW153640
MSW153040
MSW152440




MSW157217
MSW156617
MSW156017
MSW155417
MSW154817
MSW154217
MSW153617
MSW153017
MSW152417

MSW157228
MSW156628
MSW156028
MSW155428
MSW154828
MSW154228
MSW153628
MSW153028
MSW152428

Tiles for small wall

Felt tile for freestanding small wall

M06




TFSWF7039
TFSWF6439
TFSWF5839
TFSWF5239
TFSWF4639
TFSWF4039
TFSWF3439
TFSWF2839
TFSWF2239

TFSWF7016
TFSWF6416
TFSWF5816
TFSWF5216
TFSWF4616
TFSWF4016
TFSWF3416
TFSWF2816
TFSWF2216

TFSWF7026
TFSWF6426
TFSWF5826
TFSWF5226
TFSWF4626
TFSWF4026
TFSWF3426
TFSWF2826
TFSWF2226

Felt tile for mobile small wall

M08



TMSWF7037
TMSWF6437
TMSWF5837
TMSWF5237
TMSWF4637
TMSWF4037
TMSWF3437
TMSWF2837
TMSWF2237

TMSWF7024
TMSWF6424
TMSWF5824
TMSWF5224
TMSWF4624
TMSWF4024
TMSWF3424
TMSWF2824
TMSWF2224


TMSWF7013
TMSWF6413
TMSWF5813
TMSWF5213
TMSWF4613
TMSWF4013
TMSWF3413
TMSWF2813
TMSWF2213

Small walls

Accessories


Shelf for small wall M10

SHESW1536
SHESW1533
SHESW1530
SHESW1527
SHESW1524
SHESW1521
SHESW1518
SHESW1515
SHESW1512




Tray M11

BB1210











Bench M12

BE157218
BE156618
BE156018
BE155418
BE154818
BE154218
BE153618
BE153018
BE152418



Electricity

Single-sided electrical system	N02	Jumpers	N07
WCMA1605		EJS216 EJS96 EJS82 EJS72 EJS66 EJS60 EJS54 EJS48 EJS42 EJS36 EJS30 EJS24	
Double-sided electrical system	N03		
WCMB1605			
Cabling support for electrical system	N04	Coupling	N07
WCMA50216		HR	
Duplex outlet	N05	Junction box cover	N08
DO1 DO2 DO3 DO4		ECWD	
Double USB outlet	N06	Power feed cable	N08
USB1 USB2 USB3 USB4		EC216 EC180 EC72	

Electricity


Fastener for jumper N08

EJB5




Cable pole for credenza N09

CPC33120
CPC13120




Cable pole divider N10

CPD33



CPD13




Complements

Corner shelf

O02

JC1414



Stiffener

O03

AC-RSTF64


AC-RSTF58

AC-RSTF52

AC-RSTF46

AC-RSTF40


AC-RSTF34



Junction bar

O03


AC-RSTi18



Junction plates for surfaces with straight edge

O04


AC-FJP2



Junction plates for surfaces with reversed edge

O04

AC-FJPV2







A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Finish choices





Finish choices

- Surfaces IG02
- Edges IG02
- Bases IG03
- Fronts IG03
- Felt IG04
- Acrylic IG04
- Wood IG04
- Fabric IG04
- Metal IG05
- Pulls IG06

The different types of finishes

Surfaces

T.F.L. & H.P.L.

DOLOMITE FINISH

-  Charcoal **F**
-  Frost **A**
-  White **BW**

SUEDE FINISH

-  Cayenne Maple **CM**
-  Cherry **CH**
-  Honey **HO ****

SUPERMAT FINISH

-  Chestnut **CG**
-  Lago **LA**
-  Maritime Maple **EM**
-  Moka **PM**
-  Tobacco Cherry **TC**
-  Willow Grey **WG**

AURA FINISH

-  Carbon **CB**
-  Dalia **DA**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Sea Salt **SM**
-  Sesame **SE**

KARISMA FINISH

-  First Class **ST ***
-  Free Spirit **EL ***
-  Sheer Beauty **BN ***

* Finishes not available for H.P.L. surfaces 108" and longer.

** Suede finish for T.F.L. and Dolomite finish for the H.P.L.

FENIX H.P.L.

-  Bianco Kos **BK**
-  Grigio Londra **GL**
-  Grigio Bromo **GB**
-  Nero Ingo **FN**



ATTENTION :

FENIX surfaces are not available in 1 ½"

Edges

Regular

-  Baltic Birch Plywood **MR**
-  Black **N**
-  Carbon **CB**
-  Cayenne Maple **CM**
-  Charcoal **F**
-  Cherry **CH**
-  Chestnut **CG**
-  Dalia **DA**
-  First Class **ST**
-  Free spirit **EL**
-  Frost **A**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Honey **HO**
-  Lago **LA**
-  Maritime Maple **EM**
-  Moka **PM**
-  Sea Salt **SM**
-  Sesame **SE**
-  Sheer beauty **BN**
-  Tobacco Cherry **TC**
-  White **BW**
-  Willow Grey **WG**

FENIX

-  Bianco kos **BK**
-  Grigio londra **GL**
-  Grigio bromo **GB**
-  Nero ingo **FN**



ATTENTION :

FENIX edges are not available in 1 ½"

The different types of finishes

Bases

T.F.L.

Dolomite finish

-  Black **N**
-  Charcoal **F**
-  Frost **A**
-  White **BW**

SUEDE FINISH

-  Cayenne Maple **CM**
-  Cherry **CH**
-  Honey **HO**

SUPERMAT FINISH

-  Chestnut **CG**
-  Lago **LA**
-  Maritime Maple **EM**
-  Moka **PM**
-  Tobacco Cherry **TC**
-  Willow Grey **WG**

AURA FINISH

-  Carbon **CB**
-  Dalia **DA**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Sea Salt **SM**
-  Sesame **SE**

KARISMA FINISH

-  First Class **ST**
-  Free Spirit **EL**
-  Sheer Beauty **BN**

Base 1 & Fronts

T.F.L.

DOLOMITE FINISH

-  Black **N**
-  Charcoal **F**
-  Frost **A**
-  White **BW**

SUEDE FINISH

-  Cayenne Maple **CM**
-  Cherry **CH**
-  Honey **HO**

SUPERMAT FINISH

-  Chestnut **CG**
-  Lago **LA**
-  Maritime Maple **EM**
-  Moka **PM**
-  Tobacco Cherry **TC**
-  Willow Grey **WG**

AURA FINISH

-  Carbon **CB**
-  Dalia **DA**
-  Galaxy **GX**
-  Ginger Root **GG**
-  Sea Salt **SM**
-  Sesame **SE**

KARISMA FINISH

-  First Class **ST**
-  Free Spirit **EL**
-  Sheer Beauty **BN**

FENIX H.P.L.

-  Bianco Kos **BK**
-  Grigio Londra **GL**
-  Grigio Bromo **GB**
-  Nero Ingo **FN**

The different types of finishes

Felt




Acrylic


Opaque acrylic (hutch doors)



Acrylic (others)



Wood




Fabric

Refer to the current Artopex panels fabric chart (privacy panels, tackboards and storage back tiles).

Refer to the current Artopex seating fabric card (cushions).

Wood grain finish film



The different types of finishes

Metal

4 neutrals

-  Black **3067**
-  Charcoal **3064**
-  Polar White **3002**
-  Silver **3090**

Pneumatic mechanism base

-  Black **9067**
-  Silver **9090**
-  White **9002**

34 colors

- | | | | |
|---|--|---|---|
|  Abyss 3113 |  Cherry 3111 |  Grigio Londra 3486 * |  Shadow 3101 |
|  Amber 3108 |  China Blue 3048 |  Lemon 3104 |  Silver 3090 |
|  Antique White 3004 |  Eggshell 3005 |  Mimosa 3114 |  Smoothie 3109 |
|  Ashen 3370 |  Espresso 3076 |  Moka 3075 |  Source 3106 |
|  Bianco Kos 3488 * |  Fossil 3102 |  Navy 3050 |  Suede 3023 |
|  Black 3067 |  Frost 3065 |  Nero Ingo 3487 * |  Tangerine 3020 |
|  Cactus 310 5 |  Grenadine 3044 |  Polar White 3002 |  Warm Grey 3061 |
|  Champagne 3311 |  Grey 3063 |  Poppy 3110 | |
|  Charcoal 3064 |  Grigio Bromo 3485 * |  Sand 3009 | |

* Hypermats metallic colors

The different styles of pulls

Pulls



J - Satin Chrome



X - Aluminum



DN - Nickel DECO



YN - Brushed Nickel



YA - Antique Nickel



YB - Brushed Bronze



TN - Nickel TECHNO



MB - Matte Black TECHNO



WT - White TECHNO



ML - "L" Matte Black



WL - "L" White





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Assembled Desks & Returns







A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Assembled Desks & Returns	
Assembled rectangular desks	A02
Assembled bow front desks	A13
Assembled returns	A20

Assembled rectangular desk


Rectangular desk with **UUF** pedestal on left and **UUF** pedestal on right.

Desks with depths of 21" and 24" can be used as credenzas.


Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Available without locks, or with Noki or key locks (will lock the 4 bottom drawers).

*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



		Straight 1"		Straight 1 1/2"					
Dimensions		Code		L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	72	28 7/8	DIU3672	1943	2510	2740	50.3	297	337
30	72	28 7/8	DIU3072	1897	2426	2639	42.5	286	321
30	66	28 7/8	DIU3066	1844	2360	2570	39.0	253	284
30	60	28 7/8	DIU3060	1826	2229	2436	39.0	242	271
24	72	28 7/8	DIU2472	1804	2196	2380	34.0	264	293
24	66	28 7/8	DIU2466	1767	2136	2321	31.2	257	282
24	60	28 7/8	DIU2460	1669	2075	2259	28.4	249	273
21	72	28 7/8	DIU2172	1775	2105	2281	30.7	244	266
21	66	28 7/8	DIU2166	1728	2051	2228	30.7	238	257
21	60	28 7/8	DIU2160	1632	1998	2174	25.6	218	251



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull
TZ-			/		-		-		

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (**NX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)

and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.


No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered (**UNC** add \$351), (**WBC** / **WNC** add \$661) or (**XBC** / **XNC** add \$427).


Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled rectangular desk

Rectangular desk with **UUF** pedestal on left and **FF** pedestal on left and right.
Desks with depths of 21" and 24" can be used as credenzas.
Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.
Available without locks, or with Noki or key locks (will lock the bottom 2 drawers on left and both drawers on right).
*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



						Straight 1"		Straight 1 1/2"	
Dimensions			Code	L1	S1	S15		Spec.	
A	B	C		T.F.L.	H.P.L.	H.P.L.		Cu.Ft.	lb (1") lb (1 1/2")
36	72	28 7/8	DiF3672	1943	2510	2740		50.3	299 341
30	72	28 7/8	DiF3072	1897	2426	2639		42.5	277 310
30	66	28 7/8	DiF3066	1844	2360	2570		39.0	268 299
30	60	28 7/8	DiF3060	1826	2235	2436		39.0	260 288
24	72	28 7/8	DiF2472	1804	2196	2380		34.0	253 282
24	66	28 7/8	DiF2466	1767	2136	2321		31.2	246 271
24	60	28 7/8	DiF2460	1639	2075	2259		28.4	240 262
21	72	28 7/8	DiF2172	1775	2105	2281		30.7	233 255
21	66	28 7/8	DiF2166	1728	2051	2228		30.7	227 249
21	60	28 7/8	DiF2160	1632	1998	2174		25.6	220 240



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

CodeL1/S1/S15SurfaceEdgeBaseFrontLockGrommet

TZ- - / - / - - - -

OPTIONS

M-outletPull

- -

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front:

Refer to the different types of finishes, see p.84-85.

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet:

Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.
No Grommet, choose the NG Option.

Multi-outlet:

Option of multi-outlet, centered (UNC add \$351), (WBC / WNC add \$661) or (XBC / XNC add \$427).

Pull:

Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled rectangular desk


Rectangular desk with **UUF** pedestal on left and **FF** pedestal on right.

Desks with depths of 21" and 24" can be used as credenzas.


Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.

Available without locks, or with Noki or key locks (will lock both drawers on left and the bottom 2 drawers on right).

*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



		Straight 1"		Straight 1 1/2"					
Dimensions		Code		L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	72	28 7/8	DiY3672	1943	2510	2740	50.3	304	345
30	72	28 7/8	DiY3072	1897	2426	2639	42.5	282	315
30	66	28 7/8	DiY3066	1844	2360	2570	39.0	273	304
30	60	28 7/8	DiY3060	1826	2295	2436	39.0	264	293
24	72	28 7/8	DiY2472	1804	2196	2380	34.0	260	286
24	66	28 7/8	DiY2466	1767	2136	2321	31.2	251	277
24	60	28 7/8	DiY2460	1659	2075	2259	28.4	244	266
21	72	28 7/8	DiY2172	1775	2105	2281	30.7	238	262
21	66	28 7/8	DiY2166	1728	2051	2228	30.7	233	253
21	60	28 7/8	DiY2160	1632	1998	2174	25.6	227	244



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull
TZ-			/		-		-		

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (**XX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)


and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each. No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered (**UNC** add \$351), (**WBC** / **WNC** add \$661) or (**XBC** / **XNC** add \$427).


Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled rectangular desk

Rectangular desk with **FF** pedestal on left and **UUF** pedestal on right.
Desks with depths of 21" and 24" can be used as credenzas.
Pencil tray included in the 6" top drawer. 12" drawers include a filing bar for side-to-side filing.
Available without locks, or with Noki or key locks (will lock both drawers on left and the bottom 2 drawers on right)..
*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



			Straight 1"		Straight 1 1/2"				
Dimensions			Code		L1	S1	S15	Spec.	
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
36	72	28 7/8	DiZ3672		1943	2510	2740	50.3	304 345
40	72	28 7/8	DiZ3072		1897	2426	2639	42.5	282 315
30	66	28 7/8	DiZ3066		1844	2360	2570	39.0	273 304
30	60	28 7/8	DiZ3060		1826	2230	2436	39.0	264 293
24	72	28 7/8	DiZ2472		1804	2196	2380	34.0	260 286
24	66	28 7/8	DiZ2466		1767	2136	2321	31.2	251 277
24	60	28 7/8	DiZ2460		1669	2075	2259	28.4	244 266
21	72	28 7/8	DiZ2172		1775	2105	2281	30.7	238 262
21	66	28 7/8	DiZ2166		1728	2051	2228	30.7	233 253
21	60	28 7/8	DiZ2160		1632	1998	2174	25.6	227 244



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

CodeL1/S1/S15SurfaceEdgeBaseFrontLockGrommetM-outletPull

TZ- - / - / - - - - -

OPTIONS

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front:

Refer to the different types of finishes, see p.84-85.

Lock:

No lock (L), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet:

Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.
No Grommet, choose the NG Option.

Multi-outlet:

Option of multi-outlet, centered (UNC add \$351), (WBC / WNC add \$661) or (XBC / XNC add \$427).

Pull:

Pull options, specify type, add \$25 per drawer, see p.IG06.


Assembled rectangular desk

Rectangular desk with **UUF** pedestal on left.


Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Available without lock, or with Noki or key lock (will lock the bottom 2 drawers).

*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"		Straight 1 1/2"				
Dimensions				Code	L1	S1	S15	Spec.		
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	72	28 7/8		DiS3672	1433	1904	2082	50.3	246	288
30	72	28 7/8		DiS3072	1375	1817	1973	42.5	218	253
30	66	28 7/8		DiS3066	1334	1758	1917	39.0	207	238
30	60	28 7/8		DiS3060	1247	1646	1792	39.0	196	224
24	72	28 7/8		DiS2472	1221	1611	1745	34.0	222	249
24	66	28 7/8		DiS2466	1136	1494	1618	31.2	213	240
24	60	28 7/8		DiS2460	1079	1407	1519	28.4	207	229
21	72	28 7/8		DiS2172	1142	1476	1594	30.7	200	224
21	66	28 7/8		DiS2166	1062	1369	1479	30.7	194	216
21	60	28 7/8		DiS2160	1028	1314	1414	25.6	176	207



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull
TZ-			/		/				

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**NX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet **UN...** (+\$351 each), **WB/WN**. (+\$651 each) or **XB/XN** (+\$427 each), centered ...**C** and/or at right ...**R**.

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).


Assembled rectangular desk

Rectangular desk with **UUF** pedestal on right.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Available without lock, or with Noki or key lock (will lock the bottom 2 drawers).

*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"		Straight 1 ½"			
									
Dimensions			Code	L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36	72	28 7/8	DiT3672	1433	1904	2082	50.3	246	288
30	72	28 7/8	DiT3072	1375	1817	1973	42.5	218	253
30	66	28 7/8	DiT3066	1334	1758	1917	39.0	207	238
30	60	28 7/8	DiT3060	1247	1644	1792	39.0	196	224
24	72	28 7/8	DiT2472	1221	1811	1745	34.0	222	249
24	66	28 7/8	DiT2466	1136	1494	1618	31.2	213	240
24	60	28 7/8	DiT2460	1039	1407	1519	28.4	207	229
21	72	28 7/8	DiT2172	1142	1476	1594	30.7	200	224
21	66	28 7/8	DiT2166	1062	1369	1479	30.7	194	216
21	60	28 7/8	DiT2160	1028	1314	1414	25.6	176	207


Assembled rectangular desk

Rectangular desk with **FF** pedestal on left.


12" drawers include a filing bar for side-to-side filing.

Available without lock, or with Noki or key lock (will lock both drawers).

*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"		Straight 1 ½"			
									
Dimensions			Code	L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36	72	28 7/8	DiV3672	1433	1904	2082	50.3	251	293
30	72	28 7/8	DiV3072	1375	1817	1973	42.5	229	264
30	66	28 7/8	DiV3066	1334	1758	1917	39.0	220	253
30	60	28 7/8	DiV3060	1247	1646	1792	39.0	211	240
24	72	28 7/8	DiV2472	1221	1711	1745	34.0	207	233
24	66	28 7/8	DiV2466	1136	1494	1618	31.2	200	224
24	60	28 7/8	DiV2460	1099	1407	1519	28.4	191	216
21	72	28 7/8	DiV2172	1142	1476	1594	30.7	187	209
21	66	28 7/8	DiV2166	1062	1369	1479	30.7	180	200
21	60	28 7/8	DiV2160	1028	1314	1414	25.6	174	191



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull
TZ-			/		-		-		

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (**LN**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)

and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.


No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet **UN...** (+\$351 each), **WB/WN.** (+\$651 each) or **XB/XN** (+\$427 each), centered ...**C** and/or at right ...**R**.


Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled rectangular desk

Rectangular desk with **FF** pedestal on right.
12" drawers include a filing bar for side-to-side filing.
Available without lock, or with Noki or key lock (will lock both drawers).
*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



			Straight 1"		Straight 1 1/2"				
Dimensions			Code		L1	S1	S15	Spec.	
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
36	72	28 7/8	DiW3672		1433	1904	2082	50.3	251 293
30	72	28 7/8	DiW3072		1375	1817	1973	42.5	229 264
30	66	28 7/8	DiW3066		1334	1758	1917	39.0	220 253
30	60	28 7/8	DiW3060		1247	1646	1792	39.0	211 240
24	72	28 7/8	DiW2472		1221	1711	1745	34.0	207 233
24	66	28 7/8	DiW2466		1136	1494	1618	31.2	200 224
24	60	28 7/8	DiW2460		1079	1407	1519	28.4	191 216
21	72	28 7/8	DiW2172		1142	1476	1594	30.7	187 209
21	66	28 7/8	DiW2166		1062	1369	1479	30.7	180 200
21	60	28 7/8	DiW2160		1028	1314	1414	25.6	174 191



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Grommet

M-outlet

Pull

TZ- - / - / - - - -

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface / Edge / Base / Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (LN), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet UN... (+\$351 each), WB/WN. (+\$651 each) or XB/XN (+\$427 each), at left ...L and/or centered ...C.

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).


Assembled rectangular desk

Rectangular desk with **UF** pedestal on left and **UF** pedestal on right.


Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.

Available without locks, or with Noki or key locks (will lock all drawers).

*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



			Straight 1"		Straight 1 1/2"				
Dimensions			Code		L1	S1	S15	Spec.	
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
36	72	28 7/8	DiP3672		1674	2189	2115	50.3	264 304
30	72	28 7/8	DiP3072		1609	2104	2304	42.5	229 264
30	66	28 7/8	DiP3066		1575	2049	2247	39.0	222 253
30	60	28 7/8	DiP3060		1496	1944	2128	39.0	211 240
24	72	28 7/8	DiP2472		1486	1839	2096	34.0	224 251
24	66	28 7/8	DiP2466		1451	1848	2009	31.2	216 242
24	60	28 7/8	DiP2460		1372	1763	1907	28.4	209 231
21	72	28 7/8	DiP2172		1472	1919	2078	30.7	187 211
21	66	28 7/8	DiP2166		1419	1835	1976	30.7	180 196
21	60	28 7/8	DiP2160		1354	1741	1880	25.6	174 189



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS		
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull	Modesty
TZ-			/		/					

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.


Multi-outlet: Option of multi-outlet, centered (**UNC** add \$351), (**WBC** / **WNC** add \$661) or (**XBC** / **XNC** add \$427).

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).


Modesty: Option of 18" high (**U18**) modesty panel, option free of charge.

Assembled rectangular desk

Rectangular desk with **UF** pedestal on left.
Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.
Available without lock, or with Noki or key lock (will lock all drawers).
*For 1 1/2" Surfaces (**S15**), add 1/2" to the height (**C**).



					Straight 1"		Straight 1 ½"			
										
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
36	72	28 7⁄8	DiM3672	1296	1747	1925	50.3	231	273	
30	72	28 7⁄8	DiM3072	1267	1672	1830	42.5	205	240	
30	66	28 7⁄8	DiM3066	1242	1616	1771	39.0	191	222	
30	60	28 7⁄8	DiM3060	1106	1482	1627	39.0	180	209	
30	48	28 7⁄8	DiM3048	1031	1404	1508	28.7	161	183	
24	72	28 7⁄8	DiM2472	1237	1454	1590	34.0	191	220	
24	66	28 7⁄8	DiM2466	1053	1422	1547	31.2	185	209	
24	60	28 7⁄8	DiM2460	1038	1389	1519	28.4	176	200	
24	48	28 7⁄8	DiM2448	958	1283	1394	23.4	136	156	
21	72	28 7⁄8	DiM2172	1069	1457	1479	30.7	158	183	
21	66	28 7⁄8	DiM2166	1007	1369	1401	30.7	150	165	
21	60	28 7⁄8	DiM2160	991	1330	1499	25.6	143	156	



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Grommet

Multi-outlet

Pull

Modesty

TZ- - - / - / - - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface / Edge / Base / Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LN**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet **UN...** (+\$351 each), **WB/WN**. (+\$651 each) or **XB/XN** (+\$427 each), centered ...**C** and/or at right ...**R**.

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Modesty: Option of 18" high (**U18**) modesty panel, option free of charge.


Assembled rectangular desk

Rectangular desk with **UF** pedestal on right.


Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Available without lock, or with Noki or key lock (will lock all drawers).

*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"		Straight 1 ½"			
									
Dimensions			Code	L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36	72	28 7/8	DiN3672	1296	1747	1925	50.3	231	273
30	72	28 7/8	DiN3072	1267	1672	1830	42.5	205	240
30	66	28 7/8	DiN3066	1242	1616	1771	39.0	191	222
30	60	28 7/8	DiN3060	1106	1482	1627	39.0	180	209
30	48	28 7/8	DiN3048	1031	1494	1508	28.7	161	183
24	72	28 7/8	DiN2472	1237	1454	1590	34.0	191	220
24	66	28 7/8	DiN2466	1166	1422	1547	31.2	185	209
24	60	28 7/8	DiN2460	1038	1389	1519	28.4	176	200
24	48	28 7/8	DiN2448	958	1283	1394	23.4	136	156
21	72	28 7/8	DiN2172	1069	1457	1479	30.7	158	183
21	66	28 7/8	DiN2166	1007	1369	1401	30.7	150	165
21	60	28 7/8	DiN2160	991	1330	1499	25.6	143	156



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS			
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull	Modesty	
TZ-			/		/						

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1**...), Charcoal (**G2**...), Frost (**G3**...) or Black (**G4**...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.


Multi-outlet: Option of multi-outlet **UN**... (+\$351 each), **WB/WN**. (+\$651 each) or **XB/XN** (+\$427 each), at left ...L and/or centered ...C.

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).


Modesty: Option of 18" high (**U18**) modesty panel, option free of charge.

Assembled bow front desk

Bow-front desk with **UUF** pedestal on left and **UUF** pedestal on right.
Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.
Available without locks, or with Noki or key locks (will lock the 4 bottom drawers).
*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**D**).



				Straight 1"		Straight 1 1/2"				
Dimensions				Code		L1	S1	S15	Spec.	
A	B	C	D			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
30	36	72	28 7/8	DDU3672		1933	2494	2730	50.3	275 315
30	36	66	28 7/8	DDU3666		1901	2446	2671	50.3	264 299
30	36	60	28 7/8	DDU3660		1832	2351	2564	42.1	253 284



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull
TZ-		-	/	-	/	-	-	-	-

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LN**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered (**UNC** add \$351), (**WBC** / **WNC** add \$661) or (**XBC** / **XNC** add \$427).

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).


Assembled bow front desk

Bow front desk with **UUF** pedestal on left and **FF** pedestal on right.


Pencil tray included in one of the 6" top drawers. 12" drawers include a filing bar for side-to-side filing.

Available without locks, or with Noki or key locks (will lock the bottom 2 drawers on left and both drawers on right).

*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**D**).



						Straight 1"		Straight 1 ½"			
											
Dimensions				Code	L1	S1	S15	Spec.			
A	B	C	D		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
30	36	72	28 7⁄8	DDY3672	1933	2494	2730	50.3	273	308	
30	36	66	28 7⁄8	DDY3666	1901	2446	2671	50.3	264	297	
30	36	60	28 7⁄8	DDY3660	1832	2351	2564	42.1	255	286	



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY										OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull		
TZ-			/		-	/		-		-	

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**XX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.


Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each. No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered (**UNC** add \$351), (**WBC** / **WNC** add \$661) or (**XBC** / **XNC** add \$427).


Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Assembled bow front desk

Bow-front desk with **UF** pedestal on left and **UF** pedestal on right.
Pencil tray included in one of the 6" drawers. 12" drawers include a filing bar for side-to-side filing.
Available without locks, or with Noki or key locks (will lock all drawers).
*For 1 1/2" Surfaces (**S15**), add 1/2" to the height (**D**).



					Straight 1"		Straight 1 ½"			
										
Dimensions				Code	L1	S1	S15	Spec.		
A	B	C	D		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30	36	72	28 7⁄8	DDP3672	1659	2163	2308	50.3	244	284
30	36	66	28 7⁄8	DDP3666	1634	2129	2351	50.3	233	268
30	36	60	28 7⁄8	DDP3660	1550	2024	2254	42.1	222	253



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Grommet

Multi-outlet

Pull

Modesty

TZ- - - / - / - - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1", **S15** = H.P.L. 1 1/2").

Surface / Edge / Base / Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered (**UNC** add \$351), (**WBC** / **WNC** add \$661) or (**XBC** / **XNC** add \$427).

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Modesty: Option of 18" high (**U18**) modesty panel, option free of charge.


Assembled bow front desk

Bow front desk with **UUF** pedestal on left.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Available without lock, or with Noki or key lock (will lock the bottom 2 drawers).


*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**D**).




						Straight 1"		Straight 1 ½"			
											
Dimensions				Code		L1	S1	S15	Spec.		
A	B	C	D			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30	36	72	28 7/8	DDS3672		1418	1889	2071	50.3	231	268
30	36	66	28 7/8	DDS3666		1386	1846	2013	50.3	218	253
30	36	60	28 7/8	DDS3660		1299	1723	1888	42.1	207	240

Assembled bow front desk

Bow-front desk with **UUF** pedestal on right.
Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.
Available without lock, or with Noki or key lock (will lock the bottom 2 drawers).
*For 1 1/2" Surfaces (**S15**), add 1/2" to the height (**D**).



					Straight 1"		Straight 1 ½"			
										
Dimensions				Code	L1	S1	S15	Spec.		
A	B	C	D		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30	36	72	28 ⅞	DDT3672	1418	1889	2071	50.3	231	268
30	36	66	28 ⅞	DDT3666	1386	1846	2013	50.3	218	253
30	36	60	28 ⅞	DDT3660	1299	1723	1888	42.1	207	240



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY										OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull		
TZ-		-	-	/	-	/	-	-	-	-	

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1", **S15** = H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet **UN...** (+\$351 each), **WB/WN.** (+\$651 each) or **XB/XN** (+\$427 each), at left ...**L** and/or centered ...**C**.

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).


Assembled bow front desk

Bow front desk with **UF** pedestal on left.


Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Available without lock, or with Noki or key lock (will lock all drawers).

*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**D**).



						Straight 1"		Straight 1 ½"			
											
Dimensions				Code		L1	S1	S15	Spec.		
A	B	C	D			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30	36	72	28 7/8	DDM3672		1289	1738	1913	50.3	216	253
30	36	66	28 7/8	DDM3666		1237	1669	1833	50.3	202	238
30	36	60	28 7/8	DDM3660		1187	1598	1752	42.1	191	224



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS			
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull	Modesty	
TZ-			/		/						

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1**...), Charcoal (**G2**...), Frost (**G3**...) or Black (**G4**...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.


Multi-outlet: Option of multi-outlet **UN**... (+\$351 each), **WB/WN**. (+\$651 each) or **XB/XN** (+\$427 each), centered ...C and/or at right ...R.

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).


Modesty: Option of 18" high (**U18**) modesty panel, option free of charge.

Assembled bow front desk

Bow-front desk with **UF** pedestal on right.
Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.
Available without lock, or with Noki or key lock (will lock all drawers).
*For 1 1/2" Surfaces (**S15**), add 1/2" to the height (**D**).



						Straight 1"	Straight 1 1/2"			
Dimensions				Code	L1	S1	S15	Spec.		
A	B	C	D		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
30	36	72	28 7/8	DDN3672	1289	1738	1713	50.3	216	253
30	36	66	28 7/8	DDN3666	1237	1669	1833	50.3	202	238
30	36	60	28 7/8	DDN3660	1187	1598	1752	42.1	191	224



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS		
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull	Modesty
TZ-			/		/					

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1", **S15** = H.P.L. 1 1/2").

Surface / Edge / Base / Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet **UN...** (+\$351 each), **WB/WN** (+\$651 each) or **XB/XN** (+\$427 each), at left ...**L** and/or centered ...**C**.

Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Modesty: Option of 18" high (**U18**) modesty panel, option free of charge.

Assembled return with full height modesty panel (UUF pedestal on right)

Return with a UUF pedestal on right, full height modesty panel.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 42" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available without lock, or with Noki or key lock (will lock the bottom 2 drawers).


*For 1 1/2" surface, (S15), add 1/2" to the height (C).

Multi-outlets:

- 42" and more: Standard multi-outlet option (UN... / WB... / WN... / XB... / XN...) at left ...L and/or centered ...C.
- 36": Standard multi-outlet option at left (UNL / WBL / WNL / XBL / XNL).
- 30": Multi-outlet option not available.



			Straight 1"		Straight 1 1/2"				
Dimensions			Code		L1	S1	S15	Spec.	
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
24	60	28 7/8	RET2460		1107	1483	1511	28.9	145 167
24	54	28 7/8	RET2454		1076	1436	1462	26.1	139 158
24	48	28 7/8	RET2448		1046	1389	1414	23.4	134 152
24	42	28 7/8	RET2442		1016	1344	1364	23.4	125 141
24	36	28 7/8	RET2436		1000	1293	1310	17.8	119 134
24	30	28 7/8	RET2430		982	1247	1254	14.8	112 123
21	48	28 7/8	RET2148		1026	1361	1364	20.5	128 143
21	42	28 7/8	RET2142		998	1314	1321	18.3	119 134
21	36	28 7/8	RET2136		981	1272	1278	15.8	112 125
21	30	28 7/8	RET2130		968	1231	1236	13.2	106 114



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Grommet M-outlet Pull

TZ- [] - [] - [] / [] - [] / [] - [] - [] - [] - []

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (N), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (UN add \$351), (WB / WN, add \$661) or (XB / XN, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled return with short modesty panel (UUF pedestal on right)

Return with a **UUF** pedestal on right, short modesty panel.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 42" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available without lock, or with Noki or key lock (will lock the bottom 2 drawers).


*For 1 1/2" surface (S15), add 1/2" to the height (C).

Multi-outlets:

- 42" and more: Standard multi-outlet option (UN... / WB... / WN... / XB... / XN...) at left ...L and/or centered ...C.
- 36": Standard multi-outlet option at left (UNL / WBL / WNL / XBL / XNL).
- 30": Multi-outlet option not available.



				Straight 1"		Straight 1 1/2"			
Dimensions				Code				Spec.	
A	B	C		L1	S1	S15		Cu.Ft.	lb (1")
				T.F.L.	H.P.L.	H.P.L.			lb (1 1/2")
24	60	28 7/8		REDT2460	1107	1483	1511	27.7	112
24	54	28 7/8		REDT2454	1073	1436	1462	25.0	108
24	48	28 7/8		REDT2448	1046	1389	1414	22.3	101
24	42	28 7/8		REDT2442	1016	1344	1364	19.6	97
24	36	28 7/8		REDT2436	1000	1293	1310	16.9	90
24	30	28 7/8		REDT2430	982	1247	1254	14.2	86
21	48	28 7/8		REDT2148	1026	1361	1364	19.7	92
21	42	28 7/8		REDT2142	998	1314	1321	17.3	88
21	36	28 7/8		REDT2136	981	1272	1278	14.9	81
21	30	28 7/8		REDT2130	968	1231	1236	12.5	77



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY										OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Modesty	Grommet	M-outlet	Pull	
TZ-			/		/						

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/ Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.
No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (UN add \$351), (WB / WN, add \$661) or (XB / XN, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled return with full height modesty panel (UUF pedestal on left)

Return with a **UUF** pedestal on left, full height modesty panel.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 42" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available without lock, or with Noki or key lock (will lock the bottom 2 drawers).


*For 1 1/2" surface (**S15**), add 1/2" to the height (**C**).

Multi-outlets:

- 42" and more: Standard multi-outlet option (**UN...** / **WB...** / **WN...** / **XB...** / **XN...**) at left **...L** and/or centered **...C**.
- 36": Standard multi-outlet option at left (**UNL** / **WBL** / **WNL** / **XBL** / **XNL**).
- 30": Multi-outlet option not available.



			Straight 1"		Straight 1 1/2"				
									
Dimensions			Code		L1	S1	S15	Spec.	
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
24	60	28 7/8	RES2460		107	1483	1511	28.9	145 167
24	54	28 7/8	RES2454		1076	1436	1462	26.1	139 158
24	48	28 7/8	RES2448		1046	1389	1414	23.4	134 152
24	42	28 7/8	RES2442		1016	1344	1364	23.4	125 141
24	36	28 7/8	RES2436		1000	1293	1310	17.8	119 134
24	30	28 7/8	RES2430		982	1247	1254	14.8	112 123
21	48	28 7/8	RES2148		1026	1361	1364	20.5	128 143
21	42	28 7/8	RES2142		998	1314	1321	18.3	119 134
21	36	28 7/8	RES2136		981	1272	1278	15.8	112 125
21	30	28 7/8	RES2130		968	1231	1236	13.2	106 114



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Grommet M-outlet Pull

TZ- - - / - / - - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LN**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)

and choose a position(s): at left (**...L**), centered (**...C**), and/or at right (**...R**). Example: **G1LCR**. Add \$37 each.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (**UN** add \$351), (**WB** / **WN**, add \$661) or (**XB** / **XN**, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Assembled return with short modesty panel (UUF pedestal on left)

Return with a **UUF** pedestal on left, full short modesty panel.

Pencil tray included in the 6" top drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 32" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available without lock, or with Noki or key lock (will lock the bottom 2 drawers).


*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).

Multi-outlets:

- 42" and more: Standard multi-outlet option (**UN...** / **WB...** / **WN...** / **XB...** / **XN...**) centered ...**C** and/or at right ...**R**.
- 36": Standard multi-outlet option at right (**UNR** / **WBR** / **WNR** / **XBR** / **XNR**).
- 30": Multi-outlet option not available.



				Straight 1"		Straight 1 1/2"			
Dimensions				Code		L1		S15	
						T.F.L.		H.P.L.	
A	B	C							
24	60	28 1/2"		REDS2460		1107	1483	1511	27.7
24	54	28 7/8"		REDS2454		1076	1436	1462	25.0
24	48	28 7/8"		REDS2448		1046	1389	1414	22.3
24	42	28 7/8"		REDS2442		1016	1344	1364	19.6
24	36	28 7/8"		REDS2436		1000	1293	1310	16.9
24	30	28 7/8"		REDS2430		982	1247	1254	14.2
21	48	28 7/8"		REDS2148		1026	1361	1364	19.7
21	42	28 7/8"		REDS2142		998	1314	1321	17.3
21	36	28 7/8"		REDS2136		981	1272	1278	14.9
21	30	28 7/8"		REDS2130		968	1231	1236	12.5



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY										OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Modesty	Grommet	M-outlet	Pull	
TZ-			/		/						

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1", **S15** = H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (**UN** add \$351), (**WB** / **WN**, add \$661) or (**XB** / **XN**, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled return with full height modesty panel (FF pedestal on right)

Return with a **FF** pedestal on right, full height modesty panel.

12" drawers include a filing bar for side-to-side filing.

Returns 42" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available without lock, or with Noki or key lock (will lock all drawers).


*For 1 1/2" surface (S15), add 1/2" to the height (C).

Multi-outlets:

- 42" and more: Standard multi-outlet option (UN... / WB... / WN... / XB... / XN...) at left ...L and/or centered ...C.
- 36": Standard multi-outlet option at left (UNL / WBL / WNL / XBL / XNL).
- 30": Multi-outlet option not available.



			Straight 1"		Straight 1 1/2"				
									
Dimensions			Code		L1	S1	S15	Spec.	
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
24	60	28 7/8	REW2460		107	1483	1511	28.9	150 172
24	54	28 7/8	REW2454		1076	1436	1462	26.1	143 163
24	48	28 7/8	REW2448		1046	1389	1414	23.4	134 152
24	42	28 7/8	REW2442		1016	1344	1364	23.4	125 141
24	36	28 7/8	REW2436		1000	1293	1310	17.8	119 134
24	30	28 7/8	REW2430		982	1247	1254	14.8	110 123
21	48	28 7/8	REW2148		1026	1361	1364	20.5	128 143
21	42	28 7/8	REW2142		998	1314	1321	18.3	119 134
21	36	28 7/8	REW2136		981	1272	1278	15.8	112 125
21	30	28 7/8	REW2130		968	1231	1236	13.2	106 114



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull
TZ-			/		-		-		

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (X), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (UN add \$351), (WB / WN, add \$661) or (XB / XN, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled return with short modesty panel (FF pedestal on right)

Return with a **FF** pedestal on right, short modesty panel.

12" drawers include a filing bar for side-to-side filing.

Returns 42" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available with out lock, or with Noki or key lock (will lock all drawers).


*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).

Multi-outlets:

- 42" and more: Standard multi-outlet option (**UN...** / **WB...** / **WN...** / **XB...** / **XN...**) at left **...L** and/or centered **...C**.
- 36": Standard multi-outlet option at left (**UNL** / **WBL** / **WNL** / **XBL** / **XLN**).
- 30": Multi-outlet option not available.



			Straight 1"		Straight 1 1/2"				
Dimensions			Code		L1	S1	S15	Spec.	
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
24	60	28 7/8	REDW2460		1107	1483	1511	27.7	114 136
24	54	28 7/8	REDW2454		1075	1436	1462	25.0	108 128
24	48	28 7/8	REDW2448		1046	1389	1414	22.3	101 121
24	42	28 7/8	REDW2442		1016	1344	1364	19.6	97 112
24	36	28 7/8	REDW2436		1000	1293	1310	16.9	90 103
24	30	28 7/8	REDW2430		982	1247	1254	14.2	86 97
21	48	28 7/8	REDW2148		1026	1361	1364	19.7	92 108
21	42	28 7/8	REDW2142		998	1314	1321	17.3	88 101
21	36	28 7/8	REDW2136		981	1272	1278	14.9	81 95
21	30	28 7/8	REDW2130		968	1231	1236	12.5	77 86



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY										OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Modesty	Grommet	M-outlet	Pull	
TZ-			/		/						

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1", **S15** = H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (**...L**), centered (**...C**), and/or at right (**...R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (**UN** add \$351), (**WB** / **WN**, add \$661) or (**XB** / **XN**, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled return with full height modesty panel (FF pedestal on left)

Return with a **FF** pedestal on left, full height modesty panel.

12" drawers include a filing bar for side-to-side filing.

Returns 42" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available without lock, or with Noki or key lock (will lock all drawers).


*For 1 1/2" surface (**S15**), add 1/2" to the height (**C**).

Multi-outlets:

- 42" and more: Standard multi-outlet option (**UN...** / **WB...** / **WN...** / **XB...** / **XN...**) centered ...**C** and/or at right ...**R**.
- 36": Standard multi-outlet option at right (**UNR** / **WBR** / **WNR** / **XBR** / **XNR**).
- 30": Multi-outlet option not available.



		Straight 1"		Straight 1 1/2"					
Dimensions		Code		L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
24	60	28 7/8	REV2460	1107	1483	1511	28.9	150	172
24	54	28 7/8	REV2454	1076	1436	1462	26.1	143	163
24	48	28 7/8	REV2448	1046	1389	1414	23.4	134	152
24	42	28 7/8	REV2442	1016	1344	1364	23.4	125	141
24	36	28 7/8	REV2436	1000	1293	1310	17.8	119	134
24	30	28 7/8	REV2430	982	1247	1254	14.8	110	123
21	48	28 7/8	REV2148	1026	1361	1364	20.5	128	143
21	42	28 7/8	REV2142	998	1314	1321	18.3	119	134
21	36	28 7/8	REV2136	981	1272	1278	15.8	112	125
21	30	28 7/8	REV2130	968	1231	1236	13.2	106	114



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Grommet M-outlet Pull

TZ- - - / - / - - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.84-85.

Lock: No lock (**LN**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)

and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (**UN** add \$351), (**WB** / **WN**, add \$661) or (**XB** / **XN**, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Assembled return with short modesty panel (ff pedestal on left)

Return with a **FF** pedestal on left, short modesty panel.

12" drawers include a filing bar for side-to-side filing.

Returns 42" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available without lock, or with Noki or key lock (will lock all drawers).


*For 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).

Multi-outlets:

- 42" and more: Standard multi-outlet option (**UN...** / **WB...** / **WN...** / **XB...** / **XN...**) centered ...**C** and/or at right ...**R**.
- 36": Standard multi-outlet option at right (**UNR** / **WBR** / **WNR** / **XBR** / **XNR**).
- 30": Multi-outlet option not available.



			Straight 1"		Straight 1 1/2"				
Dimensions			Code		L1	S1	S15	Spec.	
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
24	60	28 7/8	REDV2460		1107	1483	1511	27.7	114 136
24	54	28 7/8	REDV2454		1076	1436	1462	25.0	108 128
24	48	28 7/8	REDV2448		1046	1389	1414	22.3	101 121
24	42	28 7/8	REDV2442		1016	1344	1364	19.6	97 112
24	36	28 7/8	REDV2436		1000	1293	1310	16.9	90 103
24	30	28 7/8	REDV2430		982	1247	1254	14.2	86 97
21	48	28 7/8	REDV2148		1026	1361	1364	19.7	92 108
21	42	28 7/8	REDV2142		998	1314	1321	17.3	88 101
21	36	28 7/8	REDV2136		981	1272	1278	14.9	81 95
21	30	28 7/8	REDV2130		968	1231	1236	12.5	77 86



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY										OPTIONS	
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Modesty	Grommet	M-outlet	Pull	
TZ-			/		-		-		-		

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1", **S15** = H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (**UN** add \$351), (**WB** / **WN**, add \$661) or (**XB** / **XN**, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Assembled return (UF pedestal on right)

Return with a **UF** pedestal on right.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 42" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available without lock, or with Noki or key lock (will lock all drawers).


*For 1 1/2" surface (**S15**), add 1/2" to the height (**C**).

Multi-outlets:

- 42" and more: Standard multi-outlet option (**UN...** / **WB...** / **WN...** / **XB...** / **XN...**) at left ...**L** and/or centered ...**C**.
- 36": Standard multi-outlet option at left (**UNL** / **WBL** / **WNL** / **XBL** / **XNL**).
- 30": Multi-outlet option not available.



		Straight 1"		Straight 1 1/2"					
Dimensions		Code		L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
24	60	28 1/4"	REN2460	968	1314	1468	28.9	134	156
24	54	28 7/8"	REN2454	934	1271	1411	26.1	128	147
24	48	28 7/8"	REN2448	901	1227	1355	23.4	123	141
24	42	28 7/8"	REN2442	867	1185	1299	23.4	117	132
24	36	28 7/8"	REN2436	851	1135	1239	17.8	108	123
24	30	28 7/8"	REN2430	834	1088	1187	14.8	101	112
21	48	28 7/8"	REN2148	867	1186	1303	20.5	117	134
21	42	28 7/8"	REN2142	855	1142	1254	18.3	110	123
21	36	28 7/8"	REN2136	838	1100	1203	15.8	103	114
21	30	28 7/8"	REN2130	823	1060	1155	13.2	95	106



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS			
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull	Modesty	
TZ-			/		/						

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (**UN** add \$351), (**WB** / **WN**, add \$661) or (**XB** / **XN**, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Modesty: Option of 18" high (**U18**) modesty panel, option free of charge.

Assembled return (UF pedestal on left)

Return with a **UF** pedestal on left.

Pencil tray included in the 6" drawer. 12" drawer includes a filing bar for side-to-side filing.

Returns 42" and more in length have the option to add a grommet on left, centered and/or right.


Returns 36" and less have the option to add a grommet on the opposite side of the pedestal.

Available without lock, or with Noki or key lock (will lock all drawers).


*For 1 1/2" surface (S15), add 1/2" to the height (C).

Multi-outlets:

- 42" and more: Standard multi-outlet option (**UN...** / **WB...** / **WN...** / **XB...** / **XN...**) centered ...**C** and/or at right ...**R**.
- 36": Standard multi-outlet option at right (**UNR** / **WBR** / **WNR** / **XBR** / **XNR**).
- 30": Multi-outlet option not available.



			Straight 1"		Straight 1 1/2"				
Dimensions			Code				Spec.		
A	B	C	L1	S1	S15		Cu.Ft.	lb (1")	lb (1 1/2")
			T.F.L.	H.P.L.	H.P.L.				
24	60	28 1/2"	968	1314	1468		28.9	134	156
24	54	28 7/8"	931	1271	1411		26.1	128	147
24	48	28 7/8"	901	1227	1355		23.4	123	141
24	42	28 7/8"	867	1185	1299		23.4	117	132
24	36	28 7/8"	851	1135	1239		17.8	108	123
24	30	28 7/8"	834	1088	1187		14.8	101	112
21	48	28 7/8"	867	1186	1303		20.5	117	134
21	42	28 7/8"	855	1142	1254		18.3	110	123
21	36	28 7/8"	838	1100	1203		15.8	103	114
21	30	28 7/8"	823	1060	1155		13.2	95	106



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY								OPTIONS			
Code	L1/S1/S15	Surface	Edge	Base	Front	Lock	Grommet	M-outlet	Pull	Modesty	
TZ-			/		/						

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1", S15 = H.P.L. 1 1/2").

Surface / Edge / Base / Front: Refer to the different types of finishes, [see p.84-85](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, as per above specifications, (**UN** add \$351), (**WB** / **WN**, add \$661) or (**XB** / **XN**, add \$427).

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Modesty: Option of 18" high (**U18**) modesty panel, option free of charge.

Knock-down tables





Knock-down tables

Rectangular tables	B02
Bow tables	B19
Dual dept tables	B22
Corner tables	B26
Reversible returns	B34
Bridges	B37
Shelves	B39
Convergent tables with metal post leg and modesty	B43
Convergent tables with "T" shaped end panel	B52
Rectangular tables with "L" support	B57
Rectangular returns with "L" support	B63

Rectangular table (full end panels)

Rectangular table with full end panels.

Recessed (11") modesty panel on tables 36" deep ("A" dimension).



Tables 30" deep can be ordered with a recessed modesty panel. Option R, U18R or U10R.

Tables length 36" and less allow for a central grommet option only.

1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

*For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



			Straight 1"		Straight 1 1/2"					
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	84	28 7/8	Ti3684-LL	932	1439	2734	1590	11.1	194	240
36	78	28 7/8	Ti3678-LL	909	1372	2607	1509	10.5	183	227
36	72	28 7/8	Ti3672-LL	887	1303	2476	1432	9.8	174	213
36	66	28 7/8	Ti3666-LL	821	1267	2406	1383	9.2	163	200
36	60	28 7/8	Ti3660-LL	781	1200	2279	1305	8.6	154	187
36	54	28 7/8	Ti3654-LL	741	1140	2165	1248	8.0	143	174
36	48	28 7/8	Ti3648-LL	703	1076	2046	1189	7.4	134	161
30	84	28 7/8	Ti3084-LL	861	1316	2370	1445	9.2	167	209
30	78	28 7/8	Ti3078-LL	840	1258	2264	1379	8.7	158	196
30	72	28 7/8	Ti3072-LL	819	1203	2166	1315	8.1	150	185
30	66	28 7/8	Ti3066-LL	780	1151	2070	1244	7.6	141	174
30	60	28 7/8	Ti3060-LL	742	1092	1966	1177	7.1	134	163
30	54	28 7/8	Ti3054-LL	710	1042	1877	1132	6.6	125	150
30	48	28 7/8	Ti3048-LL	673	989	1780	1084	6.1	117	139
30	42	28 7/8	Ti3042-LL	629	932	1678	1003	5.6	108	128
30	36	28 7/8	Ti3036-LL	590	872	1571	932	5.1	99	117
30	30	28 7/8	Ti3030-LL	582	826	1486	884	4.6	90	103
30	24	28 7/8	Ti3024-LL	561	769	1384	828	4.1	79	92

SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty

TZ- - - / - - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface / Edge / Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.


On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modesty: Modesty options : 18" high (U18), 10" high (U10), recessed (R) , 18" high and recessed (U18R) or 10" high and recessed (U10R), no charge. The R, U18R and U10R options : Offered on tables where dimension "A" is 30". The modesty panel will be recessed by 5".

Rectangular table (full end panels)



				Straight 1"			Straight 1 ½"				
											
Dimensions			Code	L1	S1		S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	84	28 ⅞	Ti2484-LL	780	1188	2137	1295	7.4	143	176	
24	78	28 ⅞	Ti2478-LL	761	1140	2052	1242	7.0	136	165	
24	72	28 ⅞	Ti2472-LL	745	1098	1976	1189	6.5	128	156	
24	66	28 ⅞	Ti2466-LL	718	1039	1870	1128	6.1	121	145	
24	60	28 ⅞	Ti2460-LL	671	989	1780	1065	5.7	112	136	
24	54	28 ⅞	Ti2454-LL	640	943	1698	1016	5.3	106	125	
24	48	28 ⅞	Ti2448-LL	617	908	1636	979	4.9	97	117	
24	42	28 ⅞	Ti2442-LL	574	849	1527	908	4.5	90	106	
24	36	28 ⅞	Ti2436-LL	535	791	1423	863	4.1	84	97	
24	30	28 ⅞	Ti2430-LL	504	748	1346	843	3.7	75	86	
24	24	28 ⅞	Ti2424-LL	475	706	1270	800	3.3	68	77	
21	84	28 ⅞	Ti2184-LL	752	1129	1918	1223	6.7	121	147	
21	78	28 ⅞	Ti2178-LL	735	1090	1853	1175	6.3	114	139	
21	72	28 ⅞	Ti2172-LL	720	1050	1783	1129	5.9	108	130	
21	66	28 ⅞	Ti2166-LL	694	993	1687	1073	5.6	101	121	
21	60	28 ⅞	Ti2160-LL	649	948	1610	1016	5.2	95	114	
21	54	28 ⅞	Ti2154-LL	619	905	1539	970	4.9	88	106	
21	48	28 ⅞	Ti2148-LL	596	873	1485	940	4.5	81	97	
21	42	28 ⅞	Ti2142-LL	556	819	1393	872	4.2	75	88	
21	36	28 ⅞	Ti2136-LL	517	784	1333	829	3.8	68	79	
21	30	28 ⅞	Ti2130-LL	488	725	1233	815	3.4	62	73	
21	24	28 ⅞	Ti2124-LL	461	690	1173	786	3.1	55	64	



SPECIFY

CodeL1/S1/S15SurfaceEdgeBaseGrommetM-outletModesty

TZ- - / - - - - -

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.


Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

A 3D perspective drawing of a rectangular box. Dimension A is the length of the top edge, indicated by a red double-headed arrow. Dimension B is the width of the top edge, indicated by a red double-headed arrow. Dimension C is the height of the box, indicated by a red double-headed arrow.

				Straight 1"			Straight 1 ½"			
										
Dimensions			Code	L1	S1		S15	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
18	84	28 7⁄8	Ti1884-LL	721	1067	1814	1152	6.0	110	132
18	78	28 7⁄8	Ti1878-LL	710	1031	1753	1108	5.7	103	125
18	72	28 7⁄8	Ti1872-LL	696	997	1695	1068	5.3	97	117
18	66	28 7⁄8	Ti1866-LL	671	945	1607	1017	5.0	92	110
18	60	28 7⁄8	Ti1860-LL	626	905	1539	964	4.7	86	101
18	54	28 7⁄8	Ti1854-LL	602	869	1477	941	4.4	79	95
18	48	28 7⁄8	Ti1848-LL	575	842	1431	899	4.1	73	86
18	42	28 7⁄8	Ti1842-LL	538	791	1345	854	3.8	68	79
18	36	28 7⁄8	Ti1836-LL	503	759	1291	819	3.5	62	70
18	30	28 7⁄8	Ti1830-LL	475	700	1191	786	3.2	55	64
18	24	28 7⁄8	Ti1824-LL	449	668	1136	755	2.9	51	57



SPECIFY							OPTIONS	
	Code	L1/S1/S15	Surface	Edge	Base	Grommet	M-outlet	Modesty
TZ-		-	-	/	-	-	-	-

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Rectangular table (recessed end panel)

Rectangular table with with one recessed end panel and one full end-panel (**CL/LC**) or 2 recessed end panels (**CC**).




Tables length 36" and less allow for a central grommet option only.

1-circuit or standard multi-outlet option available.


The (**Q**) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

1 junction plate included on tables with **LC-CL** end panels. 2 junction plates included on tables with **CC** end-panels.

*For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



			Straight 1"		Straight 1 1/2"					
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
30	84	28 7/8	Ti3084	861	1316	2370	1445	9.2	154	194
30	78	28 7/8	Ti3078	840	1258	2264	1379	8.7	145	183
30	72	28 7/8	Ti3072	819	1203	2166	1315	8.1	136	172
30	66	28 7/8	Ti3066	780	1151	2070	1244	7.6	128	158
30	60	28 7/8	Ti3060	742	1092	1966	1177	7.1	119	147
30	54	28 7/8	Ti3054	710	1042	1877	1132	6.6	110	136
30	48	28 7/8	Ti3048	673	989	1780	1084	6.1	101	125
30	42	28 7/8	Ti3042	629	932	1678	1003	5.6	92	114
30	36	28 7/8	Ti3036	590	872	1571	932	5.1	86	101
30	30	28 7/8	Ti3030	582	826	1486	884	4.6	77	90
30	24	28 7/8	Ti3024	561	769	1384	828	4.1	66	79



SPECIFY

Code

Legs

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

Modesty

TZ-

-

-

-

/

-

-

-

-

-

Options

Code: Consult the product code above.

Legs: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").


Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each. Tables length 36" and less allow for a central grommet option only. No Grommet, choose the **NG** Option.


Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.) **WB** / **WN** (+\$661 ea.) **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.). Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**. On tables 36" or less in length, only the centered multi-outlet (**QBC** / **QNC** / **UNC** / **WBC** / **WNC** / **XBC** / **XNC**) is available.

Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

Rectangular table (recessed end panel)



				Straight 1"			Straight 1 ½"			
										
Dimensions			Code	L1	S1		S15	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	84	28 7⁄8	Ti2484	780	1188	2137	1295	7.4	134	167
24	78	28 7⁄8	Ti2478	761	1140	2052	1242	7.0	125	156
24	72	28 7⁄8	Ti2472	745	1098	1976	1189	6.5	119	145
24	66	28 7⁄8	Ti2466	718	1039	1870	1128	6.1	112	136
24	60	28 7⁄8	Ti2460	671	989	1780	1065	5.7	103	125
24	54	28 7⁄8	Ti2454	640	943	1698	1016	5.3	97	117
24	48	28 7⁄8	Ti2448	617	908	1636	979	4.9	88	108
24	42	28 7⁄8	Ti2442	574	849	1527	908	4.5	81	97
24	36	28 7⁄8	Ti2436	535	791	1423	863	4.1	73	88
24	30	28 7⁄8	Ti2430	504	748	1346	843	3.7	66	77
24	24	28 7⁄8	Ti2424	475	706	1270	800	3.3	59	68



SPECIFY

Code Legs L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty

TZ- - - - / - - - -

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (CL), (LC) or (CC).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.


On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Rectangular table (recessed end panel)



			Straight 1"		Straight 1 ½"					
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
21	84	28 7⁄8	Ti2184	752	1129	1918	1223	6.7	114	141
21	78	28 7⁄8	Ti2178	735	1090	1853	1175	6.3	108	132
21	72	28 7⁄8	Ti2172	720	1050	1783	1129	5.9	101	123
21	66	28 7⁄8	Ti2166	694	993	1687	1073	5.6	95	117
21	60	28 7⁄8	Ti2160	649	948	1610	1016	5.2	88	108
21	54	28 7⁄8	Ti2154	619	905	1539	970	4.9	81	99
21	48	28 7⁄8	Ti2148	596	873	1485	940	4.5	75	90
21	42	28 7⁄8	Ti2142	556	819	1393	872	4.2	68	81
21	36	28 7⁄8	Ti2136	517	784	1333	829	3.8	62	75
21	30	28 7⁄8	Ti2130	488	725	1233	815	3.4	55	66
21	24	28 7⁄8	Ti2124	461	690	1173	786	3.1	51	57



SPECIFY

Options

Code

Legs

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

Modesty

TZ- - - / - - - - - - - - - -

Code:

Legs:

L1/S1/S15:




Surface/Edge/Base:

Grommet:


Multi-outlet:

Modesty:

Rectangular table (recessed end panel)



				Straight 1"		Straight 1 ½"				
Dimensions				Code	L1	S1	S15	Spec.		
A	B	C			T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1") lb (1½")
18	84	28 7/8		Ti1884	721	1067	1814	1152	6.0	106 128
18	78	28 7/8		Ti1878	710	1031	1753	1108	5.7	99 121
18	72	28 7/8		Ti1872	696	997	1695	1068	5.3	92 112
18	66	28 7/8		Ti1866	671	945	1607	1017	5.0	88 106
18	60	28 7/8		Ti1860	626	905	1539	964	4.7	81 97
18	54	28 7/8		Ti1854	602	869	1477	941	4.4	75 90
18	48	28 7/8		Ti1848	575	842	1431	899	4.1	68 81
18	42	28 7/8		Ti1842	538	791	1345	854	3.8	64 75
18	36	28 7/8		Ti1836	503	759	1291	819	3.5	57 66
18	30	28 7/8		Ti1830	475	700	1191	786	3.2	51 59
18	24	28 7/8		Ti1824	449	668	1136	755	2.9	46 53



SPECIFY

Code Legs L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty

TZ- - - - / - - - -

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (CL), (LC) or (CC).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).


Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.


Rectangular table (combined materials end panels)

Rectangular table with combined-material (metal-laminate) end panels, with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).
Tables 36" deep are only available with full end panels (LL) on each side. Tables with 2 recessed end panels (CC) can be found at [page B12](#).
Includes a full height modesty panel, 4" from the floor. Tables length 36" and less allow for a central grommet option only.
1 junction plate included on tables with LC-CL end panels.
*For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



				Straight 1"				Straight 1 ½"			
Dimensions			Code	L1	S1	S15	Spec.				
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
36	84	28 ⅞	LL end panels only	TiX3684	1382	1855	3150	2005	11.1	194	240
36	78	28 ⅞		TiX3678	1358	1790	3025	1927	10.5	183	227
36	72	28 ⅞		TiX3672	1332	1722	2895	1848	9.8	174	213
36	66	28 ⅞		TiX3666	1260	1683	2822	1799	9.2	163	200
36	60	28 ⅞		TiX3660	1216	1618	2698	1723	8.6	154	187
36	54	28 ⅞		TiX3654	1175	1558	2583	1666	8.0	143	174
36	48	28 ⅞		TiX3648	1133	1492	2461	1605	7.4	134	161

ATTENTION:
The recessed end panel always has an "open" design.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

M-outlet

Modesty

TZ- - LL - - / - - - - -

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).


Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.


Rectangular table (combined materials end panels)



LL



LC




CL

				Straight 1"			Straight 1 ½"				
											
Dimensions			Code	L1	S1	S15	Spec.				
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
30	84	28 7⁄8	TiX3084	1260	1687	2741	1815	9.2	167	209	
30	78	28 7⁄8	TiX3078	1240	1628	2635	1748	8.7	158	196	
30	72	28 7⁄8	TiX3072	1216	1574	2537	1683	8.1	150	185	
30	66	28 7⁄8	TiX3066	1174	1517	2437	1612	7.6	141	174	
30	60	28 7⁄8	TiX3060	1133	1462	2335	1548	7.7	134	163	
30	54	28 7⁄8	TiX3054	1097	1414	2247	1503	6.6	125	150	
30	48	28 7⁄8	TiX3048	1058	1359	2150	1453	6.1	117	139	
30	42	28 7⁄8	TiX3042	1012	1301	2047	1372	5.6	108	128	
30	36	28 7⁄8	TiX3036	972	1242	1939	1301	5.1	99	117	
30	30	28 7⁄8	TiX3030	960	1197	1857	1254	4.6	90	103	
30	24	28 7⁄8	TiX3024	938	1139	1754	1199	4.1	79	92	



ATTENTION:

The recessed end panel always has an "open" design.



■ Grommets
■ Multi-outlets

SPECIFY

Code Legs L1/S1/S15 Surface Edge Base Metal Grommet M-outlet Modesty

TZ- - - - / - - - - - -

Code: Consult the product code above.

Legs: Specify end panel configuration: (LL), (LC) or (CL).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.


Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Rectangular table (combined materials end panels)



			Straight 1"		Straight 1 1/2"					
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
24	84	28 7/8	TiX2484	1131	1508	2458	1618	7.4	143	176
24	78	28 7/8	TiX2478	1114	1464	2376	1565	7.0	136	165
24	72	28 7/8	TiX2472	1095	1418	2297	1509	6.5	128	156
24	66	28 7/8	TiX2466	1066	1361	2193	1449	6.1	121	145
24	60	28 7/8	TiX2460	1012	1313	2104	1388	5.7	112	136
24	54	28 7/8	TiX2454	980	1267	2021	1339	5.3	106	125
24	48	28 7/8	TiX2448	955	1230	1957	1301	4.9	97	117
24	42	28 7/8	TiX2442	909	1170	1849	1230	4.5	90	106
24	36	28 7/8	TiX2436	867	1112	1745	1185	4.1	84	97
24	30	28 7/8	TiX2430	835	1069	1668	1165	3.7	75	86
24	24	28 7/8	TiX2424	802	1030	1594	1124	3.7	68	77

ATTENTION:
The recessed end panel always has an "open" design.



SPECIFY

Code

Legs

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

M-outlet

Modesty

TZ- - - - / - - - - - -

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (LL), (LC) or (CL).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Rectangular table (open metal end panels)

Rectangular table with open metal end panels, with 2 full end panels (LL), full / recessed end panels (LC) or recessed / full end panels (CL).

Tables 36" deep are only available with full end panels (LL) on each side.


Tables with 2 recessed end panels (CC) can be found at [page B12](#).

Includes a full height modesty panel, 4" from the floor.


Tables length 36" and less allow for a central grommet option only.

1 junction plate included on tables with LC-CL end panels.

*For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



				Straight 1"			Straight 1 ½"				
											
Dimensions			Code	L1	S1	S15	Spec.				
A	B	C	LL end panels only	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
36	84	28 7⁄8		TiO3684	1185	1634	2929	1787	11.1	174	222
36	78	28 7⁄8		TiO3678	1161	1570	2805	1706	10.5	165	209
36	72	28 7⁄8		TiO3672	1136	1502	2674	1628	9.8	154	196
36	66	28 7⁄8		TiO3666	1065	1464	2604	1579	9.2	145	183
36	60	28 7⁄8		TiO3660	1020	1396	2476	1503	8.6	134	169
36	54	28 7⁄8		TiO3654	977	1339	2365	1445	8.0	125	156
36	48	28 7⁄8		TiO3648	935	1272	2241	1384	7.4	114	143



SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet Modesty

TZ- - LL - - / - - - - - -

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (CL), (LC) or (CC).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.




Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.


On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Rectangular table (open metal end panels)



				Straight 1"			Straight 1 ½"			
										
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30	84	28 7⁄8	TiO3084	1106	1513	2567	1642	9.2	152	191
30	78	28 7⁄8	TiO3078	1086	1454	2461	1575	8.7	143	180
30	72	28 7⁄8	TiO3072	1062	1401	2364	1509	8.1	134	167
30	66	28 7⁄8	TiO3066	1019	1346	2266	1440	7.6	125	156
30	60	28 7⁄8	TiO3060	980	1290	2163	1374	7.7	117	145
30	54	28 7⁄8	TiO3054	943	1241	2074	1328	6.6	108	134
30	48	28 7⁄8	TiO3048	903	1188	1979	1280	6.1	99	123
30	42	28 7⁄8	TiO3042	859	1129	1874	1199	5.6	90	110
30	36	28 7⁄8	TiO3036	817	1068	1766	1129	5.1	81	99
30	30	28 7⁄8	TiO3030	804	1023	1684	1079	4.6	75	88
30	24	28 7⁄8	TiO3024	783	966	1582	1027	4.1	64	75



SPECIFY

Code

Legs

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

M-outlet

Modesty

TZ- - - - / - - - - - -

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (LL), (LC) or (CL).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).




Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Rectangular table (open metal end panels)



				Straight 1"			Straight 1 ½"			
										
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	84	28 7⁄8	TiO2484	990	1350	2300	1460	7.4	130	161
24	78	28 7⁄8	TiO2478	973	1305	2218	1407	7.0	121	152
24	72	28 7⁄8	TiO2472	954	1264	2141	1351	6.5	114	141
24	66	28 7⁄8	TiO2466	924	1203	2035	1293	6.1	106	132
24	60	28 7⁄8	TiO2460	871	1155	1946	1230	5.7	99	121
24	54	28 7⁄8	TiO2454	839	1108	1862	1180	5.3	90	112
24	48	28 7⁄8	TiO2448	815	1073	1800	1144	4.9	84	101
24	42	28 7⁄8	TiO2442	768	1015	1692	1073	4.5	75	92
24	36	28 7⁄8	TiO2436	728	955	1587	1028	4.1	68	81
24	30	28 7⁄8	TiO2430	694	914	1511	1007	3.7	62	73
24	24	28 7⁄8	TiO2424	662	872	1437	966	3.7	53	62



SPECIFY

Code Legs L1/S1/S15 Surface Edge Base Metal Grommet M-outlet Modesty

TZ- - - - / - - - - - -

Code: Consult the product code above.

Legs: Specify end panel configuration: (LL), (LC) or (CL).

L1/S1/S15: Specify the code identifying the type of finish (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Rectangular table (open metal end panels)

Rectangular table with open metal end panels, with 2 recessed end panels.


This table features the same specifications as the 3 previous tables.

Includes a full height modesty panel, 4" from the floor.


Tables length 36" and less allow for a central grommet option only.

2 junction plates included on tables with CC end-panels.

*For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



				Straight 1"			Straight 1 ½"				
Dimensions			Code	L1	S1		S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
30	84	28 ⅞	TiO3084-CC	1021	1417	2471	1547	9.2	154	194	
30	78	28 ⅞	TiO3078-CC	1001	1361	2367	1480	8.7	145	183	
30	72	28 ⅞	TiO3072-CC	977	1305	2268	1416	8.1	136	172	
30	66	28 ⅞	TiO3066-CC	933	1250	2171	1346	7.6	128	158	
30	60	28 ⅞	TiO3060-CC	894	1196	2069	1280	7.1	119	147	
30	54	28 ⅞	TiO3054-CC	859	1145	1980	1234	6.6	110	136	
30	48	28 ⅞	TiO3048-CC	819	1092	1883	1188	6.1	101	125	
30	42	28 ⅞	TiO3042-CC	776	1033	1779	1105	5.6	92	114	
30	36	28 ⅞	TiO3036-CC	732	973	1672	1033	5.1	86	101	
30	30	28 ⅞	TiO3030-CC	720	928	1588	986	4.6	77	90	
30	24	28 ⅞	TiO3024-CC	698	872	1487	932	4.1	66	79	



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

M-outlet

Modesty

TZ-

-

-

/

-

-

-

-

-

-

OPTIONS

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base:

Refer to the different types of finishes, see p.IG02-IG03.

Grommet:

Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.


Multi-outlet:

Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.


Modesty:

Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Rectangular table (open metal end panels)



				Straight 1"			Straight 1 ½"			
										
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	84	28 7⁄8	TiO2484-CC	963	1320	2269	1429	7.4	134	167
24	78	28 7⁄8	TiO2478-CC	945	1275	2187	1374	7.0	125	156
24	72	28 7⁄8	TiO2472-CC	926	1230	2107	1321	6.5	119	145
24	66	28 7⁄8	TiO2466-CC	896	1173	2004	1259	6.1	112	136
24	60	28 7⁄8	TiO2460-CC	845	1124	1915	1199	5.7	103	125
24	54	28 7⁄8	TiO2454-CC	810	1077	1832	1151	5.3	97	117
24	48	28 7⁄8	TiO2448-CC	786	1041	1769	1112	4.9	88	108
24	42	28 7⁄8	TiO2442-CC	741	982	1660	1041	4.5	81	97
24	36	28 7⁄8	TiO2436-CC	697	922	1554	996	4.1	73	88
24	30	28 7⁄8	TiO2430-CC	666	881	1479	974	3.7	66	77
24	24	28 7⁄8	TiO2424-CC	632	842	1406	935	3.3	59	68



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

M-outlet

Modesty

TZ-

-

-

/

-

-

-

-

-

-

OPTIONS

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base:

Refer to the different types of finishes, see p.IG02-IG03.

Grommet:

Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet:

Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modesty:

Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.



Rectangular table with 6" overhang (combined materials)

Rectangular table with combined-materials (metal-laminate) end panels, with 2 full end panels (LL).

Surface with a 6" overhang on the visitor side.

Includes a full height modesty panel, 4" from the floor.

*For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



			Straight 1"		Straight 1 1/2"					
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	84	28 7/8	TiXR3684-LL	1417	1891	3186	2046	13.2	156	205
36	78	28 7/8	TiXR3678-LL	1391	1824	3059	1964	12.6	150	194
36	72	28 7/8	TiXR3672-LL	1365	1755	2927	1884	11.9	141	183
36	66	28 7/8	TiXR3666-LL	1292	1715	2855	1834	11.2	132	169
36	60	28 7/8	TiXR3660-LL	1247	1650	2730	1756	10.6	125	158
36	54	28 7/8	TiXR3654-LL	1205	1588	2614	1698	9.9	117	147
36	48	28 7/8	TiXR3648-LL	1163	1521	2491	1636	9.3	108	136
30	84	28 7/8	TiXR3084-LL	1292	1720	2774	1850	10.4	141	180
30	78	28 7/8	TiXR3078-LL	1271	1660	2666	1782	9.8	132	169
30	72	28 7/8	TiXR3072-LL	1247	1605	2568	1715	9.3	125	161
30	66	28 7/8	TiXR3066-LL	1204	1548	2468	1644	8.7	119	150
30	60	28 7/8	TiXR3060-LL	1163	1490	2364	1578	8.2	112	139
30	54	28 7/8	TiXR3054-LL	1125	1441	2275	1532	7.6	103	130
30	48	28 7/8	TiXR3048-LL	1084	1385	2176	1482	7.1	97	119
30	42	28 7/8	TiXR3042-LL	1037	1326	2071	1400	6.5	90	110
30	36	28 7/8	TiXR3036-LL	996	1266	1963	1326	5.9	81	99
30	30	28 7/8	TiXR3030-LL	985	1220	1880	1278	5.4	75	90
30	24	28 7/8	TiXR3024-LL	961	1162	1777	1223	4.8	68	79

SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet Modesty

TZ- - / - - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.



Rectangular table with 6" overhang (open metal end panels)

Rectangular table with open metal end panels, with 2 full end panels (LL).

Surface with a 6" overhang on the visitor side.

Includes a full height modesty panel, 4" from the floor.

*For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



			Straight 1"		Straight 1 1/2"					
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	84	28 7/8	TiOR3684-LL	1213	1666	2960	1822	13.2	152	198
36	78	28 7/8	TiOR3678-LL	1189	1600	2835	1740	12.6	143	187
36	72	28 7/8	TiOR3672-LL	1164	1531	2704	1660	11.9	134	176
36	66	28 7/8	TiOR3666-LL	1091	1494	2633	1610	11.2	128	165
36	60	28 7/8	TiOR3660-LL	1044	1423	2503	1532	10.6	119	152
36	54	28 7/8	TiOR3654-LL	1002	1366	2391	1473	9.9	110	141
36	48	28 7/8	TiOR3648-LL	959	1298	2266	1412	9.3	101	130
30	84	28 7/8	TiOR3084-LL	1134	1542	2596	1674	10.4	134	174
30	78	28 7/8	TiOR3078-LL	1112	1483	2490	1606	9.8	128	165
30	72	28 7/8	TiOR3072-LL	1089	1428	2391	1539	9.3	119	154
30	66	28 7/8	TiOR3066-LL	1043	1372	2292	1469	8.7	112	143
30	60	28 7/8	TiOR3060-LL	1004	1314	2188	1402	8.2	106	134
30	54	28 7/8	TiOR3054-LL	967	1265	2098	1354	7.6	99	123
30	48	28 7/8	TiOR3048-LL	925	1210	2001	1305	7.1	90	114
30	42	28 7/8	TiOR3042-LL	881	1151	1895	1223	6.5	84	103
30	36	28 7/8	TiOR3036-LL	837	1089	1787	1151	5.9	77	92
30	30	28 7/8	TiOR3030-LL	825	1042	1703	1101	5.4	68	84
30	24	28 7/8	TiOR3024-LL	802	986	1601	1046	4.8	62	73

SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet Modesty

TZ- - - / - - - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Bow front table


Bow front table.

11" recessed modesty panel on tables 36" deep ("A" dimension). 5" recessed modesty panel on tables 30" deep ("A" dimension).

1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFiQ120** power module (1-circuit system), refer to the Accessories price list.

*For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**D**).



					Straight 1"			Straight 1 ½"				
Dimensions			Code		L1	S1		S15	Spec.			
A	B	C	D		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
36	42	84	28 7⁄8	TD368442-LL	1071	1650	2969	1830	12.5	205	257	
36	42	78	28 7⁄8	TD367842-LL	1044	1579	2843	1747	11.8	194	242	
36	42	72	28 7⁄8	TD367242-LL	1020	1508	2715	1666	11.0	183	229	
30	36	84	28 7⁄8	TD308436-LL	991	1480	2664	1634	10.6	178	222	
30	36	78	28 7⁄8	TD307836-LL	960	1445	2601	1602	10.0	167	209	
30	36	72	28 7⁄8	TD307236-LL	934	1374	2473	1520	9.3	158	196	
30	36	66	28 7⁄8	TD306636-LL	894	1321	2378	1462	8.7	150	185	
30	36	60	28 7⁄8	TD306036-LL	851	1258	2264	1424	8.1	141	172	

Bow front table with curved interior access and integrated half-return


Bow front table (left or right) with curved interior access and integrated half return.

The offset overhangs by 6"; 5" recessed modesty panel.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

*For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**F**).



										Straight 1"			Straight 1 ½"				
																	
Dimensions						Code		L1	S1		S15	Spec.					
A	B	C	D	E	F	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")			
30	42	72	24	17	28 7⁄8	TCL30427224-LL	TCR30427224-LL	1087	1689	3041	1864	12.5	189	233			
30	42	72	21	20	28 7⁄8	TCL30427221-LL	TCR30427221-LL	1087	1689	3041	1864	12.5	189	233			
30	42	72	18	23	28 7⁄8	TCL30427218-LL	TCR30427218-LL	1087	1689	3041	1864	12.5	189	233			
30	42	66	18	17	28 7⁄8	TCL30426618-LL	TCR30426618-LL	1039	1552	2794	1706	11.7	178	220			



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty

TZ- - - / - - - - -

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface / Edge / Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)

and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.

No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.), **WB / WN** (+\$661 ea.), **QB / QN** (+\$661 ea.) or **XB / XN** (+\$427 ea.).

Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.

Modesty: Option of 18" high (**U18**) modesty panel, option free of charge.

Rectangular table with integrated half-return


Rectangular table (left or right) with integrated half return.

5" recessed modesty panel.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

*For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**E**).



					Straight 1"		Straight 1 1/2"					
Dimensions					Code		L1	S1	S15	Spec.		
A	B	C	D	E	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
30	48	84	24	28 7/8	TCOL30488424-LL	TCOR30488424-LL	1221	1898	3417	2063	15.5	233 288
30	48	78	24	28 7/8	TCOL30487824-LL	TCOR30487824-LL	1176	1830	3294	1989	14.5	218 271
30	48	72	24	28 7/8	TCOL30487224-LL	TCOR30487224-LL	1131	1763	3173	1957	13.6	205 253
30	48	66	24	28 7/8	TCOL30486624-LL	TCOR30486624-LL	1109	1724	3104	1926	12.6	185 229
30	48	60	24	28 7/8	TCOL30486024-LL	TCOR30486024-LL	1093	1688	3039	1887	11.7	165 205
30	42	72	24	28 7/8	TCOL30427224-LL	TCOR30427224-LL	1087	1652	2973	1864	12.5	165 205
30	42	66	24	28 7/8	TCOL30426624-LL	TCOR30426624-LL	1040	1621	2919	1792	11.6	156 191
30	42	60	24	28 7/8	TCOL30426024-LL	TCOR30426024-LL	996	1547	2784	1741	10.7	145 176



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

Modesty

TZ- - - / - - - - -

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface / Edge / Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each. No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.), **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.). Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.

Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

Dual depth table

Left dual depth table, available with full / recessed end panels (**LC**) or 2 recessed end panels (**CC**).


Tables length 36" and less allow for a central grommet option only.

1-circuit or standard multi-outlet option available.

The (**Q**) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

1 junction plate included on tables with **LC** end panels. 2 junction plates included on tables with **CC** end-panels.


* For the 1 ½" surfaces (**S15**), add ½" to the height (**E**).



							Straight 1"			Straight 1 ½"				
														
Dimensions					Code	L1	S1		S15	Spec.				
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")		
30	24	72	55 ½	28 ⅞	TWL302472	874	1234	2221	1346	8.1	134	169		
30	24	66	49 ½	28 ⅞	TWL302466	835	1180	2126	1276	7.6	125	156		
30	24	60	43 ½	28 ⅞	TWL302460	798	1125	2025	1207	7.1	119	145		
30	24	54	37 ½	28 ⅞	TWL302454	760	1075	1935	1165	6.6	110	134		
30	24	48	31 ½	28 ⅞	TWL302454	743	1020	1835	1114	6.6	110	134		
30	24	42	25 ½	28 ⅞	TWL302442	678	963	1733	1032	5.6	92	112		
30	24	36	19 ½	28 ⅞	TWL302436	640	903	1626	963	5.1	84	99		
30	24	30	16	28 ⅞	TWL302430	629	854	1538	917	4.6	75	88		
30	24	24	10	28 ⅞	TWL302424	608	799	1438	849	4.1	66	77		

Dual depth table

						Straight 1 "			Straight 1 ½"			
												
Dimensions					Code	L1	S1		S15	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	18	72	55 ½	28 ⅞	TWL241872	778	1128	2029	1228	6.5	117	143
24	18	66	49 ½	28 ⅞	TWL241866	740	1073	1932	1168	6.1	110	134
24	18	60	43 ½	28 ⅞	TWL241860	708	1019	1833	1128	5.7	101	123
24	18	54	37 ½	28 ⅞	TWL241854	656	945	1701	1030	5.3	95	114
24	18	48	31 ½	28 ⅞	TWL241848	609	872	1571	932	4.9	86	103
24	18	42	25 ½	28 ⅞	TWL241842	571	820	1476	884	4.5	79	95
24	18	36	19 ½	28 ⅞	TWL241836	539	774	1393	869	4.1	73	86
24	18	30	16	28 ⅞	TWL241830	504	726	1307	820	3.7	66	75
24	18	24	10	28 ⅞	TWL241824	485	680	1224	767	3.3	57	66
21	18	72	61 ¼	28 ⅞	TWL211872	757	1100	1981	1180	5.9	101	123
21	18	66	55 ¼	28 ⅞	TWL211866	720	1050	1889	1135	5.6	97	119
21	18	60	49 ¼	28 ⅞	TWL211860	683	995	1790	1102	5.2	95	114
21	18	54	43 ¼	28 ⅞	TWL211854	639	919	1654	1000	4.9	88	101
21	18	48	37 ¼	28 ⅞	TWL211848	589	843	1517	898	4.5	81	97
21	18	42	31 ¼	28 ⅞	TWL211842	550	791	1423	867	4.2	75	88
21	18	36	25 ¼	28 ⅞	TWL211836	517	749	1348	826	3.8	68	79
21	18	30	19 ¼	28 ⅞	TWL211830	489	703	1267	779	3.4	59	70
21	18	24	13 ¼	28 ⅞	TWL211824	473	664	1196	737	3.1	53	62



SPECIFY

Code

Legs

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

Modesty

TZ-

-

-

-

/

-

-

-

-

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (LL) or (CC).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.) QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBRL.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Dual depth table

Right dual depth table, available with full / recessed end panels (CL) or 2 recessed end panels (CC).


Tables length 36" and less allow for a central grommet option only.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the AC-PFIQ120 power module (1-circuit system), refer to the Accessories price list.

1 junction plate included on tables with CL end panels. 2 junction plates included on tables with CC end-panels.

* For the 1½" surfaces (S15), add ½" to the height (E).



						Straight 1"			Straight 1 ½"			
												
Dimensions					Code	L1	S1		S15	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30	24	72	55 ½	28 ⅞	TWR302472	874	1234	2221	1346	8.1	134	169
30	24	66	49 ½	28 ⅞	TWR302466	835	1180	2126	1276	7.6	125	156
30	24	60	43 ½	28 ⅞	TWR302460	798	1125	2025	1207	7.1	119	145
30	24	54	37 ½	28 ⅞	TWR302454	760	1075	1935	1165	6.6	110	134
30	24	48	31 ½	28 ⅞	TWR302454	743	1020	1835	1114	6.6	110	134
30	24	42	25 ½	28 ⅞	TWR302442	678	963	1733	1032	5.6	92	112
30	24	36	19 ½	28 ⅞	TWR302436	640	903	1626	963	5.1	84	99
30	24	30	16	28 ⅞	TWR302430	629	854	1538	917	4.6	75	88
30	24	24	10	28 ⅞	TWR302424	608	799	1438	849	4.1	66	77



SPECIFY

Code Legs L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty

TZ- - - - / - - - - -

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (CL) or (CC).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).


Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Dual depth table

					Straight 1"		Straight 1 1/2"					
Dimensions					Code	L1	S1	S15	Spec.			
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
24	18	72	55 1/2	28 7/8	TWR241872	778	1128	2029	1228	6.5	117	143
24	18	66	49 1/2	28 7/8	TWR241866	740	1073	1932	1168	6.1	110	134
24	18	60	43 1/2	28 7/8	TWR241860	708	1019	1833	1128	5.7	101	123
24	18	54	37 1/2	28 7/8	TWR241854	656	945	1701	1030	5.3	95	114
24	18	48	31 1/2	28 7/8	TWR241848	609	872	1571	932	4.9	86	103
24	18	42	25 1/2	28 7/8	TWR241842	571	820	1476	884	4.5	79	95
24	18	36	19 1/2	28 7/8	TWR241836	539	774	1393	869	4.1	73	86
24	18	30	16	28 7/8	TWR241830	504	726	1307	820	3.7	66	75
24	18	24	10	28 7/8	TWR241824	485	680	1224	767	3.3	57	66
21	18	72	61 1/4	28 7/8	TWR211872	757	1100	1981	1180	5.9	101	123
21	18	66	55 1/4	28 7/8	TWR211866	720	1050	1889	1135	5.6	97	119
21	18	60	49 1/4	28 7/8	TWR211860	683	995	1790	1102	5.2	95	114
21	18	54	43 1/4	28 7/8	TWR211854	639	919	1654	1000	4.9	88	101
21	18	48	37 1/4	28 7/8	TWR211848	589	843	1517	898	4.5	81	97
21	18	42	31 1/4	28 7/8	TWR211842	550	791	1423	867	4.2	75	88
21	18	36	25 1/4	28 7/8	TWR211836	517	749	1348	826	3.8	68	79
21	18	30	19 1/4	28 7/8	TWR211830	489	703	1267	779	3.4	59	70
21	18	24	13 1/4	28 7/8	TWR211824	473	664	1196	737	3.1	53	62



SPECIFY

Code

Legs

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

Modesty

TZ-

-

-

-

/

-

-

-

-

Code: Consult the product code above.

Legs: Specify end panel configuration: (CL) or (CC).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. Tables length 36" and less allow for a central grommet option only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Canada

B25

REV.01-2025

90° corner table

90° corner table with recessed end panels.

For corners **CS3042CC** and **CS2436CC**: the "E" dimension of 17" limits the keyboard choices.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.


When selecting the **U10** or **U18** modesty option, you will need to specify the color of the corner metal post leg.

2 junction plates included on tables with **CC** end-panels.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**F**).



									Straight 1"			Straight 1 ½"				
																
Dimensions							Code		L1	S1		S15	Spec.			
A	B	C	D	E	F	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")		
48	48	30	30	25 ½	28 ⅞	CSL4830-CC	CSR4830-CC	1080	1521	2891	1725	8.7	128	158		
42	42	30	30	17	28 ⅞	CSL4230-CC	CSR4230-CC	993	1384	2631	1564	7.3	110	134		
48	48	24	24	34	28 ⅞	CSL4824-CC	CSR4824-CC	1042	1473	2799	1675	8.7	123	154		
42	42	24	24	25 ½	28 ⅞	CSL4224-CC	CSR4224-CC	952	1335	2536	1514	7.3	108	130		
36	36	24	24	17	28 ⅞	CSL3624-CC	CSR3624-CC	857	1186	2252	1347	6.1	92	110		
36	36	18	18	25 ½	28 ⅞	CSL3618-CC	CSR3618-CC	814	1140	2165	1298	6.1	90	106		



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty Metal

TZ- - - / - - - - - -

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)

and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.

No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.), **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.).

Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLCR**.


Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

Modesty panel option will be applied on both sides (sides with "A" and "B" dimensions).


Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Corner table (open metal end panels)

90° corner table with recessed open metal end panels.
For corners **CSO3042CC** and **CSO2436CC**: the "E" dimension being 17" limits the keyboard choice.
2 junction plates included on tables with **CC** end-panels.
* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**F**).



									Straight 1"			Straight 1 ½"			
Dimensions						Code		L1	S1		S15	Spec.			
A	B	C	D	E	F	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
48	48	30	30	25 ½	28 ⅞	CSOL4830-CC	CSOR4830-CC	1220	1697	3067	1895	7.3	123	154	
42	42	30	30	17	28 ⅞	CSOL4230-CC	CSOR4230-CC	1133	1563	2809	1740	6.0	106	130	
48	48	24	24	34	28 ⅞	CSOL4824-CC	CSOR4824-CC	1182	1649	2975	1847	7.3	119	147	
42	42	24	24	25 ½	28 ⅞	CSOL4224-CC	CSOR4224-CC	1096	1514	2715	1690	6.0	103	125	
36	36	24	24	17	28 ⅞	CSOL3624-CC	CSOR3624-CC	1004	1367	2433	1527	4.8	88	106	
36	36	18	18	25 ½	28 ⅞	CSOL3618-CC	CSOR3618-CC	963	1321	2346	1477	4.8	86	103	



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

TZ- - - / - - -

OPTIONS

M-outlet

Modesty

-

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each. No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.), **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.). Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.

Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

90° corner table with curved interior access

90° corner table (curved int. access) with one recessed end panel and one full end-panel (**CL/LC**) or 2 recessed end panels (**CC**).


1-circuit or standard multi-outlet option available.

The (**Q**) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.


When selecting the **U10** or **U18** modesty option, you will need to specify the color of the corner metal post leg.

1 junction plate included on tables with **LC-CL** end panels. 2 junction plates included on tables with **CC** end-panels.


* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**E**).



CL




LC



CC

								Straight 1"			Straight 1 ½"				
															
Dimensions					Code		L1	S1		S15	Spec.				
A	B	C	D	E	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")		
48	48	30	30	28 7⁄8	COL48483030	COR48483030	1164	1743	3224	1936	9.8	147	178		
48	48	30	24	28 7⁄8	COL48483024	COR48483024	1149	1724	3191	1906	9.4	145	176		
48	48	24	30	28 7⁄8	COL48482430	COR48482430	1149	1724	3191	1906	9.8	143	172		
48	48	24	24	28 7⁄8	COL48482424	COR48482424	1132	1706	3154	1876	9.4	134	163		
42	42	24	24	28 7⁄8	COL42422424	COR42422424	1071	1568	2900	1696	8.0	119	143		
36	36	24	24	28 7⁄8	COL36362424	COR36362424	922	1377	2547	1529	6.8	103	123		
36	36	18	18	28 7⁄8	COL36361818	COR36361818	861	1256	2323	1359	6.8	92	108		



SPECIFY

Code Legs L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty Metal

TZ- - - - / - - - - - -

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (**CL**), (**LC**) or (**CC**).

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)

and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.

No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.), **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.).

Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.


Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

Modesty panel option will be applied on both sides (sides with "A" and "B" dimensions).

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

90° extended corner table with curved interior access

					Straight 1"		Straight 1 1/2"						
													
Dimensions					Code		L1	S1	S15	Spec.			
A	B	C	D	E	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
84	48	30	24	28 7/8	COL84483024	COR84483024	1273	1983	3569	2194	15.1	202	251
78	48	30	24	28 7/8	COL78483024	COR78483024	1242	1891	3403	2083	14.1	189	235
72	48	30	24	28 7/8	COL72483024	COR72483024	1208	1799	3238	1978	13.2	174	213
66	48	30	24	28 7/8	COL66483024	COR66483024	1153	1697	3055	1862	12.2	165	202
60	48	30	24	28 7/8	COL60483024	COR60483024	1097	1598	2876	1747	11.3	154	187
84	48	24	30	28 7/8	COL84482430	COR84482430	1273	1983	3569	2194	15.5	202	251
84	42	24	30	28 7/8	COL84422430	COR84422430	1176	1842	3315	2017	14.3	189	233
78	48	24	30	28 7/8	COL78482430	COR78482430	1242	1891	3403	2083	14.5	189	235
78	42	24	30	28 7/8	COL78422430	COR78422430	1147	1762	3171	1922	13.4	176	220
72	48	24	30	28 7/8	COL72482430	COR72482430	1208	1799	3238	1978	13.6	174	213
72	42	24	30	28 7/8	COL72422430	COR72422430	1119	1679	3023	1443	12.9	176	220
66	48	24	30	28 7/8	COL66482430	COR66482430	1153	1697	3055	1862	12.6	165	202
66	42	24	30	28 7/8	COL66422430	COR66422430	1074	1590	2863	1724	11.6	156	191
60	48	24	30	28 7/8	COL60482430	COR60482430	1097	1598	2876	1747	11.7	154	187
60	42	24	30	28 7/8	COL60422430	COR60422430	1032	1499	2698	1622	10.7	145	176
48	42	24	30	28 7/8	COL48422430	COR48422430	920	1334	2401	1454	8.9	128	156



SPECIFY

Code Legs L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty Metal

TZ- - - - / - - - - - -

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (CL), (LC) or (CC).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.), WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.


Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Modesty panel option will be applied on both sides (sides with "A" and "B" dimensions).

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

90° extended corner table with curved interior access

							Straight 1"			Straight 1 ½"				
														
Dimensions					Code		L1	S1		S15	Spec.			
A	B	C	D	E	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
84	48	24	24	28 ⅞	COL84482424	COR84482424	1273	1983	3569	2194	15.1	198	246	
84	42	24	24	28 ⅞	COL84422424	COR84422424	1176	1842	3315	2017	14.3	189	233	
78	48	24	24	28 ⅞	COL78482424	COR78482424	1242	1891	3403	2083	14.1	185	229	
78	42	24	24	28 ⅞	COL78422424	COR78422424	1147	1762	3171	1922	13.4	176	220	
72	48	24	24	28 ⅞	COL72482424	COR72482424	1208	1799	3238	1978	13.2	167	209	
72	42	24	24	28 ⅞	COL72422424	COR72422424	1119	1679	3023	1443	12.5	165	205	
66	48	24	24	28 ⅞	COL66482424	COR66482424	1153	1697	3055	1862	12.2	158	198	
66	42	24	24	28 ⅞	COL66422424	COR66422424	1074	1590	2863	1724	11.6	156	191	
60	48	24	24	28 ⅞	COL60482424	COR60482424	1097	1598	2876	1747	11.3	147	183	
60	42	24	24	28 ⅞	COL60422424	COR60422424	1032	1499	2698	1622	10.7	145	176	
48	42	24	24	28 ⅞	COL48422424	COR48422424	920	1334	2401	1454	8.9	128	156	



SPECIFY

Code

Legs

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

Modesty

Metal

TZ- - - - / - - - - - -

OPTIONS

Code: Consult the product code above.

Legs: Specify end panel configuration: (CL), (LC) or (CC).

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.), WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLCR.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge. Modesty panel option will be applied on both sides (sides with "A" and "B" dimensions).

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

90° extended corner table with ergonomic interior access

90° left extended corner table (ergonomic interior access) with full / recessed end panels (**LC**) or 2 recessed end panels (**CC**).

Allow 16" minimum ("E" dimension) for installation of a pedestal.


1-circuit or standard multi-outlet option available.

The (**Q**) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.


When selecting the **U10** or **U18** modesty option, you will need to specify the color of the corner metal post leg.

1 junction plate included on tables with **LC** end panels. 2 junction plates included on tables with **CC** end-panels.

* For the 1 ½" surfaces (**S15**), add ½" to the height (**F**).



							Straight 1"		Straight 1 ½"				
Dimensions		Code					L1	S1	S15		Spec.		
A	B	C	D	E	F		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
72	36	24	18	29 5⁄8	28 7⁄8	CEL72362418	1112	1602	2884	1800	11.8	143	174
66	36	24	18	23 5⁄8	28 7⁄8	CEL66362418	1075	1547	2784	1743	11.0	136	163
60	36	24	18	17 5⁄8	28 7⁄8	CEL60362418	1051	1477	2659	1663	10.1	125	152



SPECIFY

Code

Legs

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

Modesty

Metal

TZ-

-

-

-

/

-

-

-

-

-

Options

Code: Consult the product code above.

Legs: Specify end panel configuration: (**LC**) or (**CC**).

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each. No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.), **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.). Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.

Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge. Modesty panel option will be applied on both sides (sides with "A" and "B" dimensions).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

90° extended corner table with ergonomic interior access

90° left extended corner table (ergonomic interior access) with recessed / full end panels (CL) or 2 recessed end panels (CC).

Allow 16" minimum ("E" dimension) for installation of a pedestal.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.


When selecting the U10 or U18 modesty option, you will need to specify the color of the corner metal post leg.

1 junction plate included on tables with **CL** end panels. 2 junction plates included on tables with **CC** end-panels.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**F**).



							Straight 1"			Straight 1 ½"				
														
Dimensions							Code	L1	S1	S15	Spec.			
A	B	C	D	E	F		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
72	36	24	18	29 ⅝	28 ⅞	CER72362418	1112	1602	2884	1800	11.8	143	174	
66	36	24	18	23 ⅝	28 ⅞	CER66362418	1075	1547	2784	1743	11.0	136	163	
60	36	24	18	17 ⅝	28 ⅞	CER60362418	1051	1477	2659	1663	10.1	125	152	



SPECIFY

Code

Legs

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

Modesty

Metal

TZ-

-

-

/

-

-

-

-

-

-

Code: Consult the product code above.

Legs: Specify end panel configuration: (**CL**) or (**CC**).

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)
and choose a position(s): at left (...**L**), centered (...**C**), and/or at right (...**R**). Example: **G1LCR**. Add \$37 each.
No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.), **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.).
Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLCR**.

Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.
Modesty panel option will be applied on both sides (sides with "A" and "B" dimensions).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Reversible return

Reversible return with laminate end panel.


Returns 36" and less in length have the option to add a grommet on center only.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to Accessories price list.

2 jonction plates included.

* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



			Straight 1"		Straight 1 ½"					
Dimensions			Code	L1	S1	S15	Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	60	28 7/8	RER2460	584	897	1688	995	5.1	90	112
24	54	28 7/8	RER2454	542	838	1593	921	4.6	84	103
24	48	28 7/8	RER2448	500	778	1505	850	4.2	77	97
24	42	28 7/8	RER2442	456	717	1396	778	3.9	70	86
24	36	28 7/8	RER2436	418	660	1293	731	3.5	64	77
24	30	28 7/8	RER2430	387	618	1215	714	3.2	55	68
21	48	28 7/8	RER2148	488	754	1366	819	3.8	73	88
21	42	28 7/8	RER2142	447	698	1271	751	3.5	64	79
21	36	28 7/8	RER2136	411	621	1169	710	3.2	57	70
21	30	28 7/8	RER2130	381	604	1111	693	2.9	51	59
18	36	28 7/8	RER1836	403	649	1180	706	2.7	51	64
18	30	28 7/8	RER1830	374	590	1080	676	2.4	44	53



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty

TZ- [] - [] - [] / [] - [] - [] - [] - []

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), at right (...R), and/or centered (...C). Example: G1LCR. Add \$37 each.

Returns 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modesty: Option of 18" high (U18) or 10" high (U10) modesty panel, no charge.

Reversible return (combined materials end panel)


Reversible return with combined materials (metal-laminate) end panel.

Includes a full height modesty panel, 4" from the floor.


Returns 36" and less in length have the option to add a grommet on center only.

2 junction plates included.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"		Straight 1 1/2"				
Dimensions				Code	L1	S1	S15	Spec.		
A	B	C			T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
24	60	28 7/8		RERX2460	800	1045	1836	1144	5.0	97 119
24	54	28 7/8		RERX2454	754	986	1741	1071	4.6	90 112
24	48	28 7/8		RERX2448	706	926	1653	999	4.2	77 97
24	42	28 7/8		RERX2442	655	868	1547	926	3.9	70 86
24	36	28 7/8		RERX2436	612	809	1441	881	3.5	64 77
24	30	28 7/8		RERX2430	579	767	1366	863	3.2	55 68
21	48	28 7/8		RERX2148	683	891	1503	955	3.8	73 88
21	42	28 7/8		RERX2142	637	834	1407	888	3.5	64 79
21	36	28 7/8		RERX2136	595	800	1348	847	3.2	57 70
21	30	28 7/8		RERX2130	560	744	1250	829	2.9	51 59
18	48	28 7/8		RERX1848	670	864	1453	920	3.3	66 81
18	42	28 7/8		RERX1842	624	809	1363	857	3.0	59 70
18	36	28 7/8		RERX1836	584	782	1313	842	2.7	51 64
18	30	28 7/8		RERX1830	552	724	1214	808	2.4	44 53



SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet Modesty

TZ- - - / - - - - - - - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)

and choose a position(s): at left (...**L**), at right (...**R**), and/or centered (...**C**). Example: **G1LCR**. Add \$37 each.

Returns 36" and less in length have the option to add a grommet on center only. No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.) **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.).

Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.

On tables 36" or less in length, only the centered multi-outlet (**QBC** / **QNC** / **UNC** / **WBC** / **WNC** / **XBC** / **XNC**) is available.

Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

Reversible return (open metal end panel)


Reversible return with open metal end panel.

Includes a full height modesty panel, 4" from the floor.


Returns 36" and less in length have the option to add a grommet on center only.

2 junction plates included.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"			Straight 1 ½"			
										
Dimensions			Code	L1	S1		S15	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	60	28 7⁄8	RERO2460	731	969	1759	1065	5.0	90	112
24	54	28 7⁄8	RERO2454	683	908	1663	994	4.6	81	103
24	48	28 7⁄8	RERO2448	634	849	1576	920	4.2	70	90
24	42	28 7⁄8	RERO2442	586	789	1468	849	3.9	64	79
24	36	28 7⁄8	RERO2436	542	731	1363	803	3.5	57	70
24	30	28 7⁄8	RERO2430	509	688	1286	783	3.2	48	62
21	48	28 7⁄8	RERO2148	619	820	1432	884	3.8	66	81
21	42	28 7⁄8	RERO2142	572	762	1336	818	3.5	59	73
21	36	28 7⁄8	RERO2136	533	729	1278	777	3.2	51	64
21	30	28 7⁄8	RERO2130	497	670	1177	759	2.9	44	55
18	48	28 7⁄8	RERO1848	606	793	1382	850	3.3	62	77
18	42	28 7⁄8	RERO1842	560	740	1294	786	3.0	55	66
18	36	28 7⁄8	RERO1836	521	713	1244	769	2.7	46	57
18	30	28 7⁄8	RERO1830	488	654	1144	737	2.4	37	48



SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet Modesty

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**)

and choose a position(s): at left (...**L**), at right (...**R**), and/or centered (...**C**). Example: **G1LCR**. Add \$37 each.

Returns 36" and less in length have the option to add a grommet on center only. No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.) **WB** / **WN** (+\$661 ea.) **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.).


Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.

On tables 36" or less in length, only the centered multi-outlet (**QBC** / **QNC** / **UNC** / **WBC** / **WNC** / **XBC** / **XNC**) is available.


Modesty: Option of 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.

Bridge return

Bridge returns cannot accomodate suspended pedestals.
Returns 36" and less in length have the option to add a grommet on center only. 1-circuit or standard multi-outlet option available.
The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to Accessories price list.
4 junction plates included.
* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1 "			Straight 1 ½"			
Dimensions			Code	L1	S1		S15	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	48	28 ⅞	REB2448	398	641	1368	713	2.8	59	79
24	42	28 ⅞	REB2442	383	580	1259	641	2.5	53	68
24	36	28 ⅞	REB2436	366	535	1167	595	2.1	46	59
24	30	28 ⅞	REB2430	353	477	1075	574	1.8	37	51
21	48	28 ⅞	REB2148	388	625	1237	690	2.5	55	73
21	42	28 ⅞	REB2142	375	568	1141	619	2.2	48	62
21	36	28 ⅞	REB2136	361	522	1071	574	1.9	42	55
21	30	28 ⅞	REB2130	344	465	972	552	1.6	33	44
18	48	28 ⅞	REB1848	383	609	1198	667	2.2	53	68
18	42	28 ⅞	REB1842	366	552	1106	596	1.9	44	57
18	36	28 ⅞	REB1836	353	506	1037	558	1.6	37	48
18	30	28 ⅞	REB1830	338	446	937	535	1.3	31	40



SPECIFY

CodeL1/S1/S15SurfaceEdgeBaseGrommet

TZ- - - / - - - -

OPTIONS

M-outletModesty

- -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3...**) or Black (**G4...**) and choose a position(s): at left (...**L**), at right (...**R**), and/or centered (...**C**). Example: **G1LCR**. Add \$37 each.
Returns 36" and less in length have the option to add a grommet on center only. No Grommet, choose the **NG** Option..

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.) **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661 ea.) or **XB** / **XN** (+\$427 ea.).
Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.
On tables 36" or less in length, only the centered multi-outlet (**QBC** / **QNC** / **UNC** / **WBC** / **WNC** / **XBC** / **XNC**) is available.

Modesty: Option of 24" high (**U24**), 18" high (**U18**) or 10" high (**U10**) modesty panel, no charge.


Bridge-surface

Links 2 tables or credenzas.

Surfaces 36" and less in length have the option to add a grommet on center only.

Bridge-surfaces can be used with "support" pedestals but can not accomodate suspended pedestals.

4 junction plates included.




			Straight 1"			Straight 1 ½"			
									
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	48	REBS2448	337	571	1299	642	1.7	33	48
24	42	REBS2442	328	518	1197	576	1.6	29	42
24	36	REBS2436	315	476	1108	536	1.3	24	35
24	30	REBS2430	307	427	1026	522	1.1	20	31
21	48	REBS2148	329	556	1168	620	1.6	29	42
21	42	REBS2142	318	505	1077	556	1.3	24	37
21	36	REBS2136	309	466	1015	516	1.1	20	31
21	30	REBS2130	299	409	917	500	0.9	18	26
18	48	REBS1848	319	541	1130	597	1.3	24	35
18	42	REBS1842	311	490	1044	534	1.1	20	31
18	36	REBS1836	302	448	979	500	1.0	18	26
18	30	REBS1830	290	397	887	482	0.8	15	22



ATTENTION:

The module will not be covered and will be noticeable.



■ Grommets
■ Multi-outlets

SPECIFY

Code L1/S1/S15 Surface Edge Grommet M-outlet
TZ- - - / - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface / Edge : Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), at right (...R), and/or centered (...C). Example: G1LCR. Add \$37 each.

Returns 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option..


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Countertop (to convert a regular desk into a reception desk)

Countertop with bow front transforms a regular desk into a reception desk.
Attaches to the surface with double sided tape.



				Straight 1"		Straight 1 ½"			
									
Dimensions			Code	L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
12	84	13	RSB128413	485	755	831	9.8	59	76
12	78	13	RSB127813	476	732	803	9.1	55	72
12	72	13	RSB127213	464	707	773	8.4	53	67
12	66	13	RSB126613	451	673	734	7.7	48	62
12	60	13	RSB126013	435	641	699	7.1	46	58
12	54	13	RSB125413	425	615	668	6.4	42	53
12	48	13	RSB124813	413	589	637	5.7	40	48
12	42	13	RSB124213	404	563	608	5.0	35	44
12	36	13	RSB123613	393	540	578	4.3	31	39
12	30	13	RSB123013	384	516	548	3.6	29	34
12	24	13	RSB122413	370	489	517	2.9	24	30

SPECIFY

Code L1/S1/S15 Surface Edge Base
TZ- - - / -


Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Countertop (to convert a regular desk into a reception desk)

Rectangular countertop transforms a regular desk into a reception desk.
Attaches to the surface with double sided tape.



			Straight 1"		Straight 1 ½"				
Dimensions			Code		L1	S1	S15	Spec.	
A	B	C			T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1") lb (1½")
12	84	13	RSQ128413		452	679	745	9.8	55 70
12	78	13	RSQ127813		438	655	713	9.1	53 65
12	72	13	RSQ127213		430	627	683	8.4	48 61
12	66	13	RSQ126613		415	602	649	7.7	46 57
12	60	13	RSQ126013		404	576	621	7.1	42 53
12	54	13	RSQ125413		392	550	589	6.4	40 49
12	48	13	RSQ124813		382	524	558	5.7	35 44
12	42	13	RSQ124213		369	497	529	5.0	33 40
12	36	13	RSQ123613		363	477	499	4.3	31 36
12	30	13	RSQ123013		349	451	471	3.6	26 32
12	24	13	RSQ122413		340	426	440	2.9	24 28

SPECIFY

Code L1/S1/S15 Surface Edge Base
TZ- - - / -


Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Extension countertop (to be used with a countertop for a reception desk)

Right extension countertop, to be used with a countertop for a reception desk.
Attaches to the surface with double sided tape and 1 flat junction plate, included.



				Straight 1"		Straight 1 ½"			
									
Dimensions			Code	L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
RIGHT SHELF									
12	84	13	RSR128413	430	653	718	9.8	51	66
12	78	13	RSR127813	416	626	688	9.1	48	62
12	72	13	RSR127213	407	604	657	8.4	46	58
12	66	13	RSR126613	393	578	624	7.7	42	54
12	60	13	RSR126013	380	550	595	7.1	40	49
12	54	13	RSR125413	369	524	563	6.4	35	45
12	48	13	RSR124813	361	499	536	5.7	33	41
12	42	13	RSR124213	347	474	505	5.0	29	37
12	36	13	RSR123613	340	451	477	4.3	26	33
12	30	13	RSR123013	325	426	444	3.6	24	28
12	24	13	RSR122413	317	400	414	2.9	20	24

SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

TZ-

-


-

/

-

Code: Consult the product code above.
L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").
Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Left extension countertop, to be used with a countertop for a reception desk.
Attaches to the surface with double sided tape and 1 flat junction plate, included.



				Straight 1"		Straight 1 ½"			
									
Dimensions			Code	L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
LEFT SHELF									
12	84	13	RSL128413	430	653	718	9.8	51	66
12	78	13	RSL127813	416	626	688	9.1	48	62
12	72	13	RSL127213	407	604	657	8.4	46	58
12	66	13	RSL126613	393	578	624	7.7	42	54
12	60	13	RSL126013	380	550	595	7.1	40	49
12	54	13	RSL125413	369	524	563	6.4	35	45
12	48	13	RSL124813	361	499	536	5.7	33	41
12	42	13	RSL124213	347	474	505	5.0	29	37
12	36	13	RSL123613	340	451	477	4.3	26	33
12	30	13	RSL123013	325	426	444	3.6	24	28
12	24	13	RSL122413	317	400	414	2.9	20	24

SPECIFY

	Code	L1/S1/S15	Surface	Edge	Base
TZ-					

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface / Edge / Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

"D" shaped table with rounded end and modesty panel (tubular leg)

"D" shaped table with rounded end and reversible modesty panel.

Telescopic metal leg, 4" diameter.


12" high modesty panel.

1 flat junction plate included.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



					Straight 1"			Straight 1 ½"				
												
Dimensions				Code	L1	S1		S15	Spec.			
A	B	C	D		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
36	84	28 7⁄8	68	DMDA3684	1119	1611	3142	1901	10.4	134	178	
36	78	28 7⁄8	60	DMDA3678	1097	1553	3028	1828	9.8	128	169	
36	72	28 7⁄8	54	DMDA3672	1068	1486	2898	1763	9.3	119	158	
36	66	28 7⁄8	48	DMDA3666	1038	1428	2784	1689	8.7	114	150	
30	84	28 7⁄8	69	DMDA3084	1046	1468	2715	1738	9.1	114	154	
30	78	28 7⁄8	63	DMDA3078	1031	1416	2620	1676	8.7	110	143	
30	72	28 7⁄8	57	DMDA3072	1008	1398	2586	1655	8.2	103	134	
30	66	28 7⁄8	51	DMDA3066	989	1348	2495	1595	7.7	97	125	
30	60	28 7⁄8	45	DMDA3060	961	1317	2438	1542	7.3	90	117	
30	48	28 7⁄8	33	DMDA3048	911	1236	2287	1440	6.4	77	99	



SPECIFY							OPTION	
Code	L1/S1/S15	Surface	Edge	Base	Metal	Grommet	M-outlet	
TZ-								

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1", **S15** = H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Centered grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

"D" shaped table with arched end and modesty panel (tubular leg)

"D" shaped table with arched end and reversible modesty panel.

Telescopic metal leg, 4" diameter.


12" high modesty panel.

1 flat junction plate included.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"		Straight 1 1/2"					
Dimensions				Code	L1	S1	S15	Spec.			
A	B	C	D		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	84	28 7/8	77 1/2	DMAA3684	1119	1611	3142	1901	10.4	134	178
36	78	28 7/8	71 1/2	DMAA3678	1097	1553	3028	1828	9.8	128	169
36	72	28 7/8	65 1/2	DMAA3672	1068	1486	2898	1763	9.3	119	158
36	66	28 7/8	59 1/2	DMAA3666	1038	1428	2784	1689	8.7	114	150
30	84	28 7/8	77 1/2	DMAA3084	1046	1468	2715	1738	8.1	114	154
30	78	28 7/8	71 1/2	DMAA3078	1031	1416	2620	1676	8.7	110	143
30	72	28 7/8	65 1/2	DMAA3072	1008	1398	2586	1655	8.2	103	134
30	66	28 7/8	59 1/2	DMAA3066	989	1348	2495	1595	7.7	97	125
30	60	28 7/8	53 1/2	DMAA3060	961	1317	2438	1542	7.3	88	117
30	48	28 7/8	41 1/2	DMAA3048	911	1236	2287	1440	6.4	77	99



SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet

TZ- - - / - - - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Centered grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

"D" shaped table with straight end and modesty panel (tubular leg)

"D" shaped table with straight end and reversible modesty panel.

Telescopic metal leg, 4" diameter.


12" high modesty panel.

1 flat junction plate included.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"			Straight 1 1/2"		
Dimensions			Code	L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1") lb (1 1/2")
36	84	28 7/8	DMiA3684	1091	1582	2877	1872	10.4	134 178
36	78	28 7/8	DMiA3678	1069	1521	2756	1799	9.8	128 169
36	72	28 7/8	DMiA3672	1039	1457	2630	1731	9.3	119 158
36	66	28 7/8	DMiA3666	1010	1397	2537	1656	8.7	114 150
30	84	28 7/8	DMiA3084	1019	1438	2492	1708	8.1	114 154
30	78	28 7/8	DMiA3078	1002	1386	2393	1646	8.7	110 143
30	72	28 7/8	DMiA3072	980	1368	2331	1626	8.2	103 134
30	66	28 7/8	DMiA3066	961	1315	2235	1564	7.7	97 125
30	60	28 7/8	DMiA3060	932	1288	2161	1511	7.3	88 117
30	48	28 7/8	DMiA3048	884	1207	1997	1411	6.4	77 99



SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

M-outlet

TZ-

-

-

/

-

-

-

-

-

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Centered grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

"D" shaped table with straight end with rounded corners and modesty panel (tubular leg)

"D" shaped table with straight end with rounded corners and reversible modesty panel.

Telescopic metal leg, 4" diameter.


12" high modesty panel.

1 flat junction plate included.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



					Straight 1"			Straight 1 ½"				
Dimensions				Code	L1	S1		S15	Spec.			
A	B	C	D		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
36	84	28 ⅞	82 ½	DMiAA3684	1091	1582	2877	1872	12.9	139	187	
36	78	28 ⅞	76 ½	DMiAA3678	1069	1521	2756	1799	12.2	132	178	
36	72	28 ⅞	70 ½	DMiAA3672	1039	1457	2630	1731	11.6	125	167	
36	66	28 ⅞	64 ½	DMiAA3666	1010	1397	2537	1656	10.9	119	156	
30	84	28 ⅞	82 ½	DMiAA3084	1019	1438	2492	1708	11.4	121	161	
30	78	28 ⅞	76 ½	DMiAA3078	1002	1386	2393	1646	10.9	114	152	
30	72	28 ⅞	70 ½	DMiAA3072	980	1368	2331	1626	10.3	110	143	
30	66	28 ⅞	64 ½	DMiAA3066	961	1315	2235	1564	9.8	103	134	
30	60	28 ⅞	58 ½	DMiAA3060	932	1288	2161	1511	9.2	97	125	
30	48	28 ⅞	46 ½	DMiAA3048	884	1207	1997	1411	8.1	86	108	



SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet

TZ- - - / - - - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Metal leg: Specify the metal finish, see p.IG05 (34 colors)


Grommet: Centered grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.


Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

"P" shaped table with modesty panel (tubular leg)

"P" shaped table, left or right, with modesty panel.
Telescopic metal leg, 4" diameter.
12" high modesty panel.
1 flat junction plate included.
1-circuit or standard multi-outlet option available.
The (Q) option requires the use of the AC-PFIQ120 power module (1-circuit system), refer to the Accessories price list.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (D).



							Straight 1"			Straight 1 ½"			
													
Dimensions					Code		L1	S1		S15	Spec.		
A	B	C	D	E	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36	42	84	28 7⁄8	63	PMAL364284	PMAR364284	1163	1655	3062	1990	11.6	145	200
36	42	78	28 7⁄8	57	PMAL364278	PMAR364278	1141	1621	2999	1946	11.0	141	191
36	42	72	28 7⁄8	51	PMAL364272	PMAR364272	1086	1572	2908	1865	10.4	130	176
30	36	84	28 7⁄8	66	PMAL303684	PMAR303684	1086	1572	2908	1865	10.4	123	167
30	36	78	28 7⁄8	60	PMAL303678	PMAR303678	1066	1519	2735	1806	9.8	119	158
30	36	72	28 7⁄8	54	PMAL303672	PMAR303672	1048	1468	2641	1744	9.3	112	152
30	36	66	28 7⁄8	48	PMAL303666	PMAR303666	1020	1420	2557	1681	8.7	106	143
30	36	60	28 7⁄8	42	PMAL303660	PMAR303660	992	1375	2476	1623	8.2	99	132



SPECIFY

CodeL1/S1/S15SurfaceEdgeBaseMetalGrommetM-outlet

TZ- - / - - - - -

OPTION

M-outlet

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

Grommet: Centered grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.
No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

"L" shaped table with modesty panel (tubular leg)

"L" shaped table, left, with modesty panel.

Telescopic metal leg, 4" diameter.


12" high modesty panel.

1 flat junction plate included.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

* For the 1 ½" surfaces (**S15**), add ½" to the height (**E**).



						Straight 1"			Straight 1 ½"			
												
Dimensions					Code	L1	S1		S15	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
54	36	84	24	28 7⁄8	LMAL54368424	1584	2310	4273	2531	13.8	165	218
54	36	78	24	28 7⁄8	LMAL54367824	1500	2185	4042	2397	13.1	156	207
54	36	72	24	28 7⁄8	LMAL54367224	1415	2061	3813	2262	12.4	147	196
48	30	84	24	28 7⁄8	LMAL48308424	1408	2049	3584	2251	12.9	150	198
48	30	78	24	28 7⁄8	LMAL48307824	1378	1969	3446	2153	12.2	141	187
48	30	72	24	28 7⁄8	LMAL48307224	1352	1890	3307	2059	11.4	134	174
48	30	66	24	28 7⁄8	LMAL48306624	1299	1811	3169	1968	10.7	125	163
48	30	60	24	28 7⁄8	LMAL48306024	1269	1763	3085	1915	10.0	119	152
42	30	72	24	28 7⁄8	LMAL42307224	1299	1803	3154	1961	10.4	119	156
42	30	66	24	28 7⁄8	LMAL42306624	1282	1782	3119	1937	9.7	112	145
42	30	60	24	28 7⁄8	LMAL42306024	1248	1728	3024	1874	9.1	106	134



SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet

TZ- - - / - - - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Centered grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

"L" shaped table with modesty panel (tubular leg)

"L" shaped table, right, with modesty panel.

Telescopic metal leg, 4" diameter.


12" high modesty panel.

1 flat junction plate included.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**E**).



					Straight 1"		Straight 1 1/2"					
Dimensions					Code	L1	S1	S15	Spec.			
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
54	36	84	24	28 7/8	LMAR54368424	1584	2310	4273	2531	13.8	165	218
54	36	78	24	28 7/8	LMAR54367824	1500	2185	4042	2397	13.1	156	207
54	36	72	24	28 7/8	LMAR54367224	1415	2061	3813	2262	12.4	147	196
48	30	84	24	28 7/8	LMAR48308424	1408	2049	3584	2251	12.9	150	198
48	30	78	24	28 7/8	LMAR48307824	1378	1969	3446	2153	12.2	141	187
48	30	72	24	28 7/8	LMAR48307224	1352	1890	3307	2059	11.4	134	174
48	30	66	24	28 7/8	LMAR48306624	1299	1811	3169	1968	10.7	125	163
48	30	60	24	28 7/8	LMAR48306024	1269	1763	3085	1915	10.0	119	152
42	30	72	24	28 7/8	LMAR42307224	1299	1803	3154	1961	10.4	119	156
42	30	66	24	28 7/8	LMAR42306624	1282	1782	3119	1937	9.7	112	145
42	30	60	24	28 7/8	LMAR42306024	1248	1728	3024	1874	9.1	106	134



SPECIFY							OPTION
Code	L1/S1/S15	Surface	Edge	Base	Metal	Grommet	M-outlet
TZ-			/				

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1", **S15** = H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Centered grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

"PL" shaped table with modesty panel (tubular leg)

"PL" shaped table, left, with modesty panel.

Telescopic metal leg, 4" diameter.


12" high modesty panel.

1 flat junction plate included.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

* For the 1 ½" surfaces (**S15**), add ½" to the height (**E**).



					Straight 1"		Straight 1 ½"						
Dimensions					Code	L1	S1	S15	Spec.				
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
48	54	72	24	28 7/8	PLMAL487224	1393	2009	3515	2201	12.5	152	209	
48	54	72	18	28 7/8	PLMAL487218	1393	2009	3515	2201	12.5	152	209	
48	54	66	24	28 7/8	PLMAL486624	1335	1923	3365	2098	11.7	145	198	
48	54	66	18	28 7/8	PLMAL486618	1335	1923	3365	2098	11.7	145	198	
48	54	60	24	28 7/8	PLMAL486024	1303	1862	3260	2032	10.9	139	187	
48	54	60	18	28 7/8	PLMAL486018	1303	1862	3260	2032	10.9	139	187	
42	48	72	24	28 7/8	PLMAL427224	1340	1924	3367	2103	11.4	141	194	
42	48	72	18	28 7/8	PLMAL427218	1340	1924	3367	2103	11.4	141	194	
42	48	66	24	28 7/8	PLMAL426624	1321	1893	3312	2068	10.7	134	178	
42	48	66	18	28 7/8	PLMAL426618	1321	1893	3312	2068	10.7	134	178	
42	48	60	24	28 7/8	PLMAL426024	1282	1828	3201	1993	10.0	128	167	
42	48	60	18	28 7/8	PLMAL426018	1282	1828	3201	1993	10.0	128	167	



SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet

TZ- - - / - - - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Grommet: Centered grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

"PL" shaped table with modesty panel (tubular leg)

"PL" shaped table, right, with modesty panel.

Telescopic metal leg, 4" diameter.


12" high modesty panel.

1 flat junction plate included.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**E**).



					Straight 1"		Straight 1 1/2"					
Dimensions					Code	L1	S1	S15	Spec.			
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
48	54	72	24	28 7/8	PLMAR487224	1393	2009	3515	2201	12.5	152	209
48	54	72	18	28 7/8	PLMAR487218	1393	2009	3515	2201	12.5	152	209
48	54	66	24	28 7/8	PLMAR486624	1335	1923	3365	2098	11.7	145	198
48	54	66	18	28 7/8	PLMAR486618	1335	1923	3365	2098	11.7	145	198
48	54	60	24	28 7/8	PLMAR486024	1303	1862	3260	2032	10.9	139	187
48	54	60	18	28 7/8	PLMAR486018	1303	1862	3260	2032	10.9	139	187
42	48	72	24	28 7/8	PLMAR427224	1340	1924	3367	2103	11.4	141	194
42	48	72	18	28 7/8	PLMAR427218	1340	1924	3367	2103	11.4	141	194
42	48	66	24	28 7/8	PLMAR426624	1321	1893	3312	2068	10.7	134	178
42	48	66	18	28 7/8	PLMAR426618	1321	1893	3312	2068	10.7	134	178
42	48	60	24	28 7/8	PLMAR426024	1282	1828	3201	1993	10.0	128	167
42	48	60	18	28 7/8	PLMAR426018	1282	1828	3201	1993	10.0	128	167



SPECIFY							OPTION	
Code	L1/S1/S15	Surface	Edge	Base	Metal	Grommet	M-outlet	
TZ-		-	/	-	-	-	-	

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1** = T.F.L. 1", **S1** = H.P.L. 1", **S15** = H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Metal leg: Specify the metal finish, see p.IG05 (34 colors)

Grommet: Centered grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.
No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

"D" shaped table with rounded end and "T" end panel


1 flat junction plate included.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"		Straight 1 1/2"					
Dimensions				Code	L1	S1	S15	Spec.			
A	B	C	D		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36" DEEP											
36	78	28 7/8	60	DTD3678	686	1133	2417	1273	8.3	110	154
36	72	28 7/8	54	DTD3672	667	1096	2285	1225	7.9	103	145
36	66	28 7/8	48	DTD3666	649	1060	2151	1176	7.6	99	136
36	60	28 7/8	42	DTD3660	630	1022	2017	1128	7.2	92	128
30" DEEP											
30	84	28 7/8	69	DTD3084	647	1071	2229	1197	7.9	99	139
30	78	28 7/8	63	DTD3078	621	1029	2106	1145	7.5	95	132
30	72	28 7/8	57	DTD3072	595	987	1984	1095	7.2	90	123
30	66	28 7/8	51	DTD3066	580	956	1872	1054	6.9	86	117
30	60	28 7/8	45	DTD3060	563	925	1759	1012	6.6	81	108
30	54	28 7/8	39	DTD3054	548	893	1647	972	6.3	75	101
30	48	28 7/8	33	DTD3048	534	862	1536	931	5.9	70	95
24" DEEP											
24	72	28 7/8	60	DTD2472	540	894	1698	982	6.5	75	103
24	66	28 7/8	54	DTD2466	526	869	1609	949	6.2	73	97
24	60	28 7/8	48	DTD2460	515	845	1518	916	6.0	68	90
24	54	28 7/8	42	DTD2454	502	818	1428	883	5.7	64	86
24	48	28 7/8	36	DTD2448	489	793	1338	850	5.4	59	79



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet M-outlet

TZ- - - / - - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface / Edge / Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Centered grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.

No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

"D" shaped table with arched end and "T" end panel


1 flat junction plate included.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



					Straight 1"			Straight 1 ½"			
											
Dimensions				Code	L1	S1		S15	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP											
36	78	28 7⁄8	71 ½	DTA3678	686	1133	2417	1273	8.3	112	156
36	72	28 7⁄8	65 ½	DTA3672	667	1096	2285	1225	7.9	106	147
36	66	28 7⁄8	59 ½	DTA3666	649	1060	2151	1176	7.6	101	139
36	60	28 7⁄8	53 ½	DTA3660	630	1022	2017	1128	7.2	95	130
30" DEEP											
30	84	28 7⁄8	77 ½	DTA3084	647	1071	2229	1197	7.4	101	141
30	78	28 7⁄8	71 ½	DTA3078	621	1029	2106	1145	7.0	95	132
30	72	28 7⁄8	65 ½	DTA3072	595	987	1984	1095	6.7	90	125
30	66	28 7⁄8	59 ½	DTA3066	580	956	1872	1054	6.4	86	119
30	60	28 7⁄8	53 ½	DTA3060	563	925	1759	1012	6.1	81	110
30	54	28 7⁄8	47 ½	DTA3054	548	893	1647	972	5.8	77	103
30	48	28 7⁄8	41 ½	DTA3048	534	862	1536	931	5.4	73	95
24" DEEP											
24	72	28 7⁄8	65 ½	DTA2472	540	894	1698	982	5.5	75	103
24	66	28 7⁄8	59 ½	DTA2466	526	869	1609	949	5.2	73	97
24	60	28 7⁄8	53 ½	DTA2460	515	845	1518	916	5.0	68	90
24	54	28 7⁄8	47 ½	DTA2454	502	818	1428	883	4.7	64	86
24	48	28 7⁄8	41 ½	DTA2448	489	793	1338	850	4.4	62	79



SPECIFY						OPTION	
Code	L1/S1/S15	Surface	Edge	Base	Grommet	M-outlet	
TZ-		-	/	-	-	-	

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1", S15 = H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Centered grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.
No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

"D" shaped table with straight end and "T" end panel


1 flat junction plate included.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



				Straight 1"			Straight 1 ½"			
										
Dimensions			Code	L1	S1		S15	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP										
36	78	28 ⅞	DTi3678	648	1095	2402	1191	8.3	112	158
36	72	28 ⅞	DTi3672	630	1058	2268	1145	7.9	108	150
36	66	28 ⅞	DTi3666	612	1022	2133	1100	7.6	101	139
36	60	28 ⅞	DTi3660	595	986	2000	1055	7.2	97	130
30" DEEP										
30	84	28 ⅞	DTi3084	617	1040	2223	1121	7.9	101	141
30	78	28 ⅞	DTi3078	581	988	2087	1062	7.5	97	134
30	72	28 ⅞	DTi3072	565	956	1975	1024	7.2	92	125
30	66	28 ⅞	DTi3066	549	926	1860	986	6.9	88	119
30	60	28 ⅞	DTi3060	519	880	1733	933	6.6	84	112
30	54	28 ⅞	DTi3054	504	849	1620	895	6.3	79	103
30	48	28 ⅞	DTi3048	489	817	1507	858	5.9	73	97
24" DEEP										
24	72	28 ⅞	DTi2472	515	869	1695	917	6.5	77	103
24	66	28 ⅞	DTi2466	502	843	1602	886	6.2	73	99
24	60	28 ⅞	DTi2460	474	803	1495	840	6.0	70	92
24	54	28 ⅞	DTi2454	460	778	1403	811	5.7	66	86
24	48	28 ⅞	DTi2448	448	751	1311	780	5.4	62	79



Grommet
 Multi-outlet

SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet M-outlet
 TZ- - - / - - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.

Grommet: Centered grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.

No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

"D" shaped table with straight end with rounded corners and "T" end panel


1 flat junction plate included.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the AC-PFIQ120 power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately.

* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



					Straight 1"			Straight 1 ½"			
Dimensions				Code	L1	S1		S15	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP											
36	78	28 7⁄8	76 ½	DTiA3678	686	1133	2417	1273	8.3	112	158
36	72	28 7⁄8	70 ½	DTiA3672	667	1096	2285	1225	7.9	108	150
36	66	28 7⁄8	64 ½	DTiA3666	649	1060	2151	1176	7.6	101	139
36	60	28 7⁄8	58 ½	DTiA3660	630	1022	2017	1128	7.2	97	130
30" DEEP											
30	84	28 7⁄8	82 ½	DTiA3084	647	1071	2229	1197	7.9	101	141
30	78	28 7⁄8	76 ½	DTiA3078	621	1029	2106	1145	7.5	97	134
30	72	28 7⁄8	70 ½	DTiA3072	595	987	1984	1095	7.2	92	125
30	66	28 7⁄8	64 ½	DTiA3066	580	956	1872	1054	6.9	88	119
30	60	28 7⁄8	58 ½	DTiA3060	563	925	1759	1012	6.6	84	112
30	54	28 7⁄8	52 ½	DTiA3054	548	893	1647	972	6.3	79	103
30	48	28 7⁄8	46 ½	DTiA3048	534	862	1536	931	5.9	73	97
24" DEEP											
24	72	28 7⁄8	70 ½	DTiA2472	540	894	1698	982	6.5	77	103
24	66	28 7⁄8	64 ½	DTiA2466	526	869	1609	949	6.2	73	99
24	60	28 7⁄8	58 ½	DTiA2460	515	845	1518	916	6.0	70	92
24	54	28 7⁄8	52 ½	DTiA2454	502	818	1428	883	5.7	66	86
24	48	28 7⁄8	46 ½	DTiA2448	489	793	1338	850	5.4	62	79



SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

TZ-

-

-

/

-

-

-

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1", S15 = H.P.L. 1 1/2").

Surface/Edge/Base:

 Refer to the different types of finishes, see p.IG02-IG03.

Grommet:

 Centered grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.
No Grommet, choose the NG Option.

Multi-outlet:

 Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

"P" shaped table with "T" end panel

Left or right-handed "P" shaped table with "T" end panel.


1 flat junction plate included.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**D**).




LEFT



RIGHT

									Straight 1 "			Straight 1 ½"				
Dimensions					Code		L1	S1		S15	Spec.					
A	B	C	D	E	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")			
30	36	72	28 ⅞	54	PTL303672	PTR303672	649	1078	2266	1207	7.9	92	110			
30	36	66	28 ⅞	48	PTL303666	PTR303666	622	1032	2123	1148	7.6	88	106			
30	36	60	28 ⅞	42	PTL303660	PTR303660	595	986	1981	1092	7.2	84	101			



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet M-outlet

TZ- [] - [] - [] / [] - [] - [] - []

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.


Grommet: Centered grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.


Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

Rectangular surface-mounted table with "L" support (lamine end panel)

Left or right rectangular surface-mounted table with full laminate end panel.
5" H. laminate "L" support end gable and modesty panel.
Installs on a 23" H. credenza with a 1" surface.
Assembly hardware included.
Recessed modesty option is only available on 30" and 36" deep tables.
Modesty will be recessed by 11" on 36" deep tables and by 5" on 30" deep tables.
1-circuit or standard multi-outlet option available.
The (Q) option requires the use of the AC-PFIQ120 power module (1-circuit system), refer to the Accessories price list.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



					Straight 1"			Straight 1 ½"			
											
Dimensions			Code		L1	S1		S15	Spec.		
A	B	C	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36	84	28 7⁄₈	DPiL3684	DPiR3684	907	1288	2582	1435	9.9	108	143
36	78	28 7⁄₈	DPiL3678	DPiR3678	884	1223	2458	1358	9.4	103	134
36	72	28 7⁄₈	DPiL3672	DPiR3672	859	1159	2332	1281	8.8	97	125
36	66	28 7⁄₈	DPiL3666	DPiR3666	786	1122	2262	1234	8.2	92	117
36	60	28 7⁄₈	DPiL3660	DPiR3660	742	1058	2138	1160	7.6	86	108



SPECIFY

CodeL1/S1/S15SurfaceEdgeBaseGrommetM-outletModesty

TZ- - / - - - - -

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.


Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

Modesty: Option of recessed modesty (R), by 11" on 36" deep tables and by 5" on 30" deep tables, not available on 24" deep tables. Option free of charge.

Rectangular surface-mounted table with "L" support (laminated end panel)

						Straight 1"			Straight 1 ½"		
Dimensions			Code		L1	S1		S15	Spec.		
A	B	C	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30	84	28 7⁄8	DPiL3084	DPiR3084	842	1182	2236	1307	8.0	92	119
30	78	28 7⁄8	DPiL3078	DPiR3078	821	1126	2132	1243	7.5	86	112
30	72	28 7⁄8	DPiL3072	DPiR3072	798	1073	2036	1181	6.9	81	106
30	66	28 7⁄8	DPiL3066	DPiR3066	755	1020	1939	1112	6.4	77	99
30	60	28 7⁄8	DPiL3060	DPiR3060	714	965	1839	1049	5.9	73	92
24	84	28 7⁄8	DPiL2484	DPiR2484	764	1069	2019	1173	6.6	75	97
24	78	28 7⁄8	DPiL2478	DPiR2478	747	1026	1937	1123	6.2	70	92
24	72	28 7⁄8	DPiL2472	DPiR2472	730	982	1859	1071	5.7	66	86
24	66	28 7⁄8	DPiL2466	DPiR2466	698	925	1756	1010	5.3	64	81
24	60	28 7⁄8	DPiL2460	DPiR2460	648	877	1668	952	4.9	59	75



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet M-outlet Modesty

TZ- - - / - - - - -

OPTIONS

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, see p.IG02-IG03.


Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR.


Modesty: Option of recessed modesty (R), by 11" on 36" deep tables and by 5" on 30" deep tables, not available on 24" deep tables. Option free of charge.

Rectangular surface-mounted table with "L" support
(combined-material end panel)

Left or right rectangular surface-mounted table with combined-material (metal-laminate) end panel.
5" H. laminate "L" support end gable and modesty panel.
Installs on a 23" H. credenza with a 1" surface.
Assembly hardware included.
1-circuit or standard multi-outlet option available.
The (Q) option requires the use of the AC-PFIQ120 power module (1-circuit system), refer to the Accessories price list.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



			Straight 1"		Straight 1 1/2"	
Dimensions			Code		Spec.	
A	B	C	Left	Right	T.F.L.	H.P.L.
36	84	28 7/8	DPIXL3684	DPIXR3684	1091	1554
36	78	28 7/8	DPIXL3678	DPIXR3678	1067	1487
36	72	28 7/8	DPIXL3672	DPIXR3672	1040	1417
36	66	28 7/8	DPIXL3666	DPIXR3666	968	1380
36	60	28 7/8	DPIXL3660	DPIXR3660	926	1313



SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

M-outlet

TZ-

-

-

/

-

-

-

-

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/ Edge/ Base:

 Refer to the different types of finishes, see p.IG02-IG03.

Metal leg:

 Specify the metal finish, see p.IG05 (34 colors).

Grommet:

 Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet:

 Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR.


Canada

B59

REV.01-2025

Rectangular surface-mounted table with "L" support (combined-material end panel)

					Straight 1"			Straight 1 ½"			
											
Dimensions			Code		L1	S1		S15	Spec.		
A	B	C	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30	84	28 7⁄8	DPIXL3084	DPIXR3084	1003	1418	2472	1551	8.0	92	119
30	78	28 7⁄8	DPIXL3078	DPIXR3078	982	1363	2369	1482	7.5	86	112
30	72	28 7⁄8	DPIXL3072	DPIXR3072	960	1306	2269	1417	6.9	81	106
30	66	28 7⁄8	DPIXL3066	DPIXR3066	917	1249	2170	1346	6.4	77	99
30	60	28 7⁄8	DPIXL3060	DPIXR3060	877	1192	2065	1279	5.9	73	92
24	84	28 7⁄8	DPIXL2484	DPIXR2484	906	1277	2227	1388	6.6	75	97
24	78	28 7⁄8	DPIXL2478	DPIXR2478	888	1232	2143	1335	6.2	70	92
24	72	28 7⁄8	DPIXL2472	DPIXR2472	869	1188	2065	1278	5.7	66	86
24	66	28 7⁄8	DPIXL2466	DPIXR2466	840	1126	1958	1216	5.3	64	81
24	60	28 7⁄8	DPIXL2460	DPIXR2460	787	1077	1868	1154	4.9	59	75



SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet

TZ- - - / - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface / Edge / Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.


No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).


Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

Rectangular surface-mounted table with "L" support
(open metal end panel)

Left or right rectangular surface-mounted table with open metal end panel.
5" H. laminate "L" support end gable and modesty panel.
Installs on a 23" H. credenza with a 1" surface.
Assembly hardware included.
1-circuit or standard multi-outlet option available.
The (Q) option requires the use of the AC-PFIQ120 power module (1-circuit system), refer to the Accessories price list.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



					Straight 1"			Straight 1 ½"			
											
Dimensions			Code		L1	S1		S15	Spec.		
A	B	C	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36	84	28 7⁄₈	DPiOL3684	DPiOR3684	1008	1505	2800	1666	9.9	99	134
36	78	28 7⁄₈	DPiOL3678	DPiOR3678	985	1434	2669	1581	9.4	95	125
36	72	28 7⁄₈	DPiOL3672	DPiOR3672	960	1363	2536	1499	8.8	88	117
36	66	28 7⁄₈	DPiOL3666	DPiOR3666	886	1324	2463	1447	8.2	81	108
36	60	28 7⁄₈	DPiOL3660	DPiOR3660	842	1254	2333	1367	7.6	77	99



SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

M-outlet

TZ-

-

-

/

-

-

-

-

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/ Edge/ Base:

 Refer to the different types of finishes, see p.IG02-IG03.

Metal leg:

 Specify the metal finish, see p.IG05 (34 colors).

Grommet:

 Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.


Multi-outlet:

 Multi-outlet choice: UN (+\$351 ea.), WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

Canada B61 REV.01-2025

Rectangular surface-mounted table with "L" support (open metal end panel)

					Straight 1"			Straight 1 ½"			
											
Dimensions			Code		L1	S1		S15	Spec.		
A	B	C	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30	84	28 7⁄8	DPiOL3084	DPiOR3084	942	1392	2445	1527	8.0	84	112
30	78	28 7⁄8	DPiOL3078	DPiOR3078	922	1329	2335	1456	7.5	79	106
30	72	28 7⁄8	DPiOL3072	DPiOR3072	896	1271	2234	1389	6.9	75	99
30	66	28 7⁄8	DPiOL3066	DPiOR3066	855	1213	2133	1313	6.4	68	90
30	60	28 7⁄8	DPiOL3060	DPiOR3060	814	1154	2027	1244	5.9	64	84
24	84	28 7⁄8	DPiOL2484	DPiOR2484	851	1248	2198	1367	6.6	68	90
24	78	28 7⁄8	DPiOL2478	DPiOR2478	833	1201	2114	1306	6.2	64	84
24	72	28 7⁄8	DPiOL2472	DPiOR2472	814	1156	2034	1250	5.7	59	79
24	66	28 7⁄8	DPiOL2466	DPiOR2466	782	1094	1925	1188	5.3	55	73
24	60	28 7⁄8	DPiOL2460	DPiOR2460	730	1041	1832	1122	4.9	53	68



SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet

TZ- - - / - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1 = T.F.L. 1", S1 = H.P.L. 1", S15 = H.P.L. 1 ½").

Surface / Edge / Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Metal leg: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

No Grommet, choose the NG Option.


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

OPTION

Rectangular surface-mounted table with 6" overhang and "L" support (combined-material end panel)

Left or right rectangular surface-mounted table with 6" overhang on visitor side, with combined-material (metal-laminate) end panel.
5" H. laminate "L" support end gable and modesty panel.
Installs on a 23" H. credenza with a 1" surface.
Assembly hardware included.
1-circuit or standard multi-outlet option available.
The (Q) option requires the use of the AC-PFIQ120 power module (1-circuit system), refer to the Accessories price list.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



					Straight 1"		Straight 1 1/2"				
Dimensions			Code		L1	S1	S15	Spec.			
A	B	C	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	84	28 7/8	DPIxRL3684	DPIxRR3684	1110	1581	2876	1735	10.5	117	165
36	78	28 7/8	DPIxRL3678	DPIxRR3678	1087	1513	2748	1654	10.0	110	156
36	72	28 7/8	DPIxRL3672	DPIxRR3672	1060	1441	2614	1574	9.5	106	145
36	66	28 7/8	DPIxRL3666	DPIxRR3666	986	1403	2542	1524	9.1	99	136
36	60	28 7/8	DPIxRL3660	DPIxRR3660	942	1335	2414	1442	8.6	92	128
30	84	28 7/8	DPIxRL3084	DPIxRR3084	1022	1442	2496	1577	8.3	101	141
30	78	28 7/8	DPIxRL3078	DPIxRR3078	1000	1385	2392	1507	7.9	97	132
30	72	28 7/8	DPIxRL3072	DPIxRR3072	977	1328	2291	1441	7.5	90	125
30	66	28 7/8	DPIxRL3066	DPIxRR3066	933	1270	2190	1368	7.1	86	117
30	60	28 7/8	DPIxRL3060	DPIxRR3060	892	1212	2086	1301	6.6	81	108

SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Base

Metal

Grommet

M-outlet

TZ-

-

-

/

-

-

-

-

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/ Edge/ Base:

 Refer to the different types of finishes, see p.IG02-IG03.

Metal leg:

 Specify the metal finish, see p.IG05 (34 colors).

Grommet:

 Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet:

 Multi-outlet choice: UN (+\$351 ea.), WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

Canada B63

REV.01-2025

Rectangular surface-mounted table with 6" overhang with "L" support (open metal end panel)

Left or right rectangular surface-mounted table with 6" overhang on visitor side, with open metal end panel.

5" H. laminate "L" support end gable and modesty panel.


Installs on a 23" H. credenza with a 1" surface.

Assembly hardware included.

1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



					Straight 1"		Straight 1 1/2"				
					L1		S1				
Dimensions					Code		L1		Spec.		
A	B	C	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	84	28 7/8	DPIORL3684	DPIORR3684	1026	1529	2823	1692	10.5	114	163
36	78	28 7/8	DPIORL3678	DPIORR3678	1001	1457	2692	1607	10.0	108	152
36	72	28 7/8	DPIORL3672	DPIORR3672	976	1384	2557	1522	9.5	101	143
36	66	28 7/8	DPIORL3666	DPIORR3666	902	1345	2484	1470	9.1	95	134
36	60	28 7/8	DPIORL3660	DPIORR3660	856	1272	2353	1388	8.6	90	123
30	84	28 7/8	DPIORL3084	DPIORR3084	958	1414	2468	1551	8.3	99	139
30	78	28 7/8	DPIORL3078	DPIORR3078	937	1350	2357	1480	7.9	92	130
30	72	28 7/8	DPIORL3072	DPIORR3072	913	1292	2255	1411	7.5	88	121
30	66	28 7/8	DPIORL3066	DPIORR3066	869	1233	2153	1335	7.1	84	114
30	60	28 7/8	DPIORL3060	DPIORR3060	827	1173	2047	1265	6.6	77	106

SPECIFY

Code L1/S1/S15 Surface Edge Base Metal Grommet M-outlet

TZ- [] - [] - [] / [] - [] - [] - [] - []

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface / Edge / Base: Refer to the different types of finishes, see p.IG02-IG03.

Metal leg: Specify the metal finish, see p.IG05 (34 colors).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.


No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.).


Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

Rectangular surface-mounted return with "L" support

Rectangular surface-mounted return, left or right.
5" H. laminate "L" support end gable and modesty panel.
Installs on a 23" H. credenza with a 1" surface.
Assembly hardware included.
2 junction plates included.



			Straight 1"		Straight 1 1/2"	
						
Dimensions			Code		Spec.	
A	B	C	Left	Right	T.F.L.	H.P.L.
					FENIX	S15
						Cu.Ft.
						lb (1")
						lb (1 1/2")
24	72	6	REEPL2472	REEPR2472	431	723
					1601	858
						3.3
						53
						70
24	66	6	REEPL2466	REEPR2466	414	687
					1518	811
						3.1
						48
						66
24	60	6	REEPL2460	REEPR2460	391	652
					1442	752
						2.8
						44
						59
21	72	6	REEPL2172	REEPR2172	388	676
					1532	782
						3.0
						46
						64
21	66	6	REEPL2166	REEPR2166	372	639
					1424	748
						2.7
						42
						59
21	60	6	REEPL2160	REEPR2160	365	602
					1315	692
						2.5
						40
						53
18	72	6	REEPL1872	REEPR1872	350	607
					1340	709
						2.6
						42
						55
18	66	6	REEPL1866	REEPR1866	343	545
					1218	671
						2.4
						37
						51
18	60	6	REEPL1860	REEPR1860	332	525
					1137	619
						2.2
						35
						46



SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

TZ- - - / - - -

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base:

Refer to the different types of finishes, see p.IG02-IG03.

Grommet:

Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet:

Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661 ea.) or XB / XN (+\$427 ea.). Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

Mounted surfaces



Mounted surfaces

"D" surfacesC02

Modular surfacesC19





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Surface-mounted "D" shaped surface with rounded end and "L" support

Left-handed surface-mounted "D" shaped surface and rounded end.


5" H. laminate "L" support.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately, [see p.D05 to D22](#).

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



						Straight 1 "			Straight 1 ½"			
Dimensions					Code	L1	S1		S15	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	6	66	20	DLDL3684	791	1210	2653	1490	6.1	88	136
36	78	6	60	20	DLDL3678	777	1159	2444	1426	5.7	84	128
36	72	6	54	20	DLDL3672	753	1101	2290	1366	5.4	77	119
30" DEEP												
30	84	6	69	20	DLDL3084	733	1087	2244	1344	5.2	77	117
30	78	6	63	20	DLDL3078	722	1044	2122	1292	4.9	70	108
30	72	6	57	20	DLDL3072	706	1030	2027	1279	4.5	66	101
24" DEEP												
24	84	6	72	20	DLDL2484	675	1012	1976	1201	4.2	64	95
24	78	6	66	20	DLDL2478	670	986	1872	1160	4.0	59	88
24	72	6	60	20	DLDL2472	660	937	1742	1122	3.7	55	84



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY						OPTION
Code	L1/S1/S15	Surface	Edge	Base	Grommet	M-outlet
TZ-	-	-	/	-	-	-

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface / Edge / Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Grommet: Centered on the side grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.

No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

Surface-mounted "D" shaped surface with rounded end and "L" support

Right-handed surface-mounted "D" shaped surface and rounded end.


5" H. laminate "L" support.

1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFiQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately, [see p.D05 to D22](#).

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



					Straight 1"			Straight 1 ½"				
												
Dimensions					Code	L1	S1		S15	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	6	66	20	DLDR3684	791	1210	2653	1490	6.1	88	136
36	78	6	60	20	DLDR3678	777	1159	2444	1426	5.7	84	128
36	72	6	54	20	DLDR3672	753	1101	2290	1366	5.4	77	119
30" DEEP												
30	84	6	69	20	DLDR3084	733	1087	2244	1344	5.2	77	117
30	78	6	63	20	DLDR3078	722	1044	2122	1292	4.9	70	108
30	72	6	57	20	DLDR3072	706	1030	2027	1279	4.5	66	101
24" DEEP												
24	84	6	72	20	DLDR2484	675	1012	1976	1201	4.2	64	95
24	78	6	66	20	DLDR2478	670	986	1872	1160	4.0	59	88
24	72	6	60	20	DLDR2472	660	937	1742	1122	3.7	55	84

Surface-mounted "D" shaped surface with arched end with "L" support

Left-handed surface-mounted "D" shaped surface with arched end.


5" H. laminate "L" support.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately, [see p.D05 to D22](#).

* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



						Straight 1"			Straight 1 ½"			
Dimensions				Code		L1	S1		S15	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	6	77 ½	20	DLAL3684	791	1210	2653	1490	6.1	90	139
36	78	6	71 ½	20	DLAL3678	777	1159	2444	1426	5.7	86	130
36	72	6	65 ½	20	DLAL3672	753	1101	2290	1366	5.4	79	121
30" DEEP												
30	84	6	77 ½	20	DLAL3084	733	1087	2244	1344	5.2	77	117
30	78	6	71 ½	20	DLAL3078	722	1044	2122	1292	4.9	73	110
30	72	6	65 ½	20	DLAL3072	706	1030	2027	1279	4.5	68	101
24" DEEP												
24	84	6	77 ½	20	DLAL2484	675	1012	1976	1201	4.2	64	95
24	78	6	71 ½	20	DLAL2478	670	986	1872	1160	4.0	59	90
24	72	6	65 ½	20	DLAL2472	660	937	1742	1122	3.7	57	84



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet M-outlet

TZ- - - / - - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Grommet: Centered on the side grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.

No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

Surface-mounted "D" shaped surface with arched end with "L" support

Right-handed surface-mounted "D" shaped surface with arched end.


5" H. laminate "L" support.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately, [see p.D05 to D22](#).

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



						Straight 1"			Straight 1 ½"			
												
Dimensions					Code	L1	S1		S15	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	6	77 ½	20	DLAR3684	791	1210	2653	1490	6.1	90	139
36	78	6	71 ½	20	DLAR3678	777	1159	2444	1426	5.7	86	130
36	72	6	65 ½	20	DLAR3672	753	1101	2290	1366	5.4	79	121
30" DEEP												
30	84	6	77 ½	20	DLAR3084	733	1087	2244	1344	5.2	77	117
30	78	6	71 ½	20	DLAR3078	722	1044	2122	1292	4.9	73	110
30	72	6	65 ½	20	DLAR3072	706	1030	2027	1279	4.5	68	101
24" DEEP												
24	84	6	77 ½	20	DLAR2484	675	1012	1976	1201	4.2	64	95
24	78	6	71 ½	20	DLAR2478	670	986	1872	1160	4.0	59	90
24	72	6	65 ½	20	DLAR2472	660	937	1742	1122	3.7	57	84



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

TZ-

-

-

/

-

-

-

-

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Grommet: Centered on the side grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.
No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

Surface-mounted "D" shaped surface with straight and with "L" support

Left-handed surface-mounted "D" shaped surface and straight end.


5" H. laminate "L" support.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately, [see p.D05 to D22](#).

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



					Straight 1"			Straight 1 ½"			
Dimensions				Code	L1	S1		S15	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP											
36	84	6	20	DLiL3684	763	1179	2623	1461	6.1	92	141
36	78	6	20	DLiL3678	748	1130	2414	1397	5.7	86	132
36	72	6	20	DLiL3672	723	1073	2262	1337	5.4	81	123
30" DEEP											
30	84	6	20	DLiL3084	694	1046	2205	1305	5.2	79	119
30	78	6	20	DLiL3078	684	1003	2081	1252	4.9	75	110
30	72	6	20	DLiL3072	667	989	1986	1237	4.5	68	103
24" DEEP											
24	84	6	20	DLiL2484	648	985	1948	1171	4.2	64	97
24	78	6	20	DLiL2478	643	956	1843	1131	4.0	62	90
24	72	6	20	DLiL2472	631	906	1711	1092	3.7	57	84



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY						OPTION	
Code	L1/S1/S15	Surface	Edge	Base	Grommet	M-outlet	
TZ-		-	-	/	-	-	-

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#).


Grommet: Centered on the side grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.


Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

Surface-mounted "D" shaped surface with straight and with "L" support

Right-handed surface-mounted "D" shaped surface and straight end.
5" H. laminate "L" support.
1-circuit or standard multi-outlet option available.
The (Q) option requires the use of the AC-PFiQ120 power module (1-circuit system), refer to the Accessories price list.
Leg(s) for the end to be ordered separately, see p.D05 to D22.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



					Straight 1"			Straight 1 ½"			
Dimensions				Code	L1	S1		S15	Spec.		
A	B	C	D		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP											
36	84	6	20	DLiR3684	763	1179	2623	1461	6.1	92	141
36	78	6	20	DLiR3678	748	1130	2414	1397	5.7	86	132
36	72	6	20	DLiR3672	723	1073	2262	1337	5.4	81	123
30" DEEP											
30	84	6	20	DLiR3084	694	1046	2205	1305	5.2	79	119
30	78	6	20	DLiR3078	684	1003	2081	1252	4.9	75	110
30	72	6	20	DLiR3072	667	989	1986	1237	4.5	68	103
24" DEEP											
24	84	6	20	DLiR2484	648	985	1948	1171	4.2	64	97
24	78	6	20	DLiR2478	643	956	1843	1131	4.0	62	90
24	72	6	20	DLiR2472	631	906	1711	1092	3.7	57	84



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Base

Grommet

M-outlet

TZ-

-

-

/

-

-

-

-

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base:

 Refer to the different types of finishes, see p.IG02-IG03.

Grommet:

 Centered on the side grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.
No Grommet, choose the NG Option.

Multi-outlet:

 Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

Surface-mounted "D" shaped surface with straight end with rounded corners and "L" support

Left-handed surface-mounted "D" shaped surface with straight end with rounded corners.


5" H. laminate "L" support.

1-circuit or standard multi-outlet option available.


The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately, [see p.D05 to D22](#).

* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



						Straight 1"			Straight 1 ½"			
												
Dimensions					Code	L1	S1		S15	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	6	82 ½	20	DLiAL3684	791	1210	2653	1490	6.1	92	141
36	78	6	76 ½	20	DLiAL3678	777	1159	2444	1426	5.7	86	132
36	72	6	70 ½	20	DLiAL3672	753	1101	2290	1366	5.4	81	123
30" DEEP												
30	84	6	82 ½	20	DLiAL3084	733	1087	2244	1344	5.2	79	119
30	78	6	76 ½	20	DLiAL3078	722	1044	2122	1292	4.9	75	110
30	72	6	70 ½	20	DLiAL3072	706	1030	2027	1279	4.5	68	103
24" DEEP												
24	84	6	82 ½	20	DLiAL2484	675	1012	1976	1201	4.2	64	97
24	78	6	76 ½	20	DLiAL2478	670	986	1872	1160	4.0	62	90
24	72	6	70 ½	20	DLiAL2472	660	937	1742	1122	3.7	57	84



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY						OPTION	
Code	L1/S1/S15	Surface	Edge	Base	Grommet	M-outlet	
TZ-	-	-	/	-	-	-	

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface / Edge / Base: Refer to the different types of finishes, [see p.IG02-IG03](#).

Grommet: Centered on the side grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

Surface-mounted "D" shaped surface with straight end with rounded corners and "L" support

Right-handed surface-mounted "D" shaped surface with straight end with rounded corners.


5" H. laminate "L" support.

1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) for the end to be ordered separately, [see p.D05 to D22](#).

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (C).



						Straight 1"			Straight 1 ½"			
												
Dimensions					Code	L1	S1		S15	Spec.		
A	B	C	D	E		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	6	82 ½	20	DLiAR3684	791	1210	2653	1490	6.1	92	141
36	78	6	76 ½	20	DLiAR3678	777	1159	2444	1426	5.7	86	132
36	72	6	70 ½	20	DLiAR3672	753	1101	2290	1366	5.4	81	123
30" DEEP												
30	84	6	82 ½	20	DLiAR3084	733	1087	2244	1344	5.2	79	119
30	78	6	76 ½	20	DLiAR3078	722	1044	2122	1292	4.9	75	110
30	72	6	70 ½	20	DLiAR3072	706	1030	2027	1279	4.5	68	103
24" DEEP												
24	84	6	82 ½	20	DLiAR2484	675	1012	1976	1201	4.2	64	97
24	78	6	76 ½	20	DLiAR2478	670	986	1872	1160	4.0	62	90
24	72	6	70 ½	20	DLiAR2472	660	937	1742	1122	3.7	57	84


Modular "D" shaped surface with rounded end

Modular "D" shaped surface with rounded end.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, see p.D02 to D22.



				Straight 1"			Straight 1 ½"		Reverse 1"					
Dimensions			Code	L1	S1	S15	VL1	VS1	Spec.					
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½"	
36" DEEP														
36	84	66	DSD3684	459	927	2329	1031	729	1210	2618	5.5	81	130	
36	78	60	DSD3678	428	877	2179	972	697	1159	2469	5.1	77	121	
36	72	54	DSD3672	396	826	2031	914	666	1108	2321	4.7	70	112	
36	66	48	DSD3666	361	718	1724	789	617	973	1986	4.4	66	103	
36	60	42	DSD3660	343	684	1603	748	600	939	1863	4.0	59	95	
30" DEEP														
30	84	69	DSD3084	409	833	2012	914	678	1114	2300	4.7	68	108	
30	78	63	DSD3078	383	791	1888	865	652	1073	2175	4.3	64	101	
30	72	57	DSD3072	357	750	1764	817	626	1031	2051	4.0	59	95	
30	66	51	DSD3066	342	718	1651	780	611	999	1936	3.7	55	86	
30	60	45	DSD3060	327	688	1538	741	595	967	1823	3.4	48	77	
30	54	39	DSD3054	310	656	1424	703	580	936	1709	3.1	44	70	



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY						OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet		
TZ-	-	-	/	-	-		

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, see p.IG02.


Grommet: Centered on the side grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

Modular "D" shaped surface with rounded end

				Straight 1"			Straight 1 ½"		Reverse 1"						
															
Dimensions			Code	L1	S1		S15		VL1	VS1		Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX		H.P.L.		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
24" DEEP															
24	84	72	DSD2484	366	747	1701		803		634	1027	1987	3.8	55	88
24	78	66	DSD2478	344	712	1600		765		612	992	1885	3.6	51	81
24	72	60	DSD2472	321	678	1499		725		590	956	1785	3.3	46	73
24	66	54	DSD2466	308	652	1406		694		578	930	1691	3.0	44	68
24	60	48	DSD2460	297	626	1314		664		564	904	1599	2.8	40	62
24	54	42	DSD2454	283	600	1223		633		552	879	1507	2.5	35	55
24	48	36	DSD2448	271	575	1131		603		539	853	1414	2.3	31	48



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Centered on the side grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.
No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).


Modular "D" shaped surface with arched end

Modular "D" shaped surface with arched end.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, [see p.D02 to D22](#).



				Straight 1"			Straight 1 ½"		Reverse 1"					
Dimensions			Code	L1	S1	S15	VL1	VS1	Spec.					
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½"	
36" DEEP														
36	84	77 ½	DSA3684	459	927	2329	1031	729	1210	2618	5.5	81	130	
36	78	71 ½	DSA3678	428	877	2179	972	697	1159	2469	5.1	77	121	
36	72	65 ½	DSA3672	396	826	2031	914	666	1108	2321	4.7	70	112	
36	66	59 ½	DSA3666	379	790	1896	868	648	1071	2185	4.4	66	103	
36	60	53 ½	DSA3660	361	752	1763	823	630	1033	2050	4.0	59	95	
36	54	47 ½	DSA3654	324	678	1586	740	567	930	1845	3.6	53	84	
30" DEEP														
30	84	77 ½	DSA3084	409	833	2012	914	678	1114	2300	4.7	68	108	
30	78	71 ½	DSA3078	383	791	1888	865	652	1073	2175	4.3	64	101	
30	72	65 ½	DSA3072	357	750	1764	817	626	1031	2051	4.0	59	95	
30	66	59 ½	DSA3066	342	718	1651	780	611	999	1936	3.7	55	86	
30	60	53 ½	DSA3060	327	688	1538	741	595	967	1823	3.4	48	77	
30	54	47 ½	DSA3054	310	656	1424	703	580	936	1709	3.1	44	70	
30	48	41 ½	DSA3048	277	584	1266	625	515	831	1519	2.7	40	62	



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY						OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet		
TZ-	-	-	/	-	-		

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, [see p.IG02](#).


Grommet: Centered on the side grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

Modular "D" shaped surface with arched end

				Straight 1 "			Straight 1 ½"		Reverse 1 "					
														
Dimensions			Code	L1	S1		S15		VL1	VS1		Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
24" DEEP														
24	84	77 ½	DSA2484	366	747	1701	803		634	1027	1987	3.8	55	88
24	78	71 ½	DSA2478	344	712	1600	765		612	992	1885	3.6	51	81
24	72	65 ½	DSA2472	321	678	1499	725		590	956	1785	3.3	46	73
24	66	59 ½	DSA2466	308	652	1406	694		578	930	1691	3.0	44	68
24	60	53 ½	DSA2460	297	626	1314	664		564	904	1599	2.8	40	62
24	54	47 ½	DSA2454	283	600	1223	633		552	879	1507	2.5	35	55
24	48	41 ½	DSA2448	271	575	1131	603		539	853	1414	2.3	31	48
24	42	35 ½	DSA2442	246	540	1028	562		515	816	1311	2.0	26	42



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

OPTION

Code

L1/S1/S15
VL1/VS1

Surface

Edge

Grommet

M-outlet

TZ-

-

-

/

-

-

Code:

Consult the product code above.

L1/S1/S15/VL1/VS1:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface/Edge:

Refer to the different types of finishes, see p.IG02.

Grommet:

Centered on the side grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.

No Grommet, choose the NG Option.

Multi-outlet:

Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).


Modular "D" shaped surface with straight end

Modular "D" shaped surface with straight end.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, [see p.D02 to D22](#).



			Straight 1"			Straight 1 ½"		Reverse 1"					
													
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.			
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")	
36" DEEP													
36	84	DSi3684	452	919	2321	1023	792	1273	2682	5.5	81	130	
36	78	DSi3678	407	856	2157	951	748	1209	2519	5.1	77	121	
36	72	DSi3672	389	819	2024	905	730	1173	2387	4.7	70	112	
36	66	DSi3666	371	782	1889	860	713	1136	2251	4.4	66	103	
36	60	DSi3660	353	746	1755	815	695	1100	2117	4.0	59	95	
36	54	DSi3654	336	710	1620	769	678	1063	1983	3.6	53	84	
30" DEEP													
30	84	DSi3084	402	826	2004	906	743	1180	2367	4.7	68	108	
30	78	DSi3078	366	774	1869	848	708	1129	2231	4.3	64	101	
30	72	DSi3072	350	744	1756	811	692	1098	2119	4.0	59	95	
30	66	DSi3066	334	712	1643	771	677	1066	2004	3.7	55	86	
30	60	DSi3060	304	666	1515	720	632	1005	1861	3.4	48	77	
30	54	DSi3054	288	634	1402	681	618	974	1748	3.1	44	70	
30	48	DSi3048	274	604	1289	644	603	942	1635	2.7	40	62	



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).


Grommet: Centered on the side grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).

Modular "D" shaped surface with straight end

			Straight 1"			Straight 1 ½"		Reverse 1"				
												
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
24" DEEP												
24	84	DSi2484	361	741	1695	799	701	1096	2057	3.8	55	88
24	78	DSi2478	329	697	1584	749	671	1052	1946	3.6	51	81
24	72	DSi2472	316	671	1492	718	658	1026	1855	3.3	46	73
24	66	DSi2466	303	646	1400	688	646	999	1760	3.0	44	68
24	60	DSi2460	275	605	1293	643	604	943	1640	2.8	40	62
24	54	DSi2454	262	579	1201	612	590	919	1548	2.5	35	55
24	48	DSi2448	249	554	1108	581	578	893	1454	2.3	31	48
24	42	DSi2442	216	509	997	531	538	838	1334	2.0	26	42
21" DEEP												
21	84	DSi2184	342	701	1543	747	684	1055	1904	3.4	48	57
21	78	DSi2178	311	659	1443	701	654	1015	1805	3.2	44	68
21	72	DSi2172	300	637	1361	675	643	990	1723	2.9	42	64
21	66	DSi2166	287	614	1280	647	630	967	1642	2.7	37	59
21	60	DSi2160	261	576	1185	605	590	916	1531	2.5	33	53
21	54	DSi2154	249	553	1101	578	579	892	1448	2.2	31	48
21	48	DSi2148	237	530	1021	552	567	869	1368	2.0	26	42
21	42	DSi2142	207	488	920	506	527	818	1258	1.8	24	37



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).


Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Centered on the side grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.
No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).

Modular "D" shaped surface with straight end

			Straight 1"			Straight 1 ½"		Reverse 1"				
												
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
18" DEEP												
18	84	DSi1884	322	660	1392	694	665	1016	1754	3.0	42	64
18	78	DSi1878	295	622	1302	653	637	976	1664	2.8	37	59
18	72	DSi1872	283	602	1231	630	626	956	1593	2.6	35	55
18	66	DSi1866	273	581	1160	607	617	936	1521	2.4	33	51
18	60	DSi1860	247	546	1074	568	577	886	1420	2.2	29	44
18	54	DSi1854	237	527	1004	545	567	865	1350	2.0	26	42
18	48	DSi1848	226	507	931	521	556	846	1278	1.8	24	37
18	42	DSi1842	197	467	842	479	518	796	1179	1.6	22	33



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Centered on the side grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37.

No Grommet, choose the NG Option.

Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).


Modular "D" shaped surface with straight end with rounded corners

Modular "D" shaped surface with straight end with rounded corners.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, [see p.D02 to D22](#).



				Straight 1"			Straight 1 ½"		Reverse 1"					
Dimensions			Code	L1	S1		S15	VL1	VS1			Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")	
36" DEEP														
36	84	82 ½	DSiA3684	459	927	2329	1031	729	1210	2618	5.5	81	130	
36	78	76 ½	DSiA3678	428	877	2179	972	697	1159	2469	5.1	77	121	
36	72	70 ½	DSiA3672	396	826	2031	914	666	1108	2321	4.7	70	112	
36	66	64 ½	DSiA3666	379	790	1896	868	648	1071	2185	4.4	66	103	
36	60	58 ½	DSiA3660	361	752	1763	823	630	1033	2050	4.0	59	95	
36	54	52 ½	DSiA3654	324	678	1586	740	567	930	1845	3.6	53	84	
30" DEEP														
30	84	82 ½	DSiA3084	409	833	2012	914	678	1114	2300	4.7	68	108	
30	78	76 ½	DSiA3078	383	791	1888	865	652	1073	2175	4.3	64	101	
30	72	70 ½	DSiA3072	357	750	1764	817	626	1031	2051	4.0	59	95	
30	66	64 ½	DSiA3066	342	718	1651	780	611	999	1936	3.7	55	86	
30	60	58 ½	DSiA3060	327	688	1538	741	595	967	1823	3.4	48	77	
30	54	52 ½	DSiA3054	310	656	1424	703	580	936	1709	3.1	44	70	
30	48	46 ½	DSiA3048	277	584	1266	625	515	831	1519	2.7	40	62	




Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	
Code: Consult the product code above. L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse). Surface / Edge: Refer to the different types of finishes, see p.IG02. Grommet: Centered on the side grommet options, choose a color: White (G1), Charcoal (G2), Frost (G3) or Black (G4). Add \$37. No Grommet, choose the NG Option. Multi-outlet: Option of multi-outlet, centered on the side (QB, QN +\$661), (UN +\$351), (WB / WN +\$661) or (XB / XN +\$427).						

Modular "D" shaped surface with straight end with rounded corners

				Straight 1"			Straight 1 ½"	Reverse 1"					
													
Dimensions			Code	L1	S1		S15	VL1	VS1		Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
24" DEEP													
24	84	82 ½	DSiA2484	366	747	1701	803	634	1027	1987	3.8	55	88
24	78	76 ½	DSiA2478	344	712	1600	765	612	992	1885	3.6	51	81
24	72	70 ½	DSiA2472	321	678	1499	725	590	956	1785	3.3	46	73
24	66	64 ½	DSiA2466	308	652	1406	694	578	930	1691	3.0	44	68
24	60	58 ½	DSiA2460	297	626	1314	664	564	904	1599	2.8	40	62
24	54	52 ½	DSiA2454	283	600	1223	633	552	879	1507	2.5	35	55
24	48	46 ½	DSiA2448	271	575	1131	603	539	853	1414	2.3	31	48
24	42	40 ½	DSiA2442	246	540	1028	562	515	816	1311	2.0	26	42



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Centered on the side grommet options, choose a color: White (**G1**), Charcoal (**G2**), Frost (**G3**) or Black (**G4**). Add \$37.

No Grommet, choose the **NG** Option.

Multi-outlet: Option of multi-outlet, centered on the side (**QB**, **QN** +\$661), (**UN** +\$351), (**WB** / **WN** +\$661) or (**XB** / **XN** +\$427).


Modular trapezoid surface with rounded corners

Modular trapezoid surface with rounded corners.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, [see p.D02 to D22](#).



				Straight 1"			Straight 1 ½"		Reverse 1"					
														
Dimensions			Code	L1	S1		S15	VL1	VS1		Spec.			
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")	
36" DEEP														
36	24	84	STRA362484	519	985	2380	1088	848	1329	2732	5.5	81	114	
36	24	78	STRA362478	487	933	2231	1029	816	1277	2582	5.1	77	108	
36	24	72	STRA362472	455	883	2083	969	782	1225	2432	4.7	70	97	
36	24	66	STRA362466	436	846	1947	924	762	1187	2295	4.4	66	90	
36	24	60	STRA362460	417	808	1812	877	743	1147	2159	4.0	59	81	
30" DEEP														
30	24	84	STRA302484	468	891	2066	971	794	1232	2415	4.7	68	101	
30	24	78	STRA302478	441	849	1942	922	766	1189	2290	4.3	64	95	
30	24	72	STRA302472	415	806	1819	873	741	1145	2164	4.0	59	86	
30	24	66	STRA302466	399	775	1704	835	723	1112	2050	3.7	55	79	
30	24	60	STRA302460	383	744	1590	796	708	1079	1934	3.4	48	70	



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY						OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet		
TZ-			/				

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Centered on the side grommet options, choose a color: White (**G1.**), Charcoal (**G2.**), Frost (**G3.**) or Black (**G4.**), choose a position(s): at left (**..L**), and/or at right (**..R**). Example: **G1LR**. Add \$37 each. No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.), **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661) or **XB** / **XN** (+\$427).
Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.


Modular pebble surface with rounded corners

Left-handed modular pebble surface with rounded corners.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, see p.D02 to D22.



			Straight 1"			Straight 1 ½"	Reverse 1"					
												
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	SPEBL3684	590	1056	2459	1160	973	1457	2868	5.5	81	130
36	78	SPEBL3678	557	1005	2308	1100	941	1405	2718	5.1	77	121
36	72	SPEBL3672	524	953	2159	1039	908	1354	2568	4.7	70	112
36	66	SPEBL3666	507	917	2024	995	892	1317	2433	4.4	66	103
36	60	SPEBL3660	490	881	1890	950	874	1281	2299	4.0	59	95
30" DEEP												
30	84	SPEBL3084	545	974	2184	1058	929	1375	2593	4.7	68	108
30	78	SPEBL3078	518	931	2055	1007	902	1332	2465	4.3	64	101
30	72	SPEBL3072	491	887	1927	958	877	1289	2337	4.0	59	95
30	66	SPEBL3066	476	769	1577	815	861	1169	1986	3.7	55	86
30	60	SPEBL3060	460	650	1226	672	846	1052	1636	3.4	48	77



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, see p.IG02.


Grommet: Centered on the side grommet options, choose a color: White (**G1..**), Charcoal (**G2..**), Frost (**G3..**) or Black (**G4..**), choose a position(s): at left (**..L**), and/or at right (**..R**). Example: **G1LR**. Add \$37 each. No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.), **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661) or **XB** / **XN** (+\$427).


Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBRLR**.

Modular pebble surface with rounded corners

Right-handed modular pebble surface with rounded corners.
1-circuit or standard multi-outlet option available.
The (Q) option requires the use of the AC-PFiQ120 power module (1-circuit system), refer to the Accessories price list.
Leg(s) and support(s) to be ordered separately, see p.D02 to D22.



		Straight 1"			Straight 1 ½"		Reverse 1"					
												
Dimensions		Code	L1	S1	S15	VL1	VS1			Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	SPEBR3684	590	1056	2459	1160	973	1457	2868	5.5	81	130
36	78	SPEBR3678	557	1005	2308	1100	941	1405	2718	5.1	77	121
36	72	SPEBR3672	524	953	2159	1039	908	1354	2568	4.7	70	112
36	66	SPEBR3666	507	917	2024	995	892	1317	2433	4.4	66	103
36	60	SPEBR3660	490	881	1890	950	874	1281	2299	4.0	59	95
30" DEEP												
30	84	SPEBR3084	545	974	2184	1058	929	1375	2593	4.7	68	108
30	78	SPEBR3078	518	931	2055	1007	902	1332	2465	4.3	64	101
30	72	SPEBR3072	491	887	1927	958	877	1289	2337	4.0	59	95
30	66	SPEBR3066	476	769	1577	815	861	1169	1986	3.7	55	86
30	60	SPEBR3060	460	650	1226	672	846	1052	1636	3.4	48	77



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

CodeL1/S1/S15
VL1/VS1SurfaceEdgeGrommetM-outlet

TZ- - / - -

OPTION

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, see p.IG02.

Grommet: Centered on the side grommet options, choose a color: White (G1..), Charcoal (G2..), Frost (G3..) or Black (G4..), choose a position(s): at left (..L), and/or at right (..R). Example: G1LR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661) or XB / XN (+\$427). Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

Modular rectangular surface


Modular rectangular surface.

Grommet/multi-outlet options positioned at the standard depth.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, [see p.D02 to D22](#).



		Straight 1"			Straight 1 ½"			Reverse 1"				
Dimensions	Code	L1	S1		S15		VL1	VS1			Spec.	
A B		T.F.L.	H.P.L.	FENIX	H.P.L.		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36 84	SSi3684	469	914	2314	1018		778	1267	2676	5.5	81	130
36 78	SSi3678	435	862	2166	959		747	1216	2528	5.1	77	121
36 72	SSi3672	403	813	2018	899		716	1167	2379	4.7	70	112
36 66	SSi3666	384	777	1883	854		698	1130	2245	4.4	66	103
36 60	SSi3660	365	739	1748	809		682	1094	2110	4.0	59	95



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (**G1...**), Charcoal (**G2...**), Frost (**G3..**) or Black (**G4...**)

and choose a position(s): at left (**..L**), centered (**..C**), and/or at right (**..R**). Example: **G1LCR**. Add \$37 each.

Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the **NG** Option.


Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.) **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661) or **XB** / **XN** (+\$427).

Position: Left (**L**), Center (**C**) and/or Right (**R**). Example: **WBLR**.

On tables 36" or less in length, only the centered multi-outlet (**QBC** / **QNC** / **UNC** / **WBC** / **WNC** / **XBC** / **XNC**) is available.

Modular rectangular surface

			Straight 1"			Straight 1 ½"		Reverse 1"				
												
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
30" DEEP												
30	84	SSi3084	415	820	1998	901	729	1174	2360	4.7	68	108
30	78	SSi3078	388	779	1874	852	705	1133	2236	4.3	64	101
30	72	SSi3072	362	736	1751	804	679	1091	2114	4.0	59	95
30	66	SSi3066	345	706	1638	766	664	1061	2000	3.7	55	86
30	60	SSi3060	329	675	1524	728	649	1029	1887	3.4	48	77
30	54	SSi3054	311	643	1409	689	631	996	1771	3.1	44	70
30	48	SSi3048	295	610	1295	650	615	962	1655	2.7	40	62
30	42	SSi3042	265	565	1168	599	580	909	1519	2.4	33	53
30	36	SSi3036	235	521	1041	547	544	857	1383	2.1	29	46
30	30	SSi3030	218	490	929	510	528	826	1271	1.8	24	40



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

Code

L1/S1/S15
VL1/VS1

Surface

Edge

Grommet

M-outlet

TZ-

-

-

/

-

-

OPTION

Code: Consult the product code above.


L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3..) or Black (G4...) and choose a position(s): at left (..L), centered (..C), and/or at right (..R). Example: G1LCR. Add \$37 each. Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661) or XB / XN (+\$427). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

			Straight 1"			Straight 1 ½"		Reverse 1"				
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
24" DEEP												
24	84	SSi2484	372	734	1688	792	688	1089	2051	3.8	55	88
24	78	SSi2478	347	699	1586	751	664	1052	1947	3.6	51	81
24	72	SSi2472	322	663	1484	711	642	1016	1844	3.3	46	73
24	66	SSi2466	309	637	1392	680	628	989	1752	3.0	44	68
24	60	SSi2460	296	612	1300	649	615	963	1660	2.8	40	62
24	54	SSi2454	274	578	1199	610	587	921	1550	2.5	35	55
24	48	SSi2448	251	544	1098	571	558	880	1441	2.3	31	48
24	42	SSi2442	233	513	1001	536	541	849	1344	2.0	26	42
24	36	SSi2436	213	483	904	500	523	818	1247	1.7	24	37
24	30	SSi2430	200	456	813	469	512	792	1155	1.5	20	31



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY						OPTION
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-			/			

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, see p.IG02.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3..) or Black (G4...)

and choose a position(s): at left (**..L**), centered (**..C**), and/or at right (**..R**). Example: **G1LCR**. Add \$37 each.

Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the **NG** Option.


Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.) **WB / WN** (+\$661 ea.), **QB / QN** (+\$661) or **XB / XN** (+\$427).

Position: Left (L), Center (C) and/or Right (R). Example: **WBLR**.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modular rectangular surface

			Straight 1"			Straight 1 ½"			Reverse 1"					
														
Dimensions		Code	L1	S1	S15	VL1	VS1	Spec.						
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")		
21" DEEP														
21	84	SSi2184	352	694	1538	740	671	1050	1899	3.4	48	75		
21	78	SSi2178	320	653	1437	694	631	998	1789	3.2	44	68		
21	72	SSi2172	287	612	1336	649	592	948	1679	2.9	42	64		
21	66	SSi2166	276	588	1255	622	582	925	1598	2.7	37	59		
21	60	SSi2160	264	565	1174	595	570	901	1516	2.5	33	53		
21	54	SSi2154	251	543	1092	568	559	879	1435	2.2	31	48		
21	48	SSi2148	239	520	1010	542	547	856	1352	2.0	26	42		
21	42	SSi2142	221	491	924	510	531	827	1267	1.8	24	37		
21	36	SSi2136	204	465	837	478	516	800	1180	1.5	22	33		
21	30	SSi2130	192	442	756	451	504	778	1099	1.3	18	26		



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.


L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface/ Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (..L), centered (..C), and/or at right (..R). Example: G1LCR. Add \$37 each. Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661) or XB / XN (+\$427). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

		Straight 1"				Straight 1 ½"		Reverse 1"				
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
18" DEEP												
18	84	SSi1884	333	655	1385	689	652	1008	1747	3.0	42	64
18	78	SSi1878	302	615	1295	647	614	961	1649	2.8	37	59
18	72	SSi1872	272	577	1205	605	578	913	1549	2.6	35	55
18	66	SSi1866	261	556	1134	581	567	892	1477	2.4	33	51
18	60	SSi1860	249	536	1064	557	557	871	1406	2.2	29	44
18	54	SSi1854	238	517	993	535	546	852	1336	2.0	26	42
18	48	SSi1848	228	496	921	511	537	831	1265	1.8	24	37
18	42	SSi1842	203	465	839	476	509	793	1175	1.6	22	33
18	36	SSi1836	180	433	757	442	480	755	1086	1.4	18	26
18	30	SSi1830	170	412	686	418	470	734	1015	1.1	15	24



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY						OPTION
	Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet
TZ-		-	-	/	-	-

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, see p.IG02.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3..) or Black (G4...)

and choose a position(s): at left (**..L**), centered (**..C**), and/or at right (**..R**). Example: **G1LCR**. Add \$37 each.

Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the **NG** Option.

Multi-outlet: Multi-outlet choice: **UN** (+\$351 ea.) **WB** / **WN** (+\$661 ea.), **QB** / **QN** (+\$661) or **XB** / **XN** (+\$427).

Position: Left (L), Center (C) and/or Right (R). Example: **WBLR**.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC / XBC / XNC) is available.

Modular rectangular surface (with grommet/multi-outlet options positioned at the recessed depth)



Modular rectangular surface.

Grommet/multi-outlet options positioned at the recessed depth.

1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, see p.D02 to D22.



Please refer to the product guide for the precise position of grommets and multi-outlets.

			Straight 1"			Straight 1 ½"		Reverse 1"				
												
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	SSiR3684	469	914	2314	1018	778	1267	2676	5.5	81	130
36	78	SSiR3678	435	862	2166	959	747	1216	2528	5.1	77	121
36	72	SSiR3672	403	813	2018	899	716	1167	2379	4.7	70	112
36	66	SSiR3666	384	777	1883	854	698	1130	2245	4.4	66	103
36	60	SSiR3660	365	739	1748	809	682	1094	2110	4.0	59	95
30" DEEP												
30	84	SSiR3084	415	820	1998	901	729	1174	2360	4.7	68	108
30	78	SSiR3078	388	779	1874	852	705	1133	2236	4.3	64	101
30	72	SSiR3072	362	736	1751	804	679	1091	2114	4.0	59	95
30	66	SSiR3066	345	706	1638	766	664	1061	2000	3.7	55	86
30	60	SSiR3060	329	675	1524	728	649	1029	1887	3.4	48	77
30	54	SSiR3054	311	643	1409	689	631	996	1771	3.1	44	70
30	48	SSiR3048	295	610	1295	650	615	962	1655	2.7	40	62
30	42	SSiR3042	265	565	1168	599	580	909	1519	2.4	33	53

SPECIFY

OPTION

Code

L1/S1/S15
VL1/VS1

Surface

Edge

Grommet

M-outlet

TZ-

-

-

/

-

-

-

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, see p.IG02.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (..L), centered (..C), and/or at right (..R). Example: G1LCR. Add \$37 each. Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661) or XB / XN (+\$427). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modular rectangular surface with rounded corners


Modular rectangular surface with rounded corners.

Grommet/multi-outlet options positioned at the standard depth.


1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, see p.D02 to D22.



		Straight 1"			Straight 1 1/2"			Reverse 1"				
Dimensions	Code	L1	S1		S15		VL1	VS1			Spec.	
A B		T.F.L.	H.P.L.	FENIX	H.P.L.		T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1 1/2")
36" DEEP												
36 84	SSiA3684	504	948	2348	1052		926	1454	2743	5.5	81	130
36 78	SSiA3678	472	897	2201	993		811	1320	2681	5.1	77	121
36 72	SSiA3672	439	848	2054	935		780	1271	2593	4.7	70	112
36 66	SSiA3666	422	812	1919	890		767	1242	2468	4.4	66	103
36 60	SSiA3660	404	777	1786	846		755	1211	2337	4.0	59	95



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, see p.IG02.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3..) or Black (G4...)

and choose a position(s): at left (..L), centered (..C), and/or at right (..R). Example: G1LCR. Add \$37 each.

Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661) or XB / XN (+\$427).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modular rectangular surface with rounded corners

		Straight 1"			Straight 1 ½"		Reverse 1"					
												
Dimensions		Code	L1	S1	S15	VL1	VS1	Spec.				
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
30" DEEP												
30	84	SSiA3084	452	854	2034	936	794	1279	2571	4.7	68	108
30	78	SSiA3078	426	814	1911	887	774	1244	2456	4.3	64	101
30	72	SSiA3072	399	773	1787	839	749	1203	2330	4.0	59	95
30	66	SSiA3066	384	743	1675	802	740	1181	2227	3.7	55	86
30	60	SSiA3060	369	712	1561	765	728	1155	2118	3.4	48	77
30	54	SSiA3054	351	680	1448	726	713	1125	1999	3.1	44	70
30	48	SSiA3048	336	648	1335	688	700	1097	1887	2.7	40	62
30	42	SSiA3042	306	605	1208	638	671	1051	1756	2.4	33	53
30	36	SSiA3036	277	561	1080	587	642	1011	1633	2.1	29	46
30	30	SSiA3030	261	530	970	550	630	986	1517	1.8	24	40



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).


Surface/ Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3..) or Black (G4...) and choose a position(s): at left (..L), centered (..C), and/or at right (..R). Example: G1LCR. Add \$37 each. Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661) or XB / XN (+\$427). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modular rectangular surface with rounded corners

			Straight 1"			Straight 1 ½"		Reverse 1"					
													
Dimensions		Code	L1	S1	S15	VL1	VS1	Spec.					
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")	
24" DEEP													
24	84	SSiA2484	409	769	1724	827	757	1197	2256	3.8	55	88	
24	78	SSiA2478	385	734	1622	788	737	1167	2161	3.6	51	81	
24	72	SSiA2472	362	699	1521	747	720	1139	2067	3.3	46	73	
24	66	SSiA2466	348	675	1430	717	708	1114	1973	3.0	44	68	
24	60	SSiA2460	336	649	1338	687	698	1094	1887	2.8	40	62	
24	54	SSiA2454	314	615	1238	648	674	1056	1778	2.5	35	55	
24	48	SSiA2448	293	582	1137	610	650	1024	1677	2.3	31	48	
24	42	SSiA2442	274	553	1041	575	637	999	1582	2.0	26	42	
24	36	SSiA2436	256	522	945	541	629	984	1501	1.7	24	37	
24	30	SSiA2430	243	497	853	510	623	963	1405	1.5	20	31	
21" DEEP													
21	84	SSiA2184	390	729	1574	777	743	1163	2104	3.4	48	75	
21	78	SSiA2178	358	689	1473	731	707	1117	2002	3.2	44	68	
21	72	SSiA2172	327	648	1373	686	673	1076	1908	2.9	42	64	
21	66	SSiA2166	316	625	1293	659	666	1060	1830	2.7	37	59	
21	60	SSiA2160	304	604	1212	633	656	1038	1747	2.5	33	53	
21	54	SSiA2154	293	581	1131	608	651	1023	1670	2.2	31	48	
21	48	SSiA2148	280	558	1051	580	642	1003	1585	2.0	26	42	
21	42	SSiA2142	264	531	964	550	632	985	1509	1.8	24	37	
21	36	SSiA2136	246	505	880	518	623	966	1424	1.5	22	33	
21	30	SSiA2130	236	483	797	491	620	958	1353	1.3	18	26	



 Grommets
 Multi-outlets

Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY					OPTION	
Code	L1/S1/S15 VL1/VS1	Surface	Edge	Grommet	M-outlet	
TZ-		-	/	-	-	

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3..) or Black (G4...)

and choose a position(s): at left (..L), centered (..C), and/or at right (..R). Example: G1LCR. Add \$37 each.

Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661) or XB / XN (+\$427).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modular rectangular surface with rounded corners

		Straight 1"			Straight 1 ½"		Reverse 1"					
												
Dimensions		Code	L1	S1	S15	VL1	VS1	Spec.				
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
18" DEEP												
18	84	SSiA1884	371	690	1422	724	727	1124	1947	3.0	42	64
18	78	SSiA1878	341	653	1333	683	693	1086	1863	2.8	37	59
18	72	SSiA1872	310	614	1243	642	659	1040	1766	2.6	35	55
18	66	SSiA1866	301	595	1173	619	654	1029	1705	2.4	33	51
18	60	SSiA1860	289	575	1102	596	647	1011	1633	2.2	29	44
18	54	SSiA1854	279	555	1032	574	641	999	1568	2.0	26	42
18	48	SSiA1848	269	535	962	551	633	979	1494	1.8	24	37
18	42	SSiA1842	246	505	881	517	617	962	1426	1.6	22	33
18	36	SSiA1836	224	474	797	482	595	936	1346	1.4	18	26
18	30	SSiA1830	213	453	727	459	589	921	1273	1.1	15	24



Please refer to the product guide for the precise position of grommets and multi-outlets.

SPECIFY

OPTION

Code

L1/S1/S15
VL1/VS1

Surface

Edge

Grommet

M-outlet

TZ-

-

-

/

-

-

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, see p.IG02.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (..L), centered (..C), and/or at right (..R). Example: G1LCR. Add \$37 each. Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.

Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661) or XB / XN (+\$427). Position: Left (L), Center (C) and/or Right (R). Example: WBLR. On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Modular rectangular surface with rounded corners (with grommet/multi-outlet options positionned at the recessed depth)



Modular rectangular surface with rounded corners.

Grommet/multi-outlet options positionned at the recessed depth.

1-circuit or standard multi-outlet option available.

The (Q) option requires the use of the **AC-PFIQ120** power module (1-circuit system), refer to the Accessories price list.

Leg(s) and support(s) to be ordered separately, see p.D02 to D22.



Please refer to the product guide for the precise position of grommets and multi-outlets.

			Straight 1"			Straight 1 ½"		Reverse 1"				
												
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
36" DEEP												
36	84	SSiAR3684	504	948	2348	1052	765	1256	2664	5.5	81	130
36	78	SSiAR3678	472	897	2201	993	735	1205	2516	5.1	77	121
36	72	SSiAR3672	439	848	2054	935	707	1156	2369	4.7	70	112
36	66	SSiAR3666	422	812	1919	890	689	1121	2234	4.4	66	103
36	60	SSiAR3660	404	777	1786	846	673	1085	2100	4.0	59	95
30" DEEP												
30	84	SSiAR3084	452	854	2034	936	718	1163	2348	4.7	68	108
30	78	SSiAR3078	426	814	1911	887	693	1122	2225	4.3	64	101
30	72	SSiAR3072	399	773	1787	839	668	1080	2102	4.0	59	95
30	66	SSiAR3066	384	743	1675	802	654	1051	1990	3.7	55	86
30	60	SSiAR3060	369	712	1561	765	641	1020	1877	3.4	48	77
30	54	SSiAR3054	351	680	1448	726	624	987	1762	3.1	44	70
30	48	SSiAR3048	336	648	1335	688	608	954	1647	2.7	40	62
30	42	SSiAR3042	306	605	1208	638	572	902	1513	2.4	33	53

SPECIFY

Code L1/S1/S15 VL1/VS1 Surface Edge Grommet M-outlet
TZ- - - / - -

OPTION

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface/Edge: Refer to the different types of finishes, see p.IG02.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (..L), centered (..C), and/or at right (..R). Example: G1LCR. Add \$37 each.

Tables 36" and less in length have the option to add a grommet on center only. No Grommet, choose the NG Option.


Multi-outlet: Multi-outlet choice: UN (+\$351 ea.) WB / WN (+\$661 ea.), QB / QN (+\$661) or XB / XN (+\$427).

Position: Left (L), Center (C) and/or Right (R). Example: WBLR.

On tables 36" or less in length, only the centered multi-outlet (QBC / QNC / UNC / WBC / WNC/ XBC / XNC) is available.

Surface-attached "teardrop" surface

Left-handed surface-attached "teardrop" surface.
2 junction plates included.
Leg(s) support to be ordered separately, see p.D02 to D22.



			Straight 1"			Straight 1 1/2"					
			L1			S1			S15		
Dimensions			Code			L1			S1		
A	B	C	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
36	44 7/16	37 7/16	SXGL3637	SXGR3637	380	667	1510	766	2.5	35	57
30	38 3/8	33 1/2	SXGL3034	SXGR3034	331	593	1306	663	2.0	29	44
24	33 1/2	31 3/4	SXGL2432	SXGR2432	309	544	1101	593	1.6	22	35

SPECIFY

Code

L1/S1/S15

Surface

Edge

TZ-

-

-

/

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge:


 Refer to the different types of finishes, see p.IG02.

Surface-attached semi-circle meeting surface

Surface-attached semi-circle meeting surface.

2 junction plates included.

Leg(s) support to be ordered separately, [see p.D02 to D22](#).



		Straight 1"		Straight 1 ½"					
Dimensions		Code	L1	S1	S15	Spec.			
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36	60	SXDC3660	380	667	1510	766	4.0	59	95
33	54	SXDC3354	331	593	1306	663	3.3	48	77
30	48	SXDC3048	309	544	1101	593	2.7	40	62

SPECIFY

Code L1/S1/S15 Surface Edge
 TZ- - - /

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Legs & Supports



Legs & Supports

LegsD02

SupportsD05






A
B
C
D
E
F
G
H
I
J
K
L
M
N
O


-
-
-
-
- A
- B
- C
- D
- E
- F
- G
- H
- I
- J
- K
- L
- M
- N
- O

"T" shaped laminate support for surface-mounted table and surface

"T" shaped laminate support for surface-mounted table and surface with a straight edge.



Dimensions			Code		Price	Spec.	
A	B	C	Left	Right		Cu.Ft.	lb
36	9	5	STDLT1360905	STDLTR360905	173	1.6	15
30	9	5	STDLT1300905	STDLTR300905	166	1.4	13
24	9	5	STDLT1240905	STDLTR240905	157	1.1	11
21	9	5	STDLT1210905	STDLTR210905	152	1.0	11
18	9	5	STDLT1180905	STDLTR180905	148	0.9	11



SPECIFY

Code

Base


TZ- - L1 -

Code: Consult the product code above.


Base: Refer to the different types of finishes, see p.IG03

"T" shaped laminate support for surface-mounted table and surface

"T" shaped laminate support for surface-mounted table and surface with a reversed edge.



Dimensions			Code		Price	Spec.	
A	B	C	Left	Right		Cu.Ft.	lb
34	9	5	STDLTl340905	STDLTR340905	173	1.6	15
28	9	5	STDLTl280905	STDLTR280905	166	1.4	13
22	9	5	STDLTl220905	STDLTR220905	157	1.1	11
19	9	5	STDLTl190905	STDLTR190905	152	1.0	11
16	9	5	STDLTl160905	STDLTR160905	148	0.9	11



SPECIFY

Code

Base

TZ-

-

L1-

Code:


Consult the product code above.

Base:

Refer to the different types of finishes, see p.IG03

Metal support for surface-mounted table and surface

Metal support for surface-mounted table and surface.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
20	4	5	STDM200405	196	0.5	6
14	4	5	STDM140405	181	0.3	4

SPECIFY

Code

Metal

TZ-


-

Code: Consult the product code above.

Metal: Specify the metal finish, see p.IG05 (34 colors)

Monolithic laminate leg

Monolithic laminate leg.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
12	5	27 7/8	LEMO120528	320	1.5	24

SPECIFY

Code

Base

TZ-

-

L1-

Code:


Consult the product code above.

Base:

Refer to the different types of finishes, see p.IG03

Round telescopic metal post leg

Round telescopic metal post leg.
4" diameter.
Allowing an adjustment in height from 27" to 30" under the surface.



Dimension	Code	Price	Spec.	
Diam.			Cu.Ft.	lb
4	LETEL74	310	0.6	11

SPECIFY

Code

Metal

AC-

-

Code: Consult the product code above.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Straight ALU post leg

Straight ALU post leg with integrated leveler.



Dimension	Code	Price	Spec.	
Height			Cu.Ft.	lb
27 7/8	LEDA28	253	0.4	6

SPECIFY

Code

Metal

AC-

-

Code: Consult the product code above.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Straight ALU post leg with caster

Straight ALU post leg with locking caster.



Dimension	Code	Price	Spec.	
Height			Cu.Ft.	lb
27 7/8	LEDACA28	263	0.4	6

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Angled ALU post leg

Angled ALU post leg with integrated leveler.



Dimension	Code	Price	Spec.	
Height			Cu.Ft.	lb
27 7/8	LEAA28	317	0.4	6

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Round tubular metal post leg

Round tubular metal post leg with integrated leveler.
3" diameter.
Locking caster option available.



Dimension	Code	Price	Spec.	
Height			Cu.Ft.	lb
27 7/8	LER28	187	0.8	7

SPECIFY

OPTION

Code

Metal

Caster

AC- - -

Code:

 Consult the product code above.

Metal:

 Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Caster:


 Caster option (CA), add \$6.

D10Canada

REV.01-2025

Square tubular metal post leg

Square tubular metal post leg with integrated leveler.
2 ½" x 2 ½".
Locking caster option available.



Dimension	Code	Price	Spec.	
Height			Cu.Ft.	lb
27 7⁄8	LES28	186	0.8	7

SPECIFY

CodeMetalCaster

AC

-

-

-

OPTION

Code: Consult the product code above.

Metal: Specify the metal finish, see p.IG05 (34 colors)

Caster: Caster option (CA), add \$6.

Angled wood post leg

Angled wood post leg with folder metal bracket and integrated leveler.
Rectangular wood section 1 ½" x 2 ¾".



Dimension	Code	Price	Spec.	
Height			Cu.Ft.	lb
27 7/8	LEAW28	423	2.0	2

SPECIFY

Code

Metal

Wood

AC-

-

-

Code:

 Consult the product code above.

Metal:

 Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Wood:

 Specify the finish: Natural (300) or Black (306).

Angled metal post leg

Angled metal post leg with integrated leveler.
1" x 3".



Dimension	Code	Price	Spec.	
Height			Cu.Ft.	lb
27 7/8	LEAM28	155	0.9	4

SPECIFY

Code

Metal

AC-

-

Code: Consult the product code above.
Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Folded metal corner post leg

Folded metal corner post leg with integrated leveler.
Upper section of the leg 3 ¼" x 3 ¼" and lower section of the leg 1 ¾" x 1 ¾".



Dimension	Code	Price	Spec.	
Height			Cu.Ft.	lb
27 7⁄8	LECMS28	193	0.9	3

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above.


Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Techno double metal leg for straight edged surfaces

Techno double metal leg for straight edged surfaces.
1" x 3" tube with integrated leveler.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
35 3/4	3	27 7/8	LE2T3628	354	4.0	12
29 3/4	3	27 7/8	LE2T3028	347	3.4	11
23 3/4	3	27 7/8	LE2T2428	336	2.8	10
20 3/4	3	27 7/8	LE2T2128	322	2.4	10
17 3/4	3	27 7/8	LE2T1828	310	2.4	9



SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above.


Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Techno double metal leg for reverse edged surfaces

Techno double metal leg for reverse edged surfaces.
1" x 3" tube with integrated leveler.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
33 3/4	3	27 7/8	LE2T3428	354	4.0	12
27 3/4	3	27 7/8	LE2T2828	347	3.4	11
21 3/4	3	27 7/8	LE2T2228	336	2.8	10
18 3/4	3	27 7/8	LE2T1928	322	2.4	10
15 3/4	3	27 7/8	LE2T1628	310	2.4	9



SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Single metal techno leg for surface

Techno single metal bracket for surface.
1" x 3" tube with with integrated leveler.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
6	3	27 7/8	LE1T28	224	1.5	7

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Single metal techno leg for surface

Techno single metal leg for surface with adjustment from 26" to 32" below surface.
1" x 3" tubewith integrated leveler.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
6	3		LA1T28	390	1.5	9

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above.


Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Techno double "O" metal leg

Techno double "O" metal leg for surface with a straight edge.
1" x 3" with integrated levelers.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
35 3/4	3	27 7/8	LEO3628	343	4.0	16
29 3/4	3	27 7/8	LEO3028	336	3.4	15
23 3/4	3	27 7/8	LEO2428	324	2.8	13
20 3/4	3	27 7/8	LEO2128	312	2.4	12
17 3/4	3	27 7/8	LEO1828	301	2.4	12




SPECIFY

Code Metal
AC- -


Code: Consult the product code above.
Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

Techno double "O" metal leg

Techno double "O" metal leg for surface with a reverse edge.
1" x 3" with integrated levelers.



Dimensions			Price		Spec.	
A	B	C	Code		Cu.Ft.	lb
33 3/4	3	27 7/8	LEO3428	343	4.0	16
27 3/4	3	27 7/8	LEO2828	336	3.4	14
21 3/4	3	27 7/8	LEO2228	324	2.8	13
18 3/4	3	27 7/8	LEO1928	312	2.4	12
15 3/4	3	27 7/8	LEO1628	301	2.4	11





SPECIFY

Code Metal
AC- -

Code: Consult the product code above.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#)

"T" shaped laminate end panel for surface with a straight edge.



SPECIFY

Code		Base 1		Base 2	
TZ-		-	L1	-	


Code: Consult the product code above.

Base 1 & 2: Refer to the different types of finishes, see p.IG03


- Home
- Menu
- Info
- Back
- A
- B
- C
- D
- E
- F
- G
- H
- I
- J
- K
- L
- M
- N
- O

"T" shaped laminate end panel

"T" shaped laminate end panel for surface with a reversed edge.



Dimensions			Code		Price	Spec.	
A	B	C	Left	Right		Cu.Ft.	lb
34	9	27 7/8	TEPL340928	TEPR340928	246	1.8	33
28	9	27 7/8	TEPL280928	TEPR280928	220	1.5	29
22	9	27 7/8	TEPL220928	TEPR220928	206	1.2	24
19	9	27 7/8	TEPL190928	TEPR190928	199	1.0	22
16	9	27 7/8	TEPL160928	TEPR160928	192	0.9	20




SPECIFY

Code Base 1 Base 2
TZ- - L1 - -

Code: Consult the product code above.
Base 1 & 2: Refer to the different types of finishes, [see p.IG03](#)

Pillar leg

Fixed metal pillar leg.
Top opening for cable routing to floor.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
15	3 7⁄8	27 7⁄8	LEPF150428	567	2.0	19

SPECIFY

Code

Metal

AC-

-

Code: Consult the product code above.

Metal: Specify the metal finish, see p.IG05 (34 colors)

Storage



Storage

Storage - 23" high	E02
Storage - 29" high	E11
Storage - 35" high	E22
Storage - 41" high	E26
Storage - 53" high	E28
Storage without top - 22" high	E29
Storage without top - 28" high	E32
Storage without top - 34" high	E37
Storage without top - 40" high	E39
Rectangular surfaces	E42
Compact consoles	E50
Surfaces for compact console with pneumatic mechanism	E60
Cushions for storage	E72
Waste management units	E75
Combined storages	E78
Wardrobe units	E86
Units	E88
Bookcases	E100
Adjustable shelves	E104

Open credenza - 23" high

Open credenza with 2 adjustable shelves.


FENIX option on top only.

Credenzas with **L1/S1** surface can be used as a support for surface-mounted tables, **p.B57 to C08**.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile. **p.L02 to L34**.

Optional grommets, 2 on the top, and 1 on each side.


* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



						Straight 1"		Straight 1 ½"				
Dimensions		Code		L1		S1		S15		Spec.		
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	72	22 7/8	2	1791X0515	CZOO247223	1173	1565	2534	1656	27.8	169	189
24	60	22 7/8	2	1486X0515	CZOO246023	1112	1449	2346	1518	23.3	145	163
21	72	22 7/8	2	1791X0515	CZOO217223	1144	1498	2426	1573	24.6	152	169
21	60	22 7/8	2	1486X0515	CZOO216023	1089	1392	2253	1447	20.6	121	134

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet

TZ- - - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, **see p.IG02-IG03**

Grommet: Add grommets on top and sides & specify color: White (**G14**), Charcoal (**G24**), Frost (**G34**) or Black (**G44**), add \$148.

No Grommet, choose the **NG** Option.

Credenza with 2 drawers - 23" high

Combined credenza (left or right): open storage with adjustable shelf, 1 - 6" and 1 - 12" filing drawer.

FENIX option on top only.

Credenzas with **L1/S1** surface can be used as a support for surface-mounted tables, **p.B57 to C08**.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.


Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, see Accessories price list.

Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both drawers.


* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



					Straight 1"		Straight 1 1/2"						
Dimensions					Code		L1	S1	S15	Spec.			
A	B	C	D	Back tiles*	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
24	72	22 7/8	1	1791X0515	CZUFO247223	CZOUF247223	1694	2139	3108	2229	27.8	187	207
24	60	22 7/8	1	1486X0515	CZUFO246023	CZOUF246023	1636	2026	2923	2092	23.3	163	178
21	72	22 7/8	1	1791X0515	CZUFO217223	CZOUF217223	1668	2074	3002	2150	24.6	172	189
21	60	22 7/8	1	1486X0515	CZUFO216023	CZOUF216023	1609	1967	2828	2019	20.6	150	163

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Grommet

TZ-

-

-

/

-

/

-

-

-

Code: Consult the product code above.
L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").
Surface/ Edge/ Base/ Front: Refer to the different types of finishes, **see p.IG02-IG03**
Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.
Pull: Pulls included, specify type, **see p.IG06**.
Grommet: Add grommets on top and sides & specify color: White (**G14**), Charcoal (**G24**), Frost (**G34**) or Black (**G44**), add \$148.
No Grommet, choose the **NG** Option.

Combined storage credenza - 23" high

Combined credenza (left or right): open storage on one side, 1 - 6" drawer, 1 - 12" file drawer and 1 hinged door on the other side.

FENIX option on top only.

1 adjustable shelf behind the door and 1 adjustable shelf in the open section.

Credenzas with **L1/S1** surface can be used as a support for surface-mounted tables, **p.B57 to C08**.


Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Pencil tray included in the 6" drawer.

Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both drawers.


* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



								Straight 1"			Straight 1 ½"				
															
Dimensions					Code		L1	S1		S15	Spec.				
A	B	C	D	Back tiles*	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")		
24	72	22 7⁄8	2	1791X0515	CZDUFO247223	CZOUFD247223	1482	1858	2827	2131	27.8	185	205		
24	60	22 7⁄8	2	1486X0515	CZDUFO246023	CZOUFD246023	1423	1742	2639	1994	23.3	161	176		
21	72	22 7⁄8	2	1791X0515	CZDUFO217223	CZOUFD217223	1455	1792	2720	2051	24.6	169	187		
21	60	22 7⁄8	2	1486X0515	CZDUFO216023	CZOUFD216023	1399	1687	2548	1923	20.6	147	161		

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull Grommet
 TZ- - - / - / - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface / Edge / Base / Front: Refer to the different types of finishes, **see p.IG02-IG03**

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Grommet: Add grommets on top and sides & specify color: White (**G14**), Charcoal (**G24**), Frost (**G34**) or Black (**G44**), add \$148.

No Grommet, choose the **NG** Option.

Combined storage credenza - 23" high

Credenza with 4 drawers (2 - 6" drawers and 2 - 12" file drawers).

FENIX option on top only.

Credenzas with L1/S1 surface can be used as a support for surface-mounted tables, p.B57 to C08.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.


Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, see Accessories price list.

Optional grommets, 2 on the top, and 1 on each side.


Available without lock, or with Noki or key lock, will lock all drawers.

* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



						Straight 1 "			Straight 1 ½"					
														
Dimensions				Code		L1	S1		S15	Spec.				
A	B	C	Back tiles*			T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")		
24	72	22 7⁄8	1791X0515	CZUFUF247223		1897	2363	3331	2450	27.8	209	229		
24	60	22 7⁄8	1486X0515	CZUFUF246023		1836	2246	3145	2313	23.3	183	198		
21	72	22 7⁄8	1791X0515	CZUFUF217223		1873	2296	3224	2371	24.6	194	211		
21	60	22 7⁄8	1486X0515	CZUFUF216023		1813	2189	3050	2244	20.6	169	183		

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Grommet

TZ-

-

-

/

-

/

-

-

-

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/ Edge/ Base/ Front:

Refer to the different types of finishes, see p.IG02-IG03

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

Pulls included, specify type, see p.IG06.

Grommet:

Add grommets on top and sides & specify color: White (G14), Charcoal (G24), Frost (G34) or Black (G44), add \$148.

No Grommet, choose the NG Option.

Canada E05

REV.01-2025

Combined storage credenza - 23" high

Credenza with 4 hinged doors.

FENIX option on top only.


Credenzas with **L1/S1** surface can be used as a support for surface-mounted tables, **p.B57 to C08**.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock all doors.


* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



						Straight 1"		Straight 1 ½"					
Dimensions						Code	L1	S1	S15	Spec.			
A	B	C	D	Back tiles*			T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	72	22 7/8	2	1791X0515	CZ4D247223		1511	1935	2904	2027	27.8	191	211
24	60	22 7/8	2	1486X0515	CZ4D246023		1450	1819	2716	1889	23.3	165	180
21	72	22 7/8	2	1791X0515	CZ4D217223		1482	1868	2796	1944	24.6	174	189
21	60	22 7/8	2	1486X0515	CZ4D216023		1427	1762	2623	1817	20.6	139	152

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull Grommet
 TZ- - - / - / - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface / Edge / Base / Front: Refer to the different types of finishes, **see p.IG02-IG03**

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Grommet: Add grommets on top and sides & specify color: White (**G14**), Charcoal (**G24**), Frost (**G34**) or Black (**G44**), add \$148.

No Grommet, choose the **NG** Option.

Combined storage credenza - 23" high

Credenza (left or right): 1 - 6" dower, 1 - 12" file drawer and 2 hinged doors on the other side.

FENIX option on top only.

Credenzas with L1/S1 surface can be used as a support for surface-mounted tables, p.B57 to C08.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.


Pencil tray included in the 6" drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, see Accessories price list.

Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both drawers and both doors.


* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



					Straight 1"		Straight 1 1/2"						
Dimensions					Code		L1	S1	S15	Spec.			
A	B	C	D	Back tiles*	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
24	72	22 7/8	1	1791X0515	CZUFDD247223	CZDDUF247223	1776	2228	3196	2319	27.8	198	218
24	60	22 7/8	1	1486X0515	CZUFDD246023	CZDDUF246023	1714	2110	3009	2179	23.3	172	187
21	72	22 7/8	1	1791X0515	CZUFDD217223	CZDDUF217223	1748	2161	3089	2235	24.6	183	200
21	60	22 7/8	1	1486X0515	CZUFDD216023	CZDDUF216023	1690	2057	2918	2108	20.6	158	172

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Grommet

TZ-

-

-

/

-

/

-

-

-

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/ Edge/ Base/ Front:

Refer to the different types of finishes, see p.IG02-IG03

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

Pulls included, specify type, see p.IG06.

Grommet:

Add grommets on top and sides & specify color: White (G14), Charcoal (G24), Frost (G34) or Black (G44), add \$148.
No Grommet, choose the NG Option.

Storage unit - 23" high

Open storage unit with 1 adjustable shelf.


FENIX option on top only.

Storage with **L1/S1** surface can be used as a support for surface-mounted tables, **p.B57 to C08**.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 1 on the top, and 1 on each side.


* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



						Straight 1"			Straight 1 ½"				
Dimensions						Code			L1			S1	
									S15			Spec.	
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	36	22 7/8	1	0876X0515	CZO243623	848	1037	1728	1316	14.3	88	97	
24	30	22 7/8	1	0724X0515	CZO243023	792	979	1632	1292	12.0	75	84	
21	36	22 7/8	1	0876X0515	CZO213623	798	965	1609	1307	12.6	79	86	
21	30	22 7/8	1	0724X0515	CZO213023	740	908	1514	1205	10.6	68	75	

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet
TZ- - - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface / Edge / Base: Refer to the different types of finishes, **see p.IG02-IG03**

Grommet: Add grommets on top and sides & specify color: White (**G13**), Charcoal (**G23**), Frost (**G33**) or Black (**G43**), add \$111.

No Grommet, choose the **NG** Option.

Storage unit - 23" high

Storage unit with 2 hinged doors, 1 adjustable shelf.

FENIX option on top only.


Storage with L1/S1 surface can be used as a support for surface-mounted tables, p.B57 to C08 (restricted access to the storage).

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Optional grommets, 1 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both doors.


* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



						Straight 1 "			Straight 1 ½"				
													
Dimensions				Code		L1	S1		S15	Spec.			
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	36	22 ⅞	1	0876X0515	CZDD243623	1020	1268	1959	1504	14.3	99	108	
24	30	22 ⅞	1	0724X0515	CZDD243023	964	1210	1862	1479	12.0	84	92	
21	36	22 ⅞	1	0876X0515	CZDD213623	968	1196	1839	1496	12.6	90	97	
21	30	22 ⅞	1	0724X0515	CZDD213023	911	1139	1744	1394	10.6	77	84	

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Grommet

TZ- - - / - / - - -

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base / Front:

Refer to the different types of finishes, see p.IG02-IG03

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

Pulls included, specify type, see p.IG06.

Grommet:

Add grommets on top and sides & specify color: White (G13), Charcoal (G23), Frost (G33) or Black (G43), add \$111.

No Grommet, choose the NG Option.

Storage unit - 23" high

Storage unit with 1 - 6" drawer and 1 - file drawer.

FENIX option on top only.

Storage with **L1/S1** surface can be used as a support for surface-mounted tables, **p.B57 to C08** (restricted access to the drawers).

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Pencil tray included in the 6" drawer.


Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, see Accessories price list.

Optional grommets, 1 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both drawers.


Counter-weight included by default in this storage (**CW**).

* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



					Straight 1"			Straight 1 ½"				
Dimensions				Code	L1	S1		S15	Spec.			
A	B	C	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	36	22 7⁄8	0876X0515	CZUF243623	1068	1344	2035	1430	14.3	99	108	
24	30	22 7⁄8	0724X0515	CZUF243023	1011	1281	1934	1349	12.0	86	92	
21	36	22 7⁄8	0876X0515	CZUF213623	1024	1278	1922	1364	12.6	95	101	
21	30	22 7⁄8	0724X0515	CZUF213023	966	1216	1822	1281	10.6	81	88	

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull Grommet
TZ- [] - [] - [] / [] - [] / [] - [] - [] - [] - CW

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge/Base / Front: Refer to the different types of finishes, **see p.IG02-IG03**

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.


Pull: Pulls included, specify type, **see p.IG06**.

Grommet: Add grommets on top and sides & specify color: White (**G13**), Charcoal (**G23**), Frost (**G33**) or Black (**G43**), add \$111.

No Grommet, choose the **NG** Option.


Assembled credenza - 29" high

Credenza with lateral filing at left or right with hinged doors on the other side.
FENIX option on top only.
Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.
Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, see Accessories price list.
Optional grommets, 2 on the top, and 1 on each side.
Available without lock, or with Noki or key lock, will lock both drawers and both doors.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



								Straight 1"			Straight 1 ½"				
Dimensions					Code		L1	S1		S15		Spec.			
A	B	C	D	Back tiles*	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")		
24	72	28 ⅞	1	1791X0667	CZFFDD247229	CZDDFF247229	1878	2341	3309	2431	34.5	198	218		
24	60	28 ⅞	1	1486X0667	CZFFDD246029	CZDDFF246029	1817	2225	3123	2293	28.9	174	191		
21	72	28 ⅞	1	1791X0667	CZFFDD217229	CZDDFF217229	1852	2274	3202	2348	30.7	185	202		
21	60	28 ⅞	1	1486X0667	CZFFDD216029	CZDDFF 216029	1793	2167	3028	2222	25.6	161	174		

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Grommet

TZ- - - / - / - - -

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/ Edge/ Base / Front:

 Refer to the different types of finishes, see p.IG02-IG03

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pulls included, specify type, see p.IG06.

Grommet:

 Add grommets on top and sides & specify color: White (G14), Charcoal (G24), Frost (G34) or Black (G44), add \$148.
No Grommet, choose the NG Option.

Assembled credenza - 29" high

Credenza with 4 hinged doors.


FENIX option on top only.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock all doors.


* For the 1 $\frac{1}{2}$ " surfaces (**S15**), add $\frac{1}{2}$ " to the height (**C**).



						Straight 1"		Straight 1 $\frac{1}{2}$ "				
Dimensions		Code		L1	S1	S15		Spec.				
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 $\frac{1}{2}$ ")
24	72	28 $\frac{7}{8}$	2	1791X0667	CZ4D247229	1522	1950	2919	2040	34.5	178	198
24	60	28 $\frac{7}{8}$	2	1486X0667	CZ4D246029	1464	1833	2731	1904	28.9	154	172
21	72	28 $\frac{7}{8}$	2	1791X0667	CZ4D217229	1497	1883	2811	1959	30.7	163	180
21	60	28 $\frac{7}{8}$	2	1486X0667	CZ4D216029	1439	1779	2640	1832	25.6	139	152

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull Grommet
 TZ- - - / - / - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 $\frac{1}{2}$ ").

Surface/Edge/Base/ Front: Refer to the different types of finishes, **see p.IG02-IG03**

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Grommet: Add grommets on top and sides & specify color: White (**G14**), Charcoal (**G24**), Frost (**G34**) or Black (**G44**), add \$148.

No Grommet, choose the **NG** Option.

Assembled credenza - 29" high

Credenza with lateral files.

FENIX option on top only.


Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, see Accessories price list.

Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock all drawers.


* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



					Straight 1 "			Straight 1 ½"			
											
Dimensions				Code	L1	S1		S15	Spec.		
A	B	C	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	72	28 ⅞	1791X0667	CZ4F247229	2086	2570	3538	2660	34.5	178	198
24	60	28 ⅞	1486X0667	CZ4F246029	2027	2456	3353	2524	28.9	154	172
21	72	28 ⅞	1791X0667	CZ4F217229	2060	2504	3432	2580	30.7	163	180
21	60	28 ⅞	1486X0667	CZ4F216029	2003	2399	3260	2450	25.6	139	152

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Grommet

TZ---/-/----

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/ Front:

 Refer to the different types of finishes, see p.IG02-IG03

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pulls included, specify type, see p.IG06.

Grommet:

 Add grommets on top and sides & specify color: White (G14), Charcoal (G24), Frost (G34) or Black (G44), add \$148.

No Grommet, choose the NG Option.

Assembled credenza - 29" high

Credenza with lateral files on left or right, and an open section with 1 adjustable shelf.

FENIX option on top only.

Drawer section occupies half of the total length (dimension B).


Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, see Accessories price list.

Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both drawers.


* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



								Straight 1"			Straight 1 ½"			
Dimensions					Code		L1	S1		S15	Spec.			
A	B	C	D	Back tiles*	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	72	28 ⅞	1	1791X0667	CZFFO247229	CZOFF247229	1599	2012	2980	2095	33.1	200	229	
24	60	28 ⅞	1	1486X0667	CZFFO246029	CZOFF246029	1539	1894	2791	1959	27.7	174	198	
21	72	28 ⅞	1	1791X0667	CZFFO217229	CZOFF217229	1571	1942	2870	2013	29.2	185	209	
21	60	28 ⅞	1	1486X0667	CZFFO216029	CZOFF216029	1513	1834	2696	1884	24.5	161	180	

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull Grommet
 TZ- - - / - / - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge/Base/ Front: Refer to the different types of finishes, **see p.IG02-IG03**

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Grommet: Add grommets on top and sides & specify color: White (**G14**), Charcoal (**G24**), Frost (**G34**) or Black (**G44**), add \$148.
 No Grommet, choose the **NG** Option.

Assembled credenza - 29" high

Credenza with combined unit on left or right, and an open section with 1 adjustable shelf.

FENIX option on top only.

Drawer section occupies half of the total length (dimension B).

Back is recessed by 3/8", allowing the addition of a back tile, p.L02 to L34.


Pencil tray included in the 6" top drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, see Accessories price list.

Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both file drawers.


* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



							Straight 1"		Straight 1 1/2"				
Dimensions				Code			L1	S1	S15		Spec.		
A	B	C	D	Back tiles *	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
24	72	28 7/8	1	1791X0667	CZCO247229	CZOC247229	1845	2404	3373	2505	33.1	220	249
24	60	28 7/8	1	1486X0667	CZCO246029	CZOC246029	1780	2269	3167	2346	27.7	191	213
21	72	28 7/8	1	1791X0667	CZCO217229	CZOC217229	1814	2324	3252	2406	29.2	205	227
21	60	28 7/8	1	1486X0667	CZCO216029	CZOC216029	1749	2201	3062	2259	24.5	178	196

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Grommet

TZ-

-

-

/

-

/

-

-

-

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/ Front:

 Refer to the different types of finishes, see p.IG02-IG03

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pulls included, specify type, see p.IG06.

Grommet:

 Add grommets on top and sides & specify color: White (G14), Charcoal (G24), Frost (G34) or Black (G44), add \$148.
No Grommet, choose the NG Option.

Canada

E15

REV.01-2025

Assembled credenza - 29" high

Credenza with lateral files on left or right, and an open section.

FENIX option on top only.


Drawer section occupies half of the total length (dimension B).

Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, see Accessories price list.


Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both drawers.

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



						Straight 1"			Straight 1 ½"				
Dimensions				Code		L1	S1		S15	Spec.			
A	B	C	D	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	72	28 7⁄8	35	CZFFE247229	CZEFF247229	1519	1935	2904	2017	34.5	163	183	
24	60	28 7⁄8	29	CZFFE246029	CZEFF246029	1464	1823	2720	1885	28.9	139	154	
21	72	28 7⁄8	35	CZFFE217229	CZEFF217229	1492	1868	2796	1936	30.7	152	169	
21	60	28 7⁄8	29	CZFFE216029	CZEFF216029	1439	1765	2627	1814	25.6	128	141	



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull Grommet
 TZ- - - / - / - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base / Front: Refer to the different types of finishes, [see p.IG02-IG03](#)

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

Grommet: Add grommets on top and sides & specify color: White (**G14**), Charcoal (**G24**), Frost (**G34**) or Black (**G44**), add \$148.

No Grommet, choose the **NG** Option.

Assembled credenza - 29" high

Credenza with combined unit on left or right, and an open section.

FENIX option on top only.

Drawer section occupies half of the total length (dimension B).


Pencil tray included in the 6" top drawer.

Lateral filing bars included, front-to-back filing bars (AC-BL15) sold separately, see Accessories price list.


Optional grommets, 2 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both file drawers.

* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



								Straight 1 "			Straight 1 ½"				
															
Dimensions				Code		L1	S1		S15	Spec.					
A	B	C	D	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")			
24	72	28 ⅞	35	CZCE247229	CZEC247229	1731	2233	3202	2326	34.5	205	223			
24	60	28 ⅞	29	CZCE246029	CZEC246029	1671	2107	3005	2178	28.9	180	198			
21	72	28 ⅞	35	CZCE217229	CZEC217229	1703	2159	3086	2234	30.7	194	211			
21	60	28 ⅞	29	CZCE216029	CZEC216029	1642	2044	2905	2097	25.6	169	185			



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Grommet

TZ- - - / - / - - -

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/ Edge/ Base/ Front:

Refer to the different types of finishes, see p.IG02-IG03

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

Pulls included, specify type, see p.IG06.

Grommet:

Add grommets on top and sides & specify color: White (G14), Charcoal (G24), Frost (G34) or Black (G44), add \$148.

No Grommet, choose the NG Option.

Storage unit - 29" high

Laminate lateral file cabinet with 2 lateral file drawers. "Interlock" mechanism included.

FENIX option on top only.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.


Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, see Accessories price list.

Optional grommets, 1 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both drawers.


In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

* For the 1 $\frac{1}{2}$ " surfaces (**S15**), add $\frac{1}{2}$ " to the height (**C**).



					Straight 1"			Straight 1 ½"			
Dimensions				Code	L1	S1		S15	Spec.		
A	B	C	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	36	28 ⅞	0876X0667	SFF243629	1164	1450	2141	1539	17.8	141	152
24	30	28 ⅞	0724X0667	SFF243029	1108	1388	2040	1454	17.8	125	134
21	36	28 ⅞	0876X0667	SFF213629	1121	1386	2030	1471	15.8	141	152
21	30	28 ⅞	0724X0667	SFF213029	1065	1324	1928	1388	15.8	125	134

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull Grommet C-Weight

TZ- - - / - / - - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 $\frac{1}{2}$ ").

Surface/Edge/Base/Front: Refer to the different types of finishes, **see p.IG02-IG03**

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Grommet: Add grommets on top and sides & specify color: White (**G13**), Charcoal (**G23**), Frost (**G33**) or Black (**G43**), add \$111.


No Grommet, choose the **NG** Option.

Counter-weight: For the counter-weight option (**CW**), add \$134.

OPTION


Storage unit - 29" high

Combined storage unit with 2 - 6" drawers, 1 file drawer and 1 lateral file drawer.
FENIX option on top only.
Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.
Pencil tray included in the 6" top drawer.
Optional grommets, 1 on the top, and 1 on each side.
Available without lock, or with Noki or key lock, will lock both file drawers.
In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



					Straight 1"			Straight 1 ½"			
											
Dimensions				Code	L1	S1		S15	Spec.		
A	B	C	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	36	28 ⅞	0876X0667	SUUFF243629	1417	1704	2395	1835	17.8	158	169
24	30	28 ⅞	0724X0667	SUUFF243029	1355	1616	2268	1752	17.8	139	147
21	36	28 ⅞	0876X0667	SUUFF213629	1370	1636	2279	1766	15.8	139	150
21	30	28 ⅞	0724X0667	SUUFF213029	1309	1550	2155	1679	15.8	123	132

* Back tiles to be ordered separately.



SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Grommet

C-Weight

TZ-

-

-

/

-

/

-

-

-

-

-

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front:

 Refer to the different types of finishes, see p.IG02-IG03

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pulls included, specify type, see p.IG06.

Grommet:

 Add grommets on top and sides & specify color: White (G13), Charcoal (G23), Frost (G33) or Black (G43), add \$111.
No Grommet, choose the NG Option.

Counter-weight:

 For the counter-weight option (CW), add \$134.

Storage unit - 29" high

Storage unit with 2 hinged doors.

FENIX option on top only.


1 adjustable shelf. Extra adjustable shelves can be ordered separately, [see p.E105](#).

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

Optional grommets, 1 on the top, and 1 on each side.

Available without lock, or with Noki or key lock, will lock both doors.


* For the 1 $\frac{1}{2}$ " surfaces (**S15**), add $\frac{1}{2}$ " to the height (**C**).



						Straight 1"			Straight 1 ½"				
Dimensions						Code			L1			S1	
									S15			Spec.	
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	36	28 7/8	1	0876X0667	SDD243629	1057	1311	2002	1568	17.8	154	169	
24	30	28 7/8	1	0724X0667	SDD243029	1001	1254	1906	1543	17.8	123	136	
21	36	28 7/8	1	0876X0667	SDD213629	1007	1239	1883	1560	15.8	141	154	
21	30	28 7/8	1	0724X0667	SDD213029	951	1182	1788	1458	15.8	114	125	

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull Grommet

TZ- - - / - / - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge/Base/Front: Refer to the different types of finishes, [see p.IG02-IG03](#)

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

Grommet: Add grommets on top and sides & specify color: White (**G13**), Charcoal (**G23**), Frost (**G33**) or Black (**G43**), add \$111.

No Grommet, choose the **NG** Option.

Single cabinets 29", 35" and 41" high

Storage unit with 1 hinged door with shelves.


FENIX option on top only.

Extra adjustable shelves can be ordered separately, see p.E104.


Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Available without lock, or with Noki or key lock.

* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



LEFT




RIGHT

				Straight 1"		Straight 1 1/2"							
Dimensions				Code		L1		S1		S15		Spec.	
A	B	C	D	Back tiles*	Left	Right	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
24	18	41 1/2	2	0419X0987	SDL241841	SDR241841	1163	1369	1913	1593	12.9	101	108
24	18	34 7/8	2	0419X0819	SDL241835	SDR241835	1091	1291	1834	1438	11.1	88	92
24	18	28 7/8	1	0419X0667	SDL241829	SDR241829	961	1147	1691	1318	9.3	73	79
24	12	41 1/2	2	0267X0987	SDL241241	SDR241241	1048	1218	1558	1233	7.8	73	75
21	18	41 1/2	2	0419X0987	SDL211841	SDR211841	1093	1283	1754	1505	11.5	97	101
21	18	34 7/8	2	0419X0819	SDL211835	SDR211835	1039	1226	1696	1374	9.9	81	86
21	18	28 7/8	1	0419X0667	SDL211829	SDR211829	909	1084	1553	1256	8.3	68	73
21	12	41 1/2	2	0267X0987	SDL211241	SDR211241	1017	1175	1486	1190	6.8	66	70

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

TZ- - - / - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.IG02-IG03

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, see p.IG06.

Assembled credenza - 35" high

Credenza with 4 hinged doors.


FENIX option on top only.

2 adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Available without lock, or with Noki or key lock, will lock all doors.


* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



						Straight 1"		Straight 1 1/2"					
Dimensions						Code	L1	S1	S15	Spec.			
A	B	C	D	Back tiles*			T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
24	72	34 7/8	2	1791X0819	CZ4D247235		2127	2686	3655	2846	41.2	202	222
24	60	34 7/8	2	1486X0819	CZ4D246035		2051	2540	3437	2673	34.5	178	194
21	72	34 7/8	2	1791X0819	CZ4D217235		2093	2603	3531	2743	36.5	187	202
21	60	34 7/8	2	1486X0819	CZ4D216035		2020	2468	3329	2580	30.5	163	176

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull

TZ- - - / - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, **see p.IG02-IG03**


Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.


Assembled credenza - 35" high

Credenza with 2 utility drawers and 4 hinged doors.
FENIX option on top only.
2 adjustable shelves.
Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.
Available without lock, or with Noki or key lock, will lock all doors.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



						Straight 1"			Straight 1 ½"				
													
Dimensions				Code		L1	S1	S15		Spec.			
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	72	34 7⁄8	2	1791X0819	CZ2U4D247235	2250	2820	3788	2982	41.2	220	235	
24	60	34 7⁄8	2	1486X0819	CZ2U4D246035	2172	2675	3572	2805	34.5	189	205	
21	72	34 7⁄8	2	1791X0819	CZ2U4D217235	2215	2738	3666	2876	36.5	200	216	
21	60	34 7⁄8	2	1486X0819	CZ2U4D216035	2142	2602	3463	2712	30.5	174	187	

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

TZ-

-

-

/

-

/

-

-

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front:

 Refer to the different types of finishes, see p.IG02-IG03

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pulls included, specify type, see p.IG06.

Canada E23
REV.01-2025

Storage unit - 35" high

Cabinet with 2 hinged doors.


FENIX option on top only.

2 adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Available without lock, or with Noki or key lock, will lock both doors.


* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



						Straight 1"		Straight 1 1/2"					
Dimensions						Code		L1		S1		S15	
												Spec.	
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX		H.P.L.		Cu.Ft.	lb (1")
24	36	34 7/8	2	0876X0819	SDD243635	1159	1352	2044		1633		21.1	180
24	30	34 7/8	2	0724X0819	SDD243035	1101	1295	1948		1608		17.8	147
21	36	34 7/8	2	0876X0819	SDD213635	1107	1283	1927		1623		18.7	167
21	30	34 7/8	2	0724X0819	SDD213035	1050	1226	1831		1521		15.7	136

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull
TZ- - - / - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, **see p.IG02-IG03**

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Storage unit - 35" high

Cabinet with 1 utility drawer and 2 hinged doors.


FENIX option on top only.

1 adjustable shelf.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Available without lock, or with Noki or key lock, will lock both doors.


* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



						Straight 1"			Straight 1 ½"				
													
Dimensions				Code		L1	S1	S15		Spec.			
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	36	34 7⁄8	1	0876X0819	SUDD243635	1264	1492	2184	1771	21.1	187	202	
24	30	34 7⁄8	1	0724X0819	SUDD243035	1207	1435	2087	1747	17.8	152	165	
21	36	34 7⁄8	1	0876X0819	SUDD213635	1212	1422	2065	1763	18.7	174	187	
21	30	34 7⁄8	1	0724X0819	SUDD213035	1155	1366	1970	1662	15.7	143	154	

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

TZ- - - / - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front: Refer to the different types of finishes, see p.IG02-IG03

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, see p.IG06.

Storage unit - 41" high

Laminate lateral file cabinet with 3 lateral file drawers. "Interlock" mechanism included.

FENIX option on top only.


Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, see Accessories price list.

Available without lock, or with Noki or key lock, will lock all drawers.


In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

* For the 1 $\frac{1}{2}$ " surfaces (**S15**), add $\frac{1}{2}$ " to the height (**C**).



					Straight 1"			Straight 1 ½"			
											
Dimensions				Code	L1	S1		S15	Spec.		
A	B	C	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	36	41 ½	0876X0987	SFFF243641	1724	2036	2727	2161	24.5	185	196
24	30	41 ½	0724X0987	SFFF243041	1666	1973	2627	2076	20.7	169	180
21	36	41 ½	0876X0987	SFFF213641	1679	1969	2613	2091	21.7	187	196
21	30	41 ½	0724X0987	SFFF213041	1621	1910	2514	2042	18.3	172	178

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull C-Weight

TZ- - - / - / - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 $\frac{1}{2}$ ").

Surface/Edge/Base/Front: Refer to the different types of finishes, see **p.IG02-IG03**

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.


Pull: Pulls included, specify type, see **p.IG06**.

Counter-weight: For the counter-weight option (**CW**), add \$134.

OPTION


Storage unit - 41" high

Cabinet with 2 hinged doors.
FENIX option on top only.
2 adjustable shelves. Extra adjustable shelves can be ordered separately, see p.E105.
Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.
Available without lock, or with Noki or key lock, will lock both doors.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



						Straight 1"			Straight 1 ½"			
												
Dimensions				Code		L1	S1		S15	Spec.		
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	36	41 ½	2	0876X0987	SDD243641	1263	1567	2258	1697	24.6	207	222
24	30	41 ½	2	0724X0987	SDD243041	1175	1463	2116	1577	20.7	172	183
21	36	41 ½	2	0876X0987	SDD213641	1189	1470	2114	1594	21.8	189	200
21	30	41 ½	2	0724X0987	SDD213041	1102	1367	1971	1474	18.3	156	167

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

TZ---/-/--

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front:

 Refer to the different types of finishes, see p.IG02-IG03

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option,

 specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pulls included, specify type, see p.IG06.

Lateral file cabinets with 4 drawers - 53" high

Laminate lateral file cabinet with 4 lateral file drawers. "Interlock" mechanism included.

FENIX option on top only.


Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Lateral filing bars included, front-to-back filing bars (**AC-BL15**) sold separately, see Accessories price list.

Available without lock, or with Noki or key lock, will lock all drawers.


In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

* For the 1 $\frac{1}{2}$ " surfaces (**S15**), add $\frac{1}{2}$ " to the height (**C**).



					Straight 1"			Straight 1 ½"			
											
Dimensions				Code	L1	S1		S15	Spec.		
A	B	C	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24	36	52 ¾	0876X1275	S4F243653	2170	2552	3243	2642	31.4	231	242
24	30	52 ¾	0724X1275	S4F243053	2115	2474	3127	2560	26.4	216	224
21	36	52 ¾	0876X1275	S4F213653	2127	2492	3135	2573	27.8	231	242
21	30	52 ¾	0724X1275	S4F213053	2070	2428	3033	2493	23.4	216	224

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Front Lock Pull C-Weight

TZ- - - / - / - - - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 $\frac{1}{2}$ ").

Surface/Edge/Base/Front: Refer to the different types of finishes, see **p.IG02-IG03**

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.


Pull: Pulls included, specify type, see **p.IG06**.

Counter-weight: For the counter-weight option (**CW**), add \$134.

OPTION


22" High storage unit without top

Open storage unit without top, with 1 adjustable shelf.
Extra adjustable shelves can be ordered separately, [see p.E105](#).
Back is recessed by 5/8", allowing the addition of a back tile, [p.L02 to L34](#).
Optional grommets, 1 on each side.



Dimensions				Back tiles*	Code	Price		Spec.	
A	B	C	D			T.F.L.		Cu.Ft.	lb
23 1/8	36	21 7/8	1	0876X0515	LBKN243622	844		13.0	88
23 1/8	30	21 7/8	1	0724X0515	LBKN243022	799		10.9	77
20 1/8	36	21 7/8	1	0876X0515	LBKN213622	819		11.5	79
20 1/8	30	21 7/8	1	0724X0515	LBKN213022	777		9.7	70
17 1/8	36	21 7/8	1	0876X0515	LBKN183622	794		10.0	73
17 1/8	30	21 7/8	1	0724X0515	LBKN183022	754		8.4	64

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

Base

Grommet

TZ-

-

L

-

-

Code:

Consult the product code above.

Base:

Refer to the different types of finishes, [see p.IG03](#).

Grommet:

Add grommets on sides & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$74.
No Grommet, choose the NG Option.

22" High storage unit without top

Storage unit with 2 hinged doors, without top, 1 adjustable shelf.


FENIX option on front only.

Extra adjustable shelves can be ordered separately, [see p.E105](#).

Back is recessed by 5/8", allowing the addition of a back tile, [p.L02 to L34](#).

Optional grommets, 1 on each side.


Available without lock, or with Noki or key lock, will lock both doors.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	21 7/8	1	0876X0515	LDDN243622	991	1718	13.0	101
24	30	21 7/8	1	0724X0515	LDDN243022	941	1552	10.9	88
21	36	21 7/8	1	0876X0515	LDDN213622	888	1610	11.5	95
21	30	21 7/8	1	0724X0515	LDDN213022	813	1260	9.7	81
18	36	21 7/8	1	0876X0515	LDDN183622	839	1301	10.0	86
18	30	21 7/8	1	0724X0515	LDDN183022	800	1241	8.4	75

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Pull Grommet

TZ- - L - / - - - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

Grommet: Add grommets on sides & specify color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**), add \$74.
No Grommet, choose the **NG** Option.

22" High storage unit without top

Storage unit with 1 - 6" drawer and 1 - file drawer, without top.

FENIX option on front only.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Pencil tray included in the 6" drawer.

A single lateral filing bar is included in each lateral file drawer.

Storage units 18" deep have 14" drawer slides, allowing letter-size files to be filed from left to right.

For storage units 18" deep, 2 front/rear filing bars (AC-BL12) are included for filing legal-size files in the file drawer.


For storage units 21" and 24" deep, front/rear filing bars (AC-BL15) are sold separately, see Accessories price list

Optional grommets, 1 on each side, (Non available on 18" deep unit)

Available without lock, or with Noki or key lock, will lock both drawers.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.

The counter-weight option must be selected if that storage is installed by itself, with a single surface over it.




Dimensions			Code		Price		Spec.	
A	B	C	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	21 7/8	0876X0515	LUFN243622	1064	1794	13.0	81
24	30	21 7/8	0724X0515	LUFN243022	1007	1621	10.9	73
21	36	21 7/8	0876X0515	LUFN213622	1020	1748	11.5	79
21	30	21 7/8	0724X0515	LUFN213022	969	1582	9.7	70
18	36	21 7/8	0876X0515	LUFN183622	926	1650	10.0	77
18	30	21 7/8	0724X0515	LUFN183022	883	1491	8.4	68

* Back tiles to be ordered separately.

ATTENTION:

The grommet option is not available on 18" deep storage.



SPECIFY

OPTION

Code

Base

Front

Lock

Pull

Grommet

C-Weight

TZ- - L - / - - - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


Pull: Pulls included, specify type, see p.IG06.

Grommet: Add grommets on sides & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$74.
No Grommet, choose the NG Option.

Counter-weight: For the counter-weight option (CW), add \$134.


28" high storage unit without top

Open storage unit without top, with 1 adjustable shelf. Extra adjustable shelves can be ordered separately, [see p.E105](#).
Back is recessed by 5/8", allowing the addition of a back tile, [p.L02 to L34](#).
Optional grommets, 1 on each side.



Dimensions				Code	Price	Spec.		
A	B	C	D	Back tiles*	T.F.L.	Cu.Ft.	lb	
23 1/8	36	27 7/8	1	0876X0667	LBKN243628	893	16.3	97
23 1/8	30	27 7/8	1	0724X0667	LBKN243028	846	13.7	84
20 1/8	36	27 7/8	1	0876X0667	LBKN213628	866	14.4	88
20 1/8	30	27 7/8	1	0724X0667	LBKN213028	821	12.1	77
17 1/8	36	27 7/8	1	0876X0667	LBKN183628	838	12.5	79
17 1/8	30	27 7/8	1	0724X0667	LBKN183028	795	10.5	70

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

Base

Grommet

TZ- - L - -

Code:

Consult the product code above.

Base / Front:

Refer to the different types of finishes, [see p.IG03](#).

Pull:

Pulls included, specify type, [see p.IG06](#).

Grommet:

Add grommets on sides & specify color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**), add \$74.
No Grommet, choose the **NG** Option.

28" high storage unit without top


Storage unit with 2 hinged doors, without top, 1 adjustable shelf. Extra adjustable shelves can be ordered separately, [see p.E105](#).

[FENIX option on front only](#).

Back is recessed by 5/8", allowing the addition of a back tile, [p.L02 to L34](#).

Optional grommets, 1 on each side.


Available without lock, or with Noki or key lock, will lock both doors.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	27 7/8	1	0876X0667	LDDN243628	1040	2075	16.3	114
24	30	27 7/8	1	0724X0667	LDDN243028	988	1843	13.7	99
21	36	27 7/8	1	0876X0667	LDDN213628	935	2034	14.4	106
21	30	27 7/8	1	0724X0667	LDDN213028	897	1801	12.1	92
18	36	27 7/8	1	0876X0667	LDDN183628	926	1994	12.5	97
18	30	27 7/8	1	0724X0667	LDDN183028	882	1762	10.5	84

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Pull

Grommet

TZ- - L - / - - -

Code:

Consult the product code above.

Base/ Front:

Refer to the different types of finishes, [see p.IG03](#).

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

Pulls included, specify type, [see p.IG06](#).

Grommet:

Add grommets on sides & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$74.
No Grommet, choose the NG Option.

28" high storage unit without top

Cabinet with 1 utility drawer and 2 hinged doors, without top.


FENIX option on front only.

1 adjustable shelf. Extra adjustable shelves can be ordered separately, [see p.E105](#).

Back is recessed by 5/8", allowing the addition of a back tile, [p.L02 to L34](#).

Optional grommets, 1 on each side.

Available without lock, or with Noki or key lock, will lock both doors.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	27 7/8	1	0876X0667	LUDDN243628	1173	2290	16.3	141
24	30	27 7/8	1	0724X0667	LUDDN243028	1117	2053	13.7	121
21	36	27 7/8	1	0876X0667	LUDDN213628	1121	2234	14.4	132
21	30	27 7/8	1	0724X0667	LUDDN213028	1063	1997	12.1	114
18	36	27 7/8	1	0876X0667	LUDDN183628	1069	2182	12.5	123
18	30	27 7/8	1	0724X0667	LUDDN183028	1012	1945	10.5	106


D: Number of shelves

* Back tiles to be ordered separately.



ATTENTION:

The grommet option is not available on 18" deep storage.



Lock
Grommet

SPECIFY

Code Base Front Lock Pull Grommet
TZ- - L - / - - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

Grommet: Add grommets on sides & specify color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**), add \$74.

No Grommet, choose the **NG** Option.

Lateral file cabinets without top

Laminate lateral file cabinet without top, with 2 lateral file drawers. "Interlock" mechanism included.

FENIX option on front only.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

A single lateral filing bar is included in each lateral file drawer.

Storage units 18" deep have 14" drawer slides, allowing letter-size files to be filed from left to right.


For storage units 18" deep, 2 front/rear filing bars (AC-BL12) are included for filing legal-size files in the file drawer.

For storage units 21" and 24" deep, front/rear filing bars (AC-BL15) are sold separately, see Accessories price list.

Optional grommets, 1 on each side, (Non available on 18" deep unit).

Available without lock, or with Noki or key lock, will lock both drawers.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.




Dimensions			Code		Price		Spec.	
A	B	C	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	27 7/8	0876X0667	L2FN243628	1109	2223	17.8	130
24	30	27 7/8	0724X0667	L2FN243028	1064	1998	17.8	114
21	36	27 7/8	0876X0667	L2FN213628	1073	2185	15.8	117
21	30	27 7/8	0724X0667	L2FN213028	1029	1961	15.8	106
18	36	27 7/8	0876X0667	L2FN183628	887	1990	12.5	95
18	30	27 7/8	0724X0667	L2FN183028	849	1774	10.5	84

* Back tiles to be ordered separately.

ATTENTION:

The grommet option is not available on 18" deep storage.



SPECIFY

OPTION

Code

Base

Front

Lock

Pull

Grommet

C-Weight

TZ- - L - / - - - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, see p.IG06.

Grommet: Add grommets on sides & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$74.
No Grommet, choose the NG Option.

Counter-weight: For the counter-weight option (CW), add \$134.

Combined storage unit without top

Combined storage unit without top, with 2 - 6" drawers, 1 file drawer and 1 lateral file drawer.

FENIX option on front only.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Pencil tray included in the 6" top drawer.

A single lateral filing bar is included in each lateral file drawer.


Storage units 18" deep have 14" drawer slides, allowing letter-size files to be filed from left to right. For storage units 18" deep, 2 front/rear filing bars (**AC-BL12**) are included for filing legal-size files in the file drawer.

For storage units 21" and 24" deep, front/rear filing bars (**AC-BL15**) are sold separately, see Accessories price list.

Optional grommets, 1 on each side, (Non available on 18" deep unit).

Available without lock, or with Noki or key lock, will lock both file drawers.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.




Dimensions				Code	Price		Spec.	
A	B	C	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	27 7/8	0876X0667	LCNL243628	1350	2476	17.8	134
24	30	27 7/8	0724X0667	LCNL243028	1300	2245	17.8	121
21	36	27 7/8	0876X0667	LCNL213628	1314	2437	15.8	119
21	30	27 7/8	0724X0667	LCNL213028	1262	2206	13.2	108
18	36	27 7/8	0876X0667	LCNL183628	1173	2290	12.5	97
18	30	27 7/8	0724X0667	LCNL183028	1125	2062	10.5	86

* Back tiles to be ordered separately.



ATTENTION:

The grommet option is not available on 18" deep storage.



Lock
Grommet

SPECIFY

Code Base Front Lock Pull Grommet C-Weight

TZ- - L - / - - - - -

OPTION

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.


Grommet: Add grommets on sides & specify color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**), add \$74.

No Grommet, choose the **NG** Option.

Counter-weight: For the counter-weight option (**CW**), add \$134.


34" high storage unit without top

Storage unit with 2 hinged doors, without top.
FENIX option on front only.
2 adjustable shelves. Extra adjustable shelves can be ordered separately, see p.E105.
Back is recessed by 5/8", allowing the addition of a back tile.
Available without lock, or with Noki or key lock, will lock both doors.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	33 7/8	2	0876X0819	LDDN243634	1130	2470	19.6	145
24	30	33 7/8	2	0724X0819	LDDN243034	1080	2208	16.5	125
21	36	33 7/8	2	0876X0819	LDDN213634	1086	2424	17.3	134
21	30	33 7/8	2	0724X0819	LDDN213034	1036	2162	14.6	117
18	36	33 7/8	2	0876X0819	LDDN183634	992	2325	15.0	123
18	30	33 7/8	2	0724X0819	LDDN183034	954	2075	12.6	106

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Pull

TZ- - L - / - -

Code:

Base / Front:

Lock:

Pull:

Consult the product code above.

Refer to the different types of finishes, see p.IG03.

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pulls included, specify type, see p.IG06.

34" high storage unit without top


Cabinet with 1 utility drawer and 2 hinged doors, without top.

FENIX option on front only.

1 adjustable shelf. Extra adjustable shelves can be ordered separately, [see p.E105](#).

Back is recessed by 3/8", allowing the addition of a back tile, [p.L02 to L34](#).


Available without lock, or with Noki or key lock, will lock both doors.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	33 7/8	1	0876X0819	LUDDN243634	1185	2527	19.7	156
24	30	33 7/8	1	0724X0819	LUDDN243034	1125	2255	16.5	136
21	36	33 7/8	1	0876X0819	LUDDN213634	1130	2470	17.4	147
21	30	33 7/8	1	0724X0819	LUDDN213034	1069	2197	16.5	136
18	36	33 7/8	1	0876X0819	LUDDN183634	1076	2413	15.1	139
18	30	33 7/8	1	0724X0819	LUDDN183034	1018	2142	12.7	119

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Pull

TZ- - L - / - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).


Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

40" high storage unit without top

Open storage unit without top.
2 adjustable shelves. Extra adjustable shelves can be ordered separately, see p.E105.
Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.



Dimensions				Code		Price	Spec.	
A	B	C	D	Back tiles*		T.F.L.	Cu.Ft.	lb
23 1/8	36	40 1/2	2	0876X0987	LBKN243640	1018	23.4	134
23 1/8	30	40 1/2	2	0724X0987	LBKN243040	956	19.6	117
20 1/8	36	40 1/2	2	0876X0987	LBKN213640	979	20.6	121
20 1/8	30	40 1/2	2	0724X0987	LBKN213040	921	17.3	106
17 1/8	36	40 1/2	2	0876X0987	LBKN183640	938	17.9	110
17 1/8	30	40 1/2	2	0724X0987	LBKN183040	884	15.0	95

D: Number of shelves
* Back tiles to be ordered separately.

SPECIFY

Code

Base

TZ-

-

L

-

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.

40" high storage unit without top


Storage unit with 2 hinged doors, without top.

FENIX option on front only.

2 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E105](#).

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).


Available without lock, or with Noki or key lock, will lock both doors.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	40 ½	2	0876X0987	LDDN243640	1163	2731	23.4	158
24	30	40 ½	2	0724X0987	LDDN243040	1082	2402	19.6	139
21	36	40 ½	2	0876X0987	LDDN213640	1098	2663	20.6	147
21	30	40 ½	2	0724X0987	LDDN213040	1017	2334	17.3	128
18	36	40 ½	2	0876X0987	LDDN183640	1033	2595	17.9	134
18	30	40 ½	2	0724X0987	LDDN183040	952	2266	15.0	117

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Pull

TZ- - L - / - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

40" high storage unit without top

Laminate lateral file cabinet without top, with 3 lateral file drawers. "Interlock" mechanism included.

FENIX option on front only.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

A single lateral filing bar is included in each lateral file drawer.


Storage units 18" deep have 14" drawer slides, allowing letter-size files to be filed from left to right.

For storage units 18" deep, 2 front/rear filing bars (AC-BL12) are included for filing legal-size files in the file drawer.

For storage units 21" and 24" deep, front/rear filing bars (AC-BL15) are sold separately, see Accessories price list.


Available without lock, or with Noki or key lock, will lock all drawers.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.



Dimensions			Code		Price		Spec.	
A	B	C	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
24	36	40 1/2	0876X0987	L3FN243640	1569	3156	23.4	167
24	30	40 1/2	0724X0987	L3FN243040	1514	2855	19.6	145
21	36	40 1/2	0876X0987	L3FN213640	1525	3111	20.6	163
21	30	40 1/2	0724X0987	L3FN213040	1471	2810	17.3	143
18	36	40 1/2	0876X0987	L3FN183640	1482	3065	17.9	156
18	30	40 1/2	0724X0987	L3FN183040	1428	2765	15.0	136

* Back tiles to be ordered separately.



SPECIFY

Code

TZ-

-

L

-

Base

/

Front

-

Lock

-

Pull

-

C-Weight

OPTION

Code: Consult the product code above.

Base/ Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, see p.IG06.

Counter-weight: For the counter-weight option (CW), add \$134.

Rectangular surface for laminate storage without surface


Rectangular surface for laminate storage without surface.

Can also be used as a modular surface.

Multi-outlet options available.

* Do not add a multi-outlet if the storage beneath includes drawers.


* For the 36" wide surfaces and less, possibility to add one grommet OR one multi-outlet (no combination).



ATTENTION:

On surfaces 36" long or less, only 1 choice of multi-outlet and grommet is available either left (...L), centered (...C) or right (...R).

			Straight 1"			Straight 1 ½"			
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
42" DEEP									
42	108 ⅙	LTOP42108	648	1249	3471	1525	8.1	123	196
42	102 ⅙	LTOP42102	611	1180	3278	1441	7.6	117	185
42	96 ⅙	LTOP4296	576	1111	3086	1357	7.2	110	172
42	90 ⅙	LTOP4290	540	1042	2892	1271	6.8	103	163
42	84 ⅙	LTOP4284	504	972	2700	1187	6.3	97	152
42	78 ⅙	LTOP4278	469	919	2527	1119	5.9	88	141
42	72 ⅙	LTOP4272	433	865	2355	1050	5.5	81	130
42	66 ⅙	LTOP4266	412	826	2197	996	5.0	75	119
42	60 ⅙	LTOP4260	392	788	2040	943	4.6	68	108
42	54 ⅙	LTOP4254	382	780	1876	917	4.2	62	97
42	48 ⅙	LTOP4248	362	741	1722	864	3.7	55	88
42	42 ⅙	LTOP4242	324	687	1553	796	3.3	48	77
42	36	LTOP4236	287	633	1384	728	2.9	42	66
42	30	LTOP4230	268	596	1235	679	2.4	33	53
42	24	LTOP4224	207	467	988	543	2.0	26	42



■ Grommets
■ Multi-outlets

SPECIFY

Code L1/S1/S15 Surface Edge Grommet M-outlet
TZ- - - / - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge: Refer to the different types of finishes, see p.IG02.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

No Grommet, choose the NG Option.

Multi-outlet: Option of UN (+\$351 each), WB/WN (+\$661 each) or XB/XN (+\$427 each) at left ...L and/or centered ...C and/or right ...R.

Rectangular surface for laminate storage without surface


- * Do not add a multi-outlet if the storage beneath includes drawers.
- * For the 36" wide surfaces and less, possibility to add one grommet OR one multi-outlet (no combination).



ATTENTION:

On surfaces 36" long or less, only 1 choice of multi-outlet and grommet is available either left (...L), centered (...C) or right (...R).

			Straight 1 "			Straight 1 ½ "			
									
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP									
36	108 ⅙	LTOP36108	555	1072	2976	1307	7.0	106	167
36	102 ⅙	LTOP36102	524	1011	2810	1235	6.6	99	156
36	96 ⅙	LTOP3696	493	953	2644	1163	6.3	95	150
36	90 ⅙	LTOP3690	462	893	2480	1090	5.9	88	139
36	84 ⅙	LTOP3684	432	834	2314	1018	5.5	81	130
36	78 ⅙	LTOP3678	402	788	2166	959	5.1	77	121
36	72 ⅙	LTOP3672	371	743	2018	899	4.7	70	112
36	66 ⅙	LTOP3666	353	709	1883	854	4.4	66	103
36	60 ⅙	LTOP3660	337	676	1748	809	4.0	59	95
36	54 ⅙	LTOP3654	328	668	1607	785	3.6	53	84
36	48 ⅙	LTOP3648	309	634	1476	741	3.2	46	75
36	42 ⅙	LTOP3642	278	589	1332	683	2.9	42	66
36	36	LTOP3636	246	543	1187	624	2.5	35	55
36	30	LTOP3630	230	511	1058	581	2.1	29	46
36	24	LTOP3624	184	408	847	466	1.7	24	37



 Grommets
 Multi-outlets

SPECIFY

Code L1/S1/S15 Surface Edge Grommet M-outlet
 TZ- - - / - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

No Grommet, choose the NG Option.

Multi-outlet: Option of UN (+\$351 each), WB/WN (+\$661 each) or XB/XN (+\$427 each) at left ...L and/or centered ...C and/or right ...R.

Rectangular surface for laminate storage without surface

* Do not add a multi-outlet if the storage beneath includes drawers.


* For the 36" wide surfaces and less, possibility to add one grommet OR one multi-outlet (no combination).

			Straight 1"			Straight 1 ½"			
									
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
30" DEEP									
30	108 ⅙	LTOP30108	492	962	2570	1158	5.9	88	139
30	102 ⅙	LTOP30102	466	908	2427	1094	5.6	84	132
30	96 ⅙	LTOP3096	438	856	2285	1029	5.3	77	123
30	90 ⅙	LTOP3090	411	802	2141	965	5.0	75	119
30	84 ⅙	LTOP3084	383	749	1998	901	4.7	68	108
30	78 ⅙	LTOP3078	358	711	1874	852	4.3	64	101
30	72 ⅙	LTOP3072	333	673	1751	804	4.0	59	95
30	66 ⅙	LTOP3066	318	645	1638	766	3.7	55	86
30	60 ⅙	LTOP3060	304	616	1524	728	3.4	48	77
30	54 ⅙	LTOP3054	287	587	1409	689	3.1	44	70
30	48 ⅙	LTOP3048	272	557	1295	650	2.7	40	62
30	42 ⅙	LTOP3042	244	517	1168	599	2.4	33	53
30	36	LTOP3036	216	476	1041	547	2.1	29	46
30	30	LTOP3030	201	448	929	510	1.8	24	40
30	24	LTOP3024	161	358	744	408	1.5	20	31



ATTENTION:

On surfaces 36" long or less, only 1 choice of multi-outlet and grommet is available either left (...L), centered (...C) or right (...R).



■ Grommets
■ Multi-outlets

SPECIFY

Code L1/S1/S15 Surface Edge Grommet M-outlet
TZ- - - / - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each.

No Grommet, choose the NG Option.

Multi-outlet: Option of UN (+\$351 each), WB/WN (+\$661 each) or XB/XN (+\$427 each) at left ...L and/or centered ...C and/or right ...R.


Rectangular surface for laminate storage without surface

- * Do not add a multi-outlet if the storage beneath includes drawers.
- * For the 36" wide surfaces and less, possibility to add one grommet OR one multi-outlet (no combination).

			Straight 1"			Straight 1 ½"			
									
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
24" DEEP									
24	108 ⅙	LTOP24108	426	864	2171	1062	4.9	70	112
24	102 ⅙	LTOP24102	408	815	2051	1001	4.6	66	106
24	96 ⅙	LTOP2496	389	765	1929	942	4.4	64	101
24	90 ⅙	LTOP2490	371	715	1810	884	4.1	59	95
24	84 ⅙	LTOP2484	342	671	1688	825	3.8	55	88
24	78 ⅙	LTOP2478	317	623	1586	766	3.6	51	81
24	72 ⅙	LTOP2472	289	580	1484	711	3.3	46	73
24	66 ⅙	LTOP2466	273	542	1392	665	3.0	44	68
24	60 ⅙	LTOP2460	249	490	1300	604	2.8	40	62
24	54 ⅙	LTOP2454	232	451	1199	553	2.5	35	55
24	48 ⅙	LTOP2448	214	409	1098	501	2.3	31	48
24	42 ⅙	LTOP2442	196	394	1001	449	2.0	26	42
24	36	LTOP2436	176	349	904	393	1.7	24	37
24	30	LTOP2430	161	308	813	344	1.5	20	31
24	24	LTOP2424	151	255	649	327	1.2	15	24



ATTENTION:
On surfaces 36" long or less, only 1 choice of multi-outlet and grommet is available either left (...L), centered (...C) or right (...R).



SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Grommet

M-outlet

TZ- - - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet: Option of UN (+\$351 each), WB/WN (+\$661 each) or XB/XN (+\$427 each) at left ...L and/or centered ...C and/or right ...R.

Rectangular surface for laminate storage without surface

* Do not add a multi-outlet if the storage beneath includes drawers.


* For the 36" wide surfaces and less, possibility to add one grommet OR one multi-outlet (no combination).

			Straight 1"			Straight 1 ½"			
									
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
21" DEEP									
21	108 ⅙	LTOP21108	397	783	1976	961	4.3	62	97
21	102 ⅙	LTOP21102	382	744	1866	915	4.1	57	90
21	96 ⅙	LTOP2196	366	707	1756	868	3.9	55	86
21	90 ⅙	LTOP2190	348	671	1646	820	3.6	51	79
21	84 ⅙	LTOP2184	319	621	1538	761	3.4	48	75
21	78 ⅙	LTOP2178	296	576	1437	703	3.2	44	68
21	72 ⅙	LTOP2172	271	524	1336	645	2.9	42	64
21	66 ⅙	LTOP2166	260	489	1255	602	2.7	37	59
21	60 ⅙	LTOP2160	235	448	1174	548	2.5	33	53
21	54 ⅙	LTOP2154	218	410	1092	502	2.2	31	48
21	48 ⅙	LTOP2148	199	374	1010	455	2.0	26	42
21	42 ⅙	LTOP2142	184	362	924	407	1.8	24	37
21	36	LTOP2136	166	309	837	359	1.5	22	33
21	30	LTOP2130	151	283	756	315	1.3	18	26
21	24	LTOP2124	141	236	605	299	1.1	13	20



ATTENTION:

On surfaces 36" long or less, only 1 choice of multi-outlet and grommet is available either left (...L), centered (...C) or right (...R).



■ Grommets
■ Multi-outlets

SPECIFY

Code L1/S1/S15 Surface Edge Grommet M-outlet
TZ- - - / - -

OPTION

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge: Refer to the different types of finishes, see p.IG02.

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet: Option of UN (+\$351 each), WB/WN (+\$661 each) or XB/XN (+\$427 each) at left ...L and/or centered ...C and/or right ...R.


Rectangular surface for laminate storage without surface

- * Do not add a multi-outlet if the storage beneath includes drawers.
- * For the 36" wide surfaces and less, possibility to add one grommet OR one multi-outlet (no combination).

		Straight 1"			Straight 1 ½"				
									
Dimensions		Code	L1	S1	S15	Spec.			
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
18" DEEP									
18	108 ⅛	LTOP18108	366	701	1781	859	3.8	53	81
18	102 ⅛	LTOP18102	351	677	1683	793	3.6	51	77
18	96 ⅛	LTOP1896	339	652	1584	760	3.4	46	73
18	90 ⅛	LTOP1890	325	626	1484	756	3.2	44	68
18	84 ⅛	LTOP1884	299	576	1385	700	3.0	42	64
18	78 ⅛	LTOP1878	273	524	1295	641	2.8	37	59
18	72 ⅛	LTOP1872	251	469	1205	577	2.6	35	55
18	66 ⅛	LTOP1866	247	441	1134	537	2.4	33	51
18	60 ⅛	LTOP1860	221	400	1064	489	2.2	29	44
18	54 ⅛	LTOP1854	206	396	993	442	2.0	26	42
18	48 ⅛	LTOP1848	188	362	921	408	1.8	24	37
18	42 ⅛	LTOP1842	171	328	839	366	1.6	22	33
18	36	LTOP1836	155	301	757	323	1.4	18	26
18	30	LTOP1830	143	278	686	284	1.1	15	24
18	24	LTOP1824	134	227	548	278	0.9	11	18



ATTENTION:
On surfaces 36" long or less, only 1 choice of multi-outlet and grommet is available either left (...L), centered (...C) or right (...R).



SPECIFY

OPTION

Code

L1/S1/S15

Surface

Edge

Grommet

M-outlet

TZ- - - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").


Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), centered (...C), and/or at right (...R). Example: G1LCR. Add \$37 each. No Grommet, choose the NG Option.

Multi-outlet: Option of UN (+\$351 each), WB/WN (+\$661 each) or XB/XN (+\$427 each) at left ...L and/or centered ...C and/or right ...R.

Rectangular surface for metal storage

Rectangular surface for metal storage.
Double-faced tape included.



			Straight 1"			Straight 1 ½"			
									
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
36" DEEP									
36 ⅞	108 ⅞	MTOP36108	555	1072	2976	1307	7.0	106	167
36 ⅞	102 ⅞	MTOP36102	524	1011	2810	1235	6.6	99	156
36 ⅞	96 ⅞	MTOP3696	493	953	2644	1163	6.3	95	150
36 ⅞	90 ⅞	MTOP3690	462	893	2480	1090	5.9	88	139
36 ⅞	84 ⅞	MTOP3684	432	834	2314	1018	5.5	81	130
36 ⅞	78 ⅞	MTOP3678	402	788	2166	959	5.1	77	121
36 ⅞	72 ⅞	MTOP3672	371	743	2018	899	4.7	70	112
36 ⅞	66 ⅞	MTOP3666	353	709	1883	854	4.4	66	103
36 ⅞	60 ⅞	MTOP3660	337	676	1748	809	4.0	59	95
36 ⅞	54 ⅞	MTOP3654	328	668	1607	785	3.6	53	84
36 ⅞	48 ⅞	MTOP3648	309	634	1476	741	3.2	46	75
36 ⅞	42 ⅞	MTOP3642	278	589	1332	683	2.9	42	66
36 ⅞	36 ⅞	MTOP3636	246	543	1187	624	2.5	35	55
36 ⅞	30 ⅞	MTOP3630	230	511	1058	581	2.1	29	46

SPECIFY

Code L1/S1/S15 Surface Edge
TZ- - - /

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Rectangular surface for metal storage

			Straight 1"			Straight 1 ½"			
									
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
18" DEEP									
18	108 ⅛	MTOP18108	366	701	1781	859	3.0	53	79
18	102 ⅛	MTOP18102	351	677	1683	793	3.6	51	77
18	96 ⅛	MTOP1896	339	652	1584	760	3.4	46	73
18	90 ⅛	MTOP1890	325	626	1484	756	2.5	44	66
18	84 ⅛	MTOP1884	299	576	1385	700	2.3	42	62
18	78 ⅛	MTOP1878	273	524	1295	641	2.1	37	57
18	72 ⅛	MTOP1872	251	469	1205	577	2.0	35	53
18	66 ⅛	MTOP1866	247	441	1134	537	1.8	33	48
18	60 ⅛	MTOP1860	221	400	1064	489	1.6	31	44
18	54 ⅛	MTOP1854	206	396	993	442	2.0	26	42
18	48 ⅛	MTOP1848	188	362	921	408	1.8	24	37
18	42 ⅛	MTOP1842	171	328	839	366	1.1	22	31
18	36 ⅛	MTOP1836	155	301	757	323	1.0	18	26
18	30 ⅛	MTOP1830	143	278	686	284	0.8	15	22

SPECIFY

Code L1/S1/S15 Surface Edge
TZ- - - /

Code: Consult the product code above.
L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").
Surface/Edge: Refer to the different types of finishes, see p.IG02.

Open compact console with central divider - 23" high

Open compact console with central divider.


FENIX option on top only.

2 adjustable shelves.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 2 on the top, and 1 on each side.


* For the 1 $\frac{1}{2}$ " surfaces (**S15**), add $\frac{1}{2}$ " to the height (**C**).



						Straight 1"		Straight 1 ½"				
Dimensions		Code		L1	S1	S15		Spec.				
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
15	72	22 7/8	2	1791X0515	CCOO157223	1084	1429	2070	1447	17.3	128	143
15	66	22 7/8	2	1638X0515	CCOO156623	1044	1380	1973	1396	15.8	119	134
15	60	22 7/8	2	1486X0515	CCOO156023	1002	1330	1877	1344	14.4	110	123
15	54	22 7/8	2	1334X0515	CCOO155423	966	1281	1779	1293	13.0	99	112
15	48	22 7/8	2	1181X0515	CCOO154823	927	1233	1681	1242	11.6	90	101

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet
TZ- - - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, **see p.IG02-IG03**

Grommet: Add grommets on top and sides & specify color: White (**G14**), Charcoal (**G24**), Frost (**G34**) or Black (**G44**), add \$148.

No Grommet, choose the **NG** Option.

Open compact console - 23" high

Open compact console.


FENIX option on top only.

1 adjustable shelf.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Optional grommets, 1 on the top, and 1 on each side.


* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



				Straight 1"			Straight 1 1/2"					
Dimensions				Code		L1	S1		S15	Spec.		
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")
15	42	22 7/8	1	1029X0515	CCO154223	795	1088	1483	1095	10.2	77	86
15	36	22 7/8	1	0876X0515	CCO153623	734	1017	1362	1021	8.8	68	77
15	30	22 7/8	1	0724X0515	CCO153023	697	970	1268	972	7.4	59	66

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Grommet

TZ-

-

-

/

-

-

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base:

Refer to the different types of finishes, see p.IG02-IG03

Grommet:

Add grommets on top and sides & specify color: White (G13), Charcoal (G23), Frost (G33) or Black (G43), add \$111.
No Grommet, choose the NG Option.

Canada E51

REV.01-2025

Open compact console with central divider - 29" high

Open compact console with central divider.


FENIX option on top only.

2 adjustable shelves.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 2 on the top, and 1 on each side.


* For the 1 $\frac{1}{2}$ " surfaces (**S15**), add $\frac{1}{2}$ " to the height (**C**).



						Straight 1"			Straight 1 $\frac{1}{2}$ "			
Dimensions			Code			L1	S1		S15	Spec.		
A	B	C	D	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 $\frac{1}{2}$ ")
15	72	28 $\frac{7}{8}$	2	1791X0667	CCOO157229	1125	1472	2114	1490	21.5	136	152
15	66	28 $\frac{7}{8}$	2	1638X0667	CCOO156629	1084	1420	2015	1437	19.7	128	141
15	60	28 $\frac{7}{8}$	2	1486X0667	CCOO156029	1042	1369	1915	1382	18.0	117	130
15	54	28 $\frac{7}{8}$	2	1334X0667	CCOO155429	1001	1317	1815	1330	16.2	108	119
15	48	28 $\frac{7}{8}$	2	1181X0667	CCOO154829	960	1267	1715	1276	14.5	99	108

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code L1/S1/S15 Surface Edge Base Grommet
TZ- - - / - -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 $\frac{1}{2}$ ").


Surface/Edge/Base: Refer to the different types of finishes, **see p.IG02-IG03**

Grommet: Add grommets on top and sides & specify color: White (**G14**), Charcoal (**G24**), Frost (**G34**) or Black (**G44**), add \$148.

No Grommet, choose the **NG** Option.


Open compact console - 29" high

Open compact console.
FENIX option on top only.
1 adjustable shelf.
Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.
Optional grommets, 1 on the top, and 1 on each side.
* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



					Straight 1"		Straight 1 1/2"					
Dimensions		Code		L1	S1		S15		Spec.			
A	B	C	D	Back tiles*	T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1 1/2")	
15	42	28 7/8	1	1029X0667	CCO154229	822	1114	1510	1122	12.7	84	92
15	36	28 7/8	1	0876X0667	CCO153629	770	1054	1400	1058	11.0	73	81
15	30	28 7/8	1	0724X0667	CCO153029	719	993	1291	995	9.2	64	70

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Grommet

TZ-

-

-

/

-

-

-

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base:

Refer to the different types of finishes, see p.IG02-IG03

Grommet:

Add grommets on top and sides & specify color: White (G14), Charcoal (G24), Frost (G34) or Black (G44), add \$111.
No Grommet, choose the NG Option.

Compact console without top with one open section and one sliding door - 22" high

Compact console without top with one open section and one sliding door.


FENIX option on front only.

2 adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 1 on each side.


No lock available.



Dimensions				Code	Price		Spec.	
A	B	C	D	Back tiles*	T.F.L.	FENIX	Cu.Ft.	lb
15	72	21 7/8	2	1791X0515	CCOSN157222	1329	2121	16.5 132
15	66	21 7/8	2	1638X0515	CCOSN156622	1280	2026	15.2 121
15	60	21 7/8	2	1486X0515	CCOSN156022	1232	1945	13.8 112
15	54	21 7/8	2	1334X0515	CCOSN155422	1185	1848	12.5 103
15	48	21 7/8	2	1181X0515	CCOSN154822	1136	1766	11.1 95
15	42	21 7/8	2	1029X0515	CCOSN154222	1076	1670	9.8 86
15	36	21 7/8	2	0876X0515	CCOSN153622	1017	1565	8.4 77
15	30	21 7/8	2	0724X0515	CCOSN153022	965	1472	7.1 66

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Pull Grommet

TZ- - L - / - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Pull: Pulls included, specify type, **see p.IG06**.

Grommet: Add grommets on sides & specify color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**), add \$74.
No Grommet, choose the **NG** Option.

Compact console without top with one open section and one sliding door - 22" high

Compact console without top with one sliding door and one open section.


FENIX option on front only.

2 adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Optional grommets, 1 on each side.


No lock available.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
15	72	21 7/8	2	1791X0515	CCSON157222	1329	2121	16.5	132
15	66	21 7/8	2	1638X0515	CCSON156622	1280	2026	15.2	121
15	60	21 7/8	2	1486X0515	CCSON156022	1232	1945	13.8	112
15	54	21 7/8	2	1334X0515	CCSON155422	1185	1848	12.5	103
15	48	21 7/8	2	1181X0515	CCSON154822	1136	1766	11.1	95
15	42	21 7/8	2	1029X0515	CCSON154222	1076	1670	9.8	86
15	36	21 7/8	2	0876X0515	CCSON153622	1017	1565	8.4	77
15	30	21 7/8	2	0724X0515	CCSON153022	965	1472	7.1	66

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Pull

Grommet

TZ- - L / - -

Code: Consult the product code above.

Base/ Front: Refer to the different types of finishes, see p.IG03.

Pull: Pulls included, specify type, see p.IG06.

Grommet: Add grommets on sides & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$74.
No Grommet, choose the NG Option.

Compact console without top with one open section and one sliding door - 28" high

Compact console without top with one open section and one sliding door.


FENIX option on front only.

2 adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 1 on each side.


No lock available.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
15	72	27 7/8	2	1791X0667	CCOSN157228	1409	2330	20.8	150
15	66	27 7/8	2	1638X0667	CCOSN156628	1358	2220	19.1	139
15	60	27 7/8	2	1486X0667	CCOSN156028	1304	2123	17.4	128
15	54	27 7/8	2	1334X0667	CCOSN155428	1251	2014	15.7	119
15	48	27 7/8	2	1181X0667	CCOSN154828	1199	1918	14.0	108
15	42	27 7/8	2	1029X0667	CCOSN154228	1136	1808	12.3	97
15	36	27 7/8	2	0876X0667	CCOSN153628	1072	1688	10.6	88
15	30	27 7/8	2	0724X0667	CCOSN153028	1016	1581	8.9	77

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Pull Grommet

TZ- - L - / - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Pull: Pulls included, specify type, **see p.IG06**.

Grommet: Add grommets on sides & specify color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**), add \$74.

No Grommet, choose the **NG** Option.

Compact console without top with one sliding door and one open section - 28" high

Compact console without top with one sliding door and one open section.


FENIX option on front only.

2 adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Optional grommets, 1 on each side.


No lock available.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
15	72	27 7/8	2	1791X0667	CCSON157228	1409	2330	20.8	150
15	66	27 7/8	2	1638X0667	CCSON156628	1358	2220	19.1	139
15	60	27 7/8	2	1486X0667	CCSON156028	1304	2123	17.4	128
15	54	27 7/8	2	1334X0667	CCSON155428	1251	2014	15.7	119
15	48	27 7/8	2	1181X0667	CCSON154828	1199	1918	14.0	108
15	42	27 7/8	2	1029X0667	CCSON154228	1136	1808	12.3	97
15	36	27 7/8	2	0876X0667	CCSON153628	1072	1688	10.6	88
15	30	27 7/8	2	0724X0667	CCSON153028	1016	1581	8.9	77

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Pull

Grommet

TZ- - L - / - -

Code:

Consult the product code above.

Base / Front:

Refer to the different types of finishes, see p.IG03.

Pull:

Pulls included, specify type, see p.IG06.

Grommet:

Add grommets on sides & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$74.
No Grommet, choose the NG Option.

Compact console without top with hinged doors - 22" high

Compact console without top with hinged doors.


FENIX option on front only.

Adjustables shelves.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 1 on each side.

Available without lock, or with Noki or key lock.




Dimensions						Code		Price		Spec.	
A	B	C	D	E	F	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
15	72	21 7/8	2	4	2	1791X0515	CC4DN157222	1491	3263	16.5	147
15	66	21 7/8	2	4	2	1638X0515	CC4DN156622	1448	3152	15.2	136
15	60	21 7/8	2	4	2	1486X0515	CC4DN156022	1404	3043	13.8	125
15	54	21 7/8	2	4	2	1334X0515	CC4DN155422	1361	2934	12.5	114
15	48	21 7/8	2	3	2	1181X0515	CC3DN154822	1188	2458	11.1	101
15	42	21 7/8	2	3	2	1029X0515	CC3DN154222	1143	2345	9.8	90
15	36	21 7/8	1	2	1	0876X0515	CC2DN153622	934	1831	8.4	75
15	30	21 7/8	1	2	1	0724X0515	CC2DN153022	893	1723	7.1	66

D: Number of shelves

E: Number of doors.

F: Number of locks.

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Pull Grommet
 TZ- - L - / - - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.


For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Grommet: Add grommets on sides & specify color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**), add \$74.
 No Grommet, choose the **NG** Option.


Compact console without top with hinged doors - 28" high

Compact console without top with hinged doors.
FENIX option on front only.
Adjustables shelves.
Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.
Optional grommets, 1 on each side.
Available without lock, or with Noki or key lock.



Dimensions						Code		Price		Spec.	
A	B	C	D	E	F	Back tiles *		T.F.L.	FENIX	Cu.Ft.	lb
15	72	27 7/8	2	4	2	1791X0667	CC4DN157228	1571	3561	20.8	167
15	66	27 7/8	2	4	2	1638X0667	CC4DN156628	1522	3431	19.1	156
15	60	27 7/8	2	4	2	1486X0667	CC4DN156028	1475	3300	17.4	143
15	54	27 7/8	2	4	2	1334X0667	CC4DN155428	1427	3170	15.7	132
15	48	27 7/8	2	3	2	1181X0667	CC3DN154828	1242	2659	14.0	114
15	42	27 7/8	2	3	2	1029X0667	CC3DN154228	1194	2529	12.3	103
15	36	27 7/8	1	2	1	0876X0667	CC2DN153628	974	1982	10.6	86
15	30	27 7/8	1	2	1	0724X0667	CC2DN153028	929	1854	8.9	75

D: Number of shelves
E: Number of doors.
F: Number of locks.
* Back tiles to be ordered separately.



SPECIFY


Code Base Front Lock Pull Grommet

TZ- - L - / - - -


Code: Consult the product code above.
Base / Front: Refer to the different types of finishes, see p.IG03.
Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.
Pull: Pulls included, specify type, see p.IG06.
Grommet: Add grommets on sides & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$74.
No Grommet, choose the NG Option.

Rectangular surface for compact console

Rectangular surface for compact console.



			Straight 1"			Straight 1 ½"			
									
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
15	72	LTOPCC1572	226	460	1062	546	2.2	29	44
15	66	LTOPCC1566	216	433	1000	516	2.0	26	42
15	60	LTOPCC1560	208	397	940	464	1.9	24	37
15	54	LTOPCC1554	198	381	881	487	1.7	22	35
15	48	LTOPCC1548	185	347	819	468	1.5	20	31
15	42	LTOPCC1542	168	323	755	347	1.3	18	26
15	36	LTOPCC1536	152	279	689	309	1.2	15	24
15	30	LTOPCC1530	141	268	629	271	1.0	11	18



SPECIFY

TZ- Code - L1/S1/S15 - Surface / Edge - Grommet

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...)

and choose a position(s): at left (...L), and/or at right (...R). Example: **G1LR**. Add \$37 each.

No Grommet, choose the **NG** Option.

Compact console without top with one open section and one sliding door, with pneumatic mechanism - 22" high

Compact console without top with one open section and one sliding door, with pneumatic mechanism.


FENIX option on front only.

2 adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Optional grommets, 1 on each side.


No lock available.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
15	72	21 7/8	2	1791X0515	CCPOPOSN157222	1807	2590	16.5	130
15	66	21 7/8	2	1638X0515	CCPOPOSN156622	1756	2504	15.2	121
15	60	21 7/8	2	1486X0515	CCPOPOSN156022	1720	2433	13.8	112
15	54	21 7/8	2	1334X0515	CCPOPOSN155422	1670	2345	12.5	103
15	48	21 7/8	2	1181X0515	CCPOPOSN154822	1632	2273	11.1	92

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Pull Metal Grommet

TZ- - L / - - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.

Pull: Pulls included, specify type, see p.IG06.

Metal: Specify the finish for the pneumatic mechanism: White (9002), Black (9067) or Silver (9090).

Grommet: Add grommets on sides & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$74.
No Grommet, choose the NG Option.

Compact console without top with one sliding door and one open section, with pneumatic mechanism - 22" high

Compact console without top with one sliding door and one open section, with pneumatic mechanism.


FENIX option on front only.

2 adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 1 on each side.


No lock available.



Dimensions				Code		Price		Spec.	
A	B	C	D	Back tiles		T.F.L.	FENIX	Cu.Ft.	lb
15	72	21 7/8	2	1791X0515	CCPOPSON157222	1807	2590	16.5	130
15	66	21 7/8	2	1638X0515	CCPOPSON156622	1756	2504	15.2	121
15	60	21 7/8	2	1486X0515	CCPOPSON156022	1720	2433	13.8	112
15	54	21 7/8	2	1334X0515	CCPOPSON155422	1670	2345	12.5	103
15	48	21 7/8	2	1181X0515	CCPOPSON154822	1632	2273	11.1	92

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Pull Metal Grommet

TZ- - L - / - - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Pull: Pulls included, specify type, **see p.IG06**.

Metal: Specify the finish for the pneumatic mechanism: White (**9002**), Black (**9067**) or Silver (**9090**).

Grommet: Add grommets on sides & specify color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**), add \$74.

No Grommet, choose the **NG** Option.

Compact console without top with hinged doors, with pneumatic mechanism on right - 22" high

Compact console without top with hinged doors, with pneumatic mechanism on right.


FENIX option on front only.

Adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.

Optional grommets, 1 on each side.

Available without lock, or with Noki or key lock.




Dimensions						Code		Price		Spec.	
A	B	C	D	E	F	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
15	72	21 7/8	2	4	2	1791X0515	CCPOP4DNR157222	2013	3718	16.5	145
15	66	21 7/8	2	4	2	1698X0515	CCPOP4DNR156622	1969	3612	15.2	134
15	60	21 7/8	2	4	2	1486X0515	CCPOP4DNR156022	1927	3507	13.8	123
15	54	21 7/8	2	4	2	1334X0515	CCPOP4DNR155422	1884	3402	12.5	114
15	48	21 7/8	2	3	2	1181X0515	CCPOP3DNR154822	1726	2954	11.1	99

D: Number of shelves

E: Number of doors.

F: Number of locks.

* Back tiles to be ordered separately.



SPECIFY

Code	Base	Front	Lock	Pull	Metal	Grommet
TZ- - L - / - - - -						

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, see p.IG06.

Metal: Specify the finish for the pneumatic mechanism: White (9002), Black (9067) or Silver (9090).

Grommet: Add grommets on sides & specify color: White (G12), Charcoal (G22), Frost (G32) or Black (G42), add \$37.
No Grommet, choose the NG Option.

Compact console without top with hinged doors, with pneumatic mechanism on left - 22" high

Compact console without top with hinged doors, with pneumatic mechanism on left.


FENIX option on front only.

Adjustable shelves.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Optional grommets, 1 on each side.

Available without lock, or with Noki or key lock.




Dimensions						Code		Price		Spec.	
A	B	C	D	E	F	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
15	72	21 7/8	2	4	2	1091X0515	CCPOP4DNL157222	2013	3718	16.5	145
15	66	21 7/8	2	4	2	1635X0515	CCPOP4DNL156622	1969	3612	15.2	134
15	60	21 7/8	2	4	2	1486X0515	CCPOP4DNL156022	1957	3507	13.8	123
15	54	21 7/8	2	4	2	1334X0515	CCPOP4DNL155422	1884	3402	12.5	114
15	48	21 7/8	2	3	2	1181X0515	CCPOP3DNL154822	1726	2954	11.1	99

D: Number of shelves

E: Number of doors.

F: Number of locks.

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Pull Metal Grommet

TZ- - L - / - - - - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Lock: No lock (**LN**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.


Metal: Specify the finish for the pneumatic mechanism: White (**9002**), Black (**9067**) or Silver (**9090**).

Grommet: Add grommets on sides & specify color: White (**G12**), Charcoal (**G22**), Frost (**G32**) or Black (**G42**), add \$37.


No Grommet, choose the **NG** Option.

Rectangular surface for compact console with pneumatic mechanism on right

Rectangular surface for compact console with pneumatic mechanism on right.
Plastic finishing ring included.



			Straight 1"			Straight 1 ½"			
									
Dimensions		Code	L1	S1		S15		Spec.	
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu Ft.	lb (1")	lb (1½")
15	72	LTOPCCPOPR1572	253	500	1101	586	2.2	29	44
15	66	LTOPCCPOPR1566	243	473	1040	555	2.0	26	42
15	60	LTOPCCPOPR1560	235	437	981	503	1.9	24	37
15	54	LTOPCCPOPR1554	225	420	920	527	1.7	22	35
15	48	LTOPCCPOPR1548	212	386	859	508	1.5	20	31



SPECIFY

Code

L1/S1/S15

Surface

Edge

Ring

Grommet

TZ- - - / - -

Code:

 Consult the product code above.

L1/S1/S15:

 Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface / Edge:

 Refer to the different types of finishes, see p.IG02.

Ring:


 Specify the finish : White (BW), Black (N) or Silver (W).

Grommet:


 Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), and/or at right (...R).
Example: G1LR. Add \$37 each. No Grommet, choose the NG Option.

Rectangular surface for compact console with pneumatic mechanism on left

Rectangular surface for compact console with pneumatic mechanism on left.
Plastic finishing ring included.



			Straight 1"			Straight 1 ½"			
									
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu. ft.	lb (1")	lb (1½")
15	72	LTOPCCPOPL1572	253	500	1101	586	2.2	29	44
15	66	LTOPCCPOPL1566	243	473	1040	555	2.0	26	42
15	60	LTOPCCPOPL1560	235	437	981	503	1.9	24	37
15	54	LTOPCCPOPL1554	225	420	920	477	1.7	22	35
15	48	LTOPCCPOPL1548	212	381	859	508	1.5	20	31




SPECIFY

Code	L1/S1/S15	Surface	Edge	Ring	Grommet
TZ-					

Code: Consult the product code above.
L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").
Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).
Ring: Specify the finish : White (BW), Black (N) or Silver (W).
Grommet: Grommet options, choose a color: White (G1...), Charcoal (G2...), Frost (G3...) or Black (G4...) and choose a position(s): at left (...L), and/or at right (...R).
 Example: **G1LR**. Add \$37 each. No Grommet, choose the **NG** Option.

Rectangular surface for pneumatic mechanism of compact console

Rectangular surface for pneumatic mechanism of compact console.



			Straight 1"			Straight 1 ½"		Reverse 1"				
												
Dimensions		Code	L1	S1		S15	VL1	VS1	Spec.			
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
20	34	SSiPOP2034	180	409	777	428	493	711	1105	1.4	20	31
20	28	SSiPOP2028	169	388	697	404	481	689	1026	1.2	15	24
20	22	SSiPOP2022	157	367	619	378	460	667	948	1.0	11	18

SPECIFY

Code

L1/S1/S15
VL1/VS1

Surface

Edge

TZ-

-

-

/


Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, see p.IG02.

Rectangular surface with rounded corners for pneumatic mechanism of compact console

Rectangular surface with rounded corners for pneumatic mechanism of compact console.



		Straight 1"			Straight 1 ½"			Reverse 1"				
Dimensions		Code		L1	S1		S15	VL1	VS1		Spec.	
A	B			T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1") lb (1½")
20	34	SSiAPOPOP2034		213	448	817	456	499	716	1110	1.4	20 31
20	28	SSiAPOPOP2028		202	427	739	433	485	695	1032	1.2	15 24
20	22	SSiAPOPOP2022		191	407	661	409	476	676	954	1.0	11 18

SPECIFY

Code L1/S1/S15 VL1/VS1 Surface Edge
 TZ- - - /


Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½", **VL1**=T.F.L. 1" Reverse, **VS1**=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, [see p.IG02](#).

Rectangular meeting surface for pneumatic mechanism of compact console

Rectangular meeting surface for pneumatic mechanism of compact console.



		Straight 1"			Straight 1 ½"		Reverse 1"					
Dimensions		Code		L1	S1		S15	VL1	VS1		Spec.	
A	B			T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1") lb (1½")
27	34	SSiPOPM2734		204	450	928	469	517	752	1258	1.8	24 40
27	28	SSiPOPM2728		190	422	824	437	602	724	1154	1.5	22 33

SPECIFY

Code

L1/S1/S15
VL1/VS1

Surface

Edge

TZ-

-

-

/


Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, see p.IG02.

Rectangular meeting surface with rounded corners for pneumatic mechanism of compact console

Rectangular meeting surface with rounded corners for pneumatic mechanism of compact console.



		Straight 1"			Straight 1 ½"			Reverse 1"				
Dimensions		Code		L1	S1		S15	VL1		VS1	Spec.	
A	B			T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1") lb (1½")
27	34	SSIAPOPM2734		235	487	969	507	511	747	1250	1.8	24 40
27	28	SSIAPOPM2728		220	461	865	474	495	720	1147	1.5	22 33

SPECIFY

Code L1/S1/S15 VL1/VS1 Surface Edge
 TZ- - - /


Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, [see p.IG02](#).

Round meeting surface for pneumatic mechanism of compact console

Round meeting surface with rounded corners for pneumatic mechanism of compact console.



			Straight 1"			Straight 1 ½"		Reverse 1"				
												
Dimensions		Code	L1	S1		S15	VL1	VS1		Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	T.F.L.	H.P.L.	FENIX	Cu.Ft.	lb (1")	lb (1½")
34	34	SSRPOPM3434	287	553	1134	621	547	819	1418	2.2	31	48
28	28	SSRPOPM2828	249	486	894	535	412	752	1178	1.6	22	35

SPECIFY

Code

L1/S1/S15
VL1/VS1

Surface

Edge

TZ-

-

-


/

Code: Consult the product code above.

L1/S1/S15/VL1/VS1: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½", VL1=T.F.L. 1" Reverse, VS1=H.P.L. 1" Reverse).

Surface / Edge: Refer to the different types of finishes, see p.IG02.

Fabric cushion for storage units.
Installs with Velcro® strips.



Specifications							
	Dimensions			Weight/Volume		COM Fabric	
Code	A	B	Thickness	Cu.Ft.	lb	yd	m
24" DEEP							
CUST2472	24	72	1½	2.8	25	2.25	2
CUST2460	24	60	1½	2.3	21	1.9	1.75
CUST2436	24	36	1½	1.4	13	1.25	1.15
CUST2430	24	30	1½	1.2	11	1.1	1
21" DEEP							
CUST2172	21	72	1½	2.5	22	2.25	2
CUST2160	21	60	1½	2.1	19	1.9	1.75
CUST2136	21	36	1½	1.3	11	1.25	1.15
CUST2130	21	30	1½	1.1	9	1.1	1

Price														
Code	Gr.A	Gr.1	COM/ Gr.2	Gr.3	Gr.4	Gr.5	Gr.6	Gr.7	Gr.8	Gr.9	Gr.10	Gr.11	Gr.12	Leather
24" DEEP														
CUST2472	790	810	864	920	988	1056	1125	1193	1261	1329	1399	1535	1672	1542
CUST2460	666	693	741	788	848	908	968	1029	1088	1147	1208	1327	1446	1334
CUST2436	440	460	491	523	562	603	641	680	720	759	798	878	955	893
CUST2430	381	407	434	461	496	530	564	598	632	666	701	770	838	781
21" DEEP														
CUST2172	778	797	852	906	975	1043	1111	1180	1249	1317	1385	1522	1659	1539
CUST2160	653	679	728	775	835	894	954	1015	1075	1134	1194	1313	1433	1326
CUST2136	433	453	483	516	555	595	632	673	713	752	791	869	948	882
CUST2130	373	399	426	454	489	522	557	590	625	660	694	762	830	773

SPECIFY

Code		Fabric	
AC-		-	

Code: Consult the product code above.
Fabric: Specify fabric for the cushion, refer to current Artopex seating fabric card.

Fabric cushion for storage units

Specifications							
Code	Dimensions			Weight/Volume		COM Fabric	
	A	B	Thickness	Cu.Ft.	lb	yd	m
18" DEEP							
CUST1872	18	72	1½	2.1	19	2.25	2
CUST1860	18	60	1½	1.9	17	1.9	1.75
CUST1836	18	36	1½	1.2	10	1.25	1.15
CUST1830	18	30	1½	1.0	8	1.1	1
15" DEEP							
CUST1572	15	72	1½	1.8	17	2.25	2
CUST1566	15	66	1½	1.7	15.5	2.1	1.9
CUST1560	15	60	1½	1.6	14	1.9	1.75
CUST1554	15	54	1½	1.5	13.5	1.75	1.6
CUST1548	15	48	1½	1.4	11	1.55	1.45
CUST1542	15	42	1½	1.3	9.5	1.4	1.3
CUST1536	15	36	1½	1.1	8	1.25	1.15
CUST1530	15	30	1½	0.9	7	1.1	1

Price														
Code	Gr.A	Gr.1	COM/ Gr.2	Gr.3	Gr.4	Gr.5	Gr.6	Gr.7	Gr.8	Gr.9	Gr.10	Gr.11	Gr.12	Leather
18" DEEP														
CUST1872	765	784	840	893	964	1032	1099	1167	1237	1305	1372	1511	1646	1536
CUST1860	641	665	715	760	822	881	939	1000	1062	1122	1180	1299	1420	1318
CUST1836	425	446	476	509	547	587	625	665	706	744	783	862	939	869
CUST1830	366	391	418	447	481	515	549	583	618	653	687	755	823	763
15" DEEP														
CUST1572	754	771	828	881	952	1020	1086	1154	1226	1294	1360	1499	1634	1533
CUST1566	690	712	765	814	881	943	1006	1071	1138	1202	1263	1392	1520	1422
CUST1560	627	651	701	747	809	866	926	987	1050	1108	1166	1284	1407	1311
CUST1554	576	598	644	685	742	795	849	904	961	1016	1068	1177	1289	1197
CUST1548	522	545	585	624	675	723	773	822	873	923	971	1069	1170	1085
CUST1542	471	491	526	562	607	651	694	740	785	829	872	963	1052	970
CUST1536	417	438	469	501	540	580	618	657	697	736	776	855	932	858
CUST1530	358	384	411	439	474	507	542	576	610	647	679	748	816	755


SPECIFY

Code Fabric
AC- -

Code: Consult the product code above.
Fabric: Specify fabric for the cushion, refer to current Artopex seating fabric card.

Felt cushion for storage units

Felt cushion for storage units.
Install with Velcro® strips.



Dimensions			Code	Price	Spec.	
A	B	Thickness			Cu.Ft.	lb
24" DEEP						
24	72	3/8	CUSF2472	241	0.4	6
24	60	3/8	CUSF2460	210	0.3	5
24	36	3/8	CUSF2436	142	0.2	3
24	30	3/8	CUSF2430	126	0.2	2
21" DEEP						
21	72	3/8	CUSF2172	220	0.3	5
21	60	3/8	CUSF2160	193	0.3	4
21	36	3/8	CUSF2136	131	0.2	3
21	30	3/8	CUSF2130	115	0.1	2
18" DEEP						
18	72	3/8	CUSF1872	194	0.3	4
18	60	3/8	CUSF1860	169	0.2	4
18	36	3/8	CUSF1836	117	0.1	2
18	30	3/8	CUSF1830	105	0.1	2
15" DEEP						
15	72	3/8	CUSF1572	172	0.2	4
15	66	3/8	CUSF1566	161	0.2	3
15	60	3/8	CUSF1560	148	0.2	3
15	54	3/8	CUSF1554	137	0.2	3
15	48	3/8	CUSF1548	128	0.2	2
15	42	3/8	CUSF1542	116	0.1	2
15	36	3/8	CUSF1536	106	0.1	2
15	30	3/8	CUSF1530	93	0.1	2

SPECIFY

Code: _____
Felt: _____
AC- -

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Waste management unit with hinged doors - 41" high

Waste management unit with 2 hinged doors.

FENIX option on top only.


Section in metal with cutouts to give access to the plastic bins inside.

Plastic bins included.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.


Available without lock, or with Noki or key lock, will lock both doors.

* For the 1 1/2" surfaces (S15), add 1/2" to the height (C).



						Straight 1 "			Straight 1 ½ "			
Dimensions				Code	L1	S1		S15	Spec.			
A	B	C	Back tiles*		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")	
24	36	41 ½	0876X0987	SDDWM243641	1738	2161	2580	2224	24.9	150	163	
24	30	41 ½	0724X0987	SDDWM243041	1693	2061	2413	2116	21.1	132	145	
21	36	41 ½	0876X0987	SDDWM213641	1726	2099	2470	2157	22.1	139	150	
21	30	41 ½	0724X0987	SDDWM213041	1649	2006	2318	2055	18.8	123	132	
18	36	41 ½	0876X0987	SDDWM183641	1646	2004	2325	2055	19.3	123	132	
18	30	41 ½	0724X0987	SDDWM183041	1575	1919	2189	1962	16.4	110	117	

* Back tiles to be ordered separately.



SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

Front

Lock

Pull

Metal

TZ-

-

-

/

-

/

-

-

-

Code:

Consult the product code above.

L1/S1/S15:

Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 1/2").

Surface/Edge/Base/Front:

Refer to the different types of finishes, see p.IG02-IG03

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


Pull:

Pulls included, specify type, see p.IG06.

Metal:


Specify the finish of the metal section with cutouts, see p.IG05 (34 colors).

Available without lock, or with Noki or key lock, will lock both doors.



Dimensions				Code	Price		Spec.	
A	B	C	Back tiles*		T.F.L.	H.P.L.	Cu.Ft.	lb
24	36	40 ½	0876X0987	LDDWMN243640	1723	2863	24.4	134
24	30	40 ½	0724X0987	LDDWMN243040	1643	2687	20.7	119
21	36	40 ½	0876X0987	LDDWMN213640	1684	2822	21.7	125
21	30	40 ½	0724X0987	LDDWMN213040	1607	2649	18.4	112
18	36	40 ½	0876X0987	LDDWMN183640	1613	2748	18.9	112
18	30	40 ½	0724X0987	LDDWMN183040	1541	2580	16.1	101

* Back tiles to be ordered separately.



SPECIFY

TZ- - L - / - - - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.


For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, see p.IG06.

Metal: Specify the finish of the metal section with cutouts, [see p.IG05 \(34 colors\)](#).

Trash can / Recycling sticker

Garbage sticker.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
TRASH					
		AP	16	0.1	1
RECYCLING					
		AR	16	0.1	1

SPECIFY

Code

Sticker

AC- -

Code: Consult the product code above.

Sticker: Specify the finish : White (BW), Charcoal (F), Frost (A) or Black (N).

Combined storage unit with hinged doors and 3 lateral file drawers

Combined storage unit with laminated hinged doors and 3 lateral file drawers.

FENIX option on fronts only.

1 adjustable shelf. Extra adjustable shelves can be ordered separately, [see p.E105](#).


Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

"Interlock" mechanism on drawers.

Front-to-back filing bars (**AC-BL15**) sold separately, refer to the Accessories price list.

Available without lock, or with Noki or key lock, will lock all drawers.


* For the storage unit with the "H15" height option, add $\frac{1}{2}$ " to the height (C).



Dimensions				Back tiles*		Code	H1	H15		Spec.		
A	B	C	D	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH												
24	36	71 ¾	1	0876X1747	0876X1761	ADD3F243672	2560	4576	2732	4757	42.3	332
24	30	71 ¾	1	0724X1747	0724X1761	ADD3F243072	2416	4193	2590	4375	35.6	286
21	36	71 ¾	1	0876X1747	0876X1761	ADD3F213672	2470	4483	2629	4647	37.4	308
21	30	71 ¾	1	0724X1747	0724X1761	ADD3F213072	2327	4099	2485	4266	31.5	264
66" HIGH												
24	36	65 ¾	1	0876X1595	0876X1609	ADD3F243666	2449	4337	2623	4520	38.9	317
24	30	65 ¾	1	0724X1595	0724X1609	ADD3F243066	2307	3973	2481	4155	32.7	273
21	36	65 ¾	1	0876X1595	0876X1609	ADD3F213666	2361	4245	2520	4410	34.4	293
21	30	65 ¾	1	0724X1595	0724X1609	ADD3F213066	2219	3879	2375	4044	29.0	253

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code H1 / H15 Base Front Lock Pull
 TZ- - - / - -

Code: Consult the product code above.

H1 / H15: Specify the code identifying the height (**H1**= Height for a station in 1", **H15**= Height for a station in 1 $\frac{1}{2}$ ").

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

Combined storage unit with open section on top and 2 lateral file drawers

Combined storage unit with open section on top and 2 lateral file drawers.

FENIX option on fronts only.

2 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E105](#).


Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

"Interlock" mechanism on drawers.

Front-to-back filing bars (**AC-BL15**) sold separately, refer to the Accessories price list.

Available without lock, or with Noki or key lock, will lock both drawers.


* For the storage unit with the "H15" height option, add $\frac{1}{2}$ " to the height (C).



Dimensions				Back tiles*		Code	H1		H15		Spec.	
A	B	C	D	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH												
24	36	71 3⁄8	2	0876X1747	0876X1761	AOFF243672	1981	2731	2154	2912	42.3	306
24	30	71 3⁄8	2	0724X1747	0724X1761	AOFF243072	1860	2516	2035	2700	35.6	260
21	36	71 3⁄8	2	0876X1747	0876X1761	AOFF213672	1891	2638	2050	2803	37.4	282
21	30	71 3⁄8	2	0724X1747	0724X1761	AOFF213072	1772	2424	1930	2590	31.5	238
66" HIGH												
24	36	65 3⁄8	2	0876X1595	0876X1609	AOFF243666	1893	2639	2067	2821	38.9	295
24	30	65 3⁄8	2	0724X1595	0724X1609	AOFF243066	1771	2423	1944	2604	32.7	251
21	36	65 3⁄8	2	0876X1595	0876X1609	AOFF213666	1804	2546	1962	2711	34.4	268
21	30	65 3⁄8	2	0724X1595	0724X1609	AOFF213066	1682	2330	1839	2494	29.0	229

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

H1 / H15

Base

Front

Lock

Pull

TZ-
-
-
/
-
-

Code: Consult the product code above.
H1 / H15: Specify the code identifying the height (**H1**= Height for a station in 1", **H15**= Height for a station in 1 $\frac{1}{2}$ ").
Base / Front: Refer to the different types of finishes, [see p.IG03](#).
Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.
Pull: Pulls included, specify type, [see p.IG06](#).

Combined storage unit with open section on top and 2 lateral file drawers

Combined storage unit with open section on top and 2 lateral file drawers.

FENIX option on fronts only.


1 adjustable shelf. Extra adjustable shelves can be ordered separately, [see p.E105](#).

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

"Interlock" mechanism on drawers.

Front-to-back filing bars (**AC-BL15**) sold separately, refer to the Accessories price list.


Available without lock, or with Noki or key lock, will lock both drawers.



Dimensions					Code	L1		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
54" HIGH									
24	36	53 $\frac{3}{8}$	1	0876X1290	AOFF243654	1767	2507	30.5	189
24	30	53 $\frac{3}{8}$	1	0724X1290	AOFF243054	1652	2299	25.7	167
21	36	53 $\frac{3}{8}$	1	0876X1290	AOFF213654	1685	2422	26.9	176
21	30	53 $\frac{3}{8}$	1	0724X1290	AOFF213054	1573	2216	22.7	154

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Pull
 TZ- - L1 - / - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

Combined storage unit with laminated hinged doors and 2 lateral file drawers

Combined storage unit with laminated hinged doors and 2 lateral file drawers.

FENIX option on fronts only.

2 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E105](#).


Back is recessed by 5/8", allowing the addition of a back tile, [p.L02 to L34](#).

"Interlock" mechanism on drawers.

Front-to-back filing bars (**AC-BL15**) sold separately, refer to the Accessories price list.

Available without lock, or with Noki or key lock, will lock both drawers.


* For the storage unit with the "H15" height option, add 1/2" to the height (C).



Dimensions				Back tiles*		Code	H1		H15		Spec.	
A	B	C	D	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH												
24	36	71 3/8	2	0876X1747	0876X1761	ADDFF243672	2224	4224	2397	4405	42.3	317
24	30	71 3/8	2	0724X1747	0724X1761	ADDFF243072	2081	3842	2255	4024	35.6	286
21	36	71 3/8	2	0876X1747	0876X1761	ADDFF213672	2134	4130	2294	4297	37.4	293
21	30	71 3/8	2	0724X1747	0724X1761	ADDFF213072	1992	3749	2149	3913	31.5	264
66" HIGH												
24	36	65 3/8	2	0876X1595	0876X1609	ADDFF243666	2115	3986	2289	4168	38.9	317
24	30	65 3/8	2	0724X1595	0724X1609	ADDFF243066	1972	3623	2144	3803	32.7	273
21	36	65 3/8	2	0876X1595	0876X1609	ADDFF213666	2026	3893	2185	4059	34.4	293
21	30	65 3/8	2	0724X1595	0724X1609	ADDFF213066	1882	3527	2040	3694	29.0	253

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

H1 / H15

Base

Front

Lock

Pull

TZ- - - / - -

Code: Consult the product code above.
H1 / H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").
Base / Front: Refer to the different types of finishes, [see p.IG03](#).
Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.
Pull: Pulls included, specify type, [see p.IG06](#).

Combined storage unit with open section on top and 2 hinged doors

Combined storage unit with open section on top and 2 hinged doors.


FENIX option on fronts only.

3 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E105](#).

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

Available without lock, or with Noki or key lock, will lock both doors.


* For the storage unit with the "H15" height option, add $\frac{1}{2}$ " to the height (C).



Dimensions				Back tiles*		Code	H1		H15		Spec.	
A	B	C	D	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH												
24	36	71 $\frac{3}{8}$	3	0876X1747	0876X1761	AODD243672	1834	2766	2013	2953	42.3	304
24	30	71 $\frac{3}{8}$	3	0724X1747	0724X1761	AODD243072	1703	2487	1881	2674	35.6	253
21	36	71 $\frac{3}{8}$	3	0876X1747	0876X1761	AODD213672	1715	2641	1886	2820	37.4	275
21	30	71 $\frac{3}{8}$	3	0724X1747	0724X1761	AODD213072	1584	2364	1747	2534	31.5	229
66" HIGH												
24	36	65 $\frac{3}{8}$	3	0876X1595	0876X1609	AODD243666	1740	2667	1917	2852	38.9	293
24	30	65 $\frac{3}{8}$	3	0724X1595	0724X1609	AODD243066	1604	2383	1782	2571	32.7	242
21	36	65 $\frac{3}{8}$	3	0876X1595	0876X1609	AODD213666	1621	2542	1783	2712	34.4	264
21	30	65 $\frac{3}{8}$	3	0724X1595	0724X1609	AODD213066	1487	2262	1649	2432	29.0	218

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code H1 / H15 Base Front Lock Pull
 TZ- - - / - -

Code: Consult the product code above.

H1 / H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").

Base / Front: Refer to the different types of finishes, [see p.IG03](#).


Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).


Combined storage unit with open section on top and 2 hinged doors

Combined storage unit with open section on top and 2 hinged doors.
FENIX option on fronts only.
2 adjustable shelves. Extra adjustable shelves can be ordered separately, see p.E105.
Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.
Available without lock, or with Noki or key lock, will lock both doors.



Dimensions					Code	L1	Spec.		
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
54" HIGH									
24	36	53 3/8	2	0876X1290	AODD243654	1601	2521	30.5	205
24	30	53 3/8	2	0724X1290	AODD243054	1474	2247	25.7	176
21	36	53 3/8	2	0876X1290	AODD213654	1492	2408	26.9	185
21	30	53 3/8	2	0724X1290	AODD213054	1368	2137	22.7	161

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Pull

TZ- - L1 - / - -

Code:

Base / Front:

Lock:

Pull:

Consult the product code above.

Refer to the different types of finishes, see p.IG03.

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pulls included, specify type, see p.IG06.

Storage unit with 2 hinged doors with shelves

Storage unit with 2 hinged doors with shelves.


FENIX option on fronts only.

1 fixed shelf and 3 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E105](#).

Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

Available without lock, or with Noki or key lock, will lock both doors.


* For the storage unit with the "H15" height option, add $\frac{1}{2}$ " to the height (C).



Dimensions				Back tiles*		Code	H1		H15		Spec.	
A	B	C	D	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH												
24	36	71 $\frac{3}{8}$	4	0876X1747	0876X1761	ADD243672	1903	3888	2078	4071	42.3	330
24	30	71 $\frac{3}{8}$	4	0724X1747	0724X1761	ADD243072	1750	3496	1923	3677	35.6	279
21	36	71 $\frac{3}{8}$	4	0876X1747	0876X1761	ADD213672	1790	3770	1946	3933	37.4	301
21	30	71 $\frac{3}{8}$	4	0724X1747	0724X1761	ADD213072	1638	3377	1794	3542	31.5	255
66" HIGH												
24	36	65 $\frac{3}{8}$	4	0876X1595	0876X1609	ADD243666	1789	3769	1962	3950	38.9	315
24	30	65 $\frac{3}{8}$	4	0724X1595	0724X1609	ADD243066	1637	3376	1808	3556	32.7	266
21	36	65 $\frac{3}{8}$	4	0876X1595	0876X1609	ADD213666	1675	3649	1831	3813	34.4	288
21	30	65 $\frac{3}{8}$	4	0724X1595	0724X1609	ADD213066	1521	3256	1680	3422	29.0	242

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code H1 / H15 Base Front Lock Pull
 TZ- - - / - -

Code: Consult the product code above.

H1 / H15: Specify the code identifying the height (**H1**= Height for a station in 1", **H15**= Height for a station in 1 $\frac{1}{2}$ ").

Base / Front: Refer to the different types of finishes, [see p.IG03](#).


Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).


Storage unit with 2 hinged doors with shelves

Storage unit with 2 hinged doors with shelves.
FENIX option on fronts only.
1 fixed shelf and 2 adjustable shelves. Extra adjustable shelves can be ordered separately, see p.E105.
Back is recessed by 3/8", allowing the addition of a back tile, p.L02 to L34.
Available without lock, or with Noki or key lock, will lock both doors.



Dimensions				Code		L1		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
54" HIGH									
24	36	53 3/8	3	0876X1290	ADD243654	1423	2950	30.5	220
24	30	53 3/8	3	0724X1290	ADD243054	1313	2591	25.7	189
21	36	53 3/8	3	0876X1290	ADD213654	1337	2859	26.9	200
21	30	53 3/8	3	0724X1290	ADD213054	1229	2503	22.7	174

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Pull

TZ- - L1 - / - -

Code:

Base / Front:

Lock:

Pull:

Consult the product code above.

Refer to the different types of finishes, see p.IG03.

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pulls included, specify type, see p.IG06.

Combined storage unit with 2 hinged doors (wardrobe and shelves)

Combined storage unit with 2 hinged doors (wardrobe and shelves).


FENIX option on fronts only.

1 fixed shelf and 3 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E106](#).

Back is recessed by 3/8", allowing the addition of a back tile, [p.L02 to L34](#).

Available without lock, or with Noki or key lock, will lock both doors.


* For the storage unit with the "H15" height option, add 1/2" to the height (C).



Dimensions				Back tiles*		Code		H1		H15		Spec.	
A	B	C	D	H1 High	H15 High	Left	Right	T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH													
24	36	71 3/8	4	0876X1747	0876X1761	AWD243672	ADW243672	1877	3860	2106	4101	42.3	299
24	30	71 3/8	4	0724X1747	0724X1761	AWD243072	ADW243072	1744	3489	1975	3731	35.6	253
21	36	71 3/8	4	0876X1747	0876X1761	AWD213672	ADW213672	1760	3739	1985	3974	37.4	275
21	30	71 3/8	4	0724X1747	0724X1761	AWD213072	ADW213072	1626	3366	1854	3604	31.5	231
66" HIGH													
24	36	65 3/8	4	0876X1595	0876X1609	AWD243666	ADW243666	1769	3624	1999	3866	38.9	282
24	30	65 3/8	4	0724X1595	0724X1609	AWD243066	ADW243066	1636	3269	1865	3510	32.7	235
21	36	65 3/8	4	0876X1595	0876X1609	AWD213666	ADW213666	1657	3507	1875	3735	34.4	257
21	30	65 3/8	4	0724X1595	0724X1609	AWD213066	ADW213066	1523	3152	1743	3380	29.0	218

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code H1 / H15 Base Front Lock Pull
 TZ- - - / - -

Code: Consult the product code above.

H1 / H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

Wardrobe unit with 2 hinged doors

Wardrobe unit with 2 hinged doors.


FENIX option on fronts only.

1 fixed shelf.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.


Available without lock, or with Noki or key lock, will lock both doors.

* For the storage unit with the "H15" height option, add 1/2" to the height (C).



Dimensions			Back tiles*		Code	H1		H15		Spec.	
A	B	C	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH											
24	36	71 3/8	0876X1747	0876X1761	AW243672	1720	3696	1894	3878	40.5	218
24	30	71 3/8	0724X1747	0724X1761	AW243072	1566	3303	1739	3484	34.1	191
21	36	71 3/8	0876X1747	0876X1761	AW213672	1606	3577	1761	3740	35.8	202
21	30	71 3/8	0724X1747	0724X1761	AW213072	1453	3185	1610	3350	30.1	178
66" HIGH											
24	36	65 3/8	0876X1595	0876X1609	AW243666	1605	3453	1778	3757	37.2	207
24	30	65 3/8	0724X1595	0724X1609	AW243066	1452	3078	1623	3363	31.3	180
21	36	65 3/8	0876X1595	0876X1609	AW213666	1491	3333	1647	3620	32.8	191
21	30	65 3/8	0724X1595	0724X1609	AW213066	1338	2957	1496	3229	27.6	167

* Back tiles to be ordered separately.



SPECIFY

Code

H1 / H15

Base

Front

Lock

Pull

TZ-

-

-

/

-

-

Code: Consult the product code above.

H1/H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Storage unit with 1 hinged door with shelves (hinges on left)

Storage unit with 1 hinged door with shelves (hinges on left).


FENIX option on front only.

1 fixed shelf and 3 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E104](#).

Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

Available without lock, or with Noki or key lock.


* For the storage unit with the "H15" height option, add $\frac{1}{2}$ " to the height (C).



Dimensions				Back tiles*		Code	H1		H15		Spec.	
A	B	C	D	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH												
24	24	71 $\frac{3}{8}$	4	0571X1747	0571X1761	ADL242472	1561	2967	1779	3195	29.0	262
21	24	71 $\frac{3}{8}$	4	0571X1747	0571X1761	ADL212472	1492	2895	1701	3113	25.6	238
66" HIGH												
24	24	65 $\frac{3}{8}$	4	0571X1595	0571X1609	ADL242466	1490	2779	1707	3006	26.6	240
21	24	65 $\frac{3}{8}$	4	0571X1595	0571X1609	ADL212466	1423	2709	1628	2924	23.5	218
24	18	65 $\frac{3}{8}$	4	0419X1595	0419X1609	ADL241866	1414	2394	1441	2422	18.0	150
21	18	65 $\frac{3}{8}$	4	0419X1595	0419X1609	ADL211866	1363	2340	1384	2363	15.9	134

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code H1 / H15 Base Front Lock Pull
 TZ- - - / - -

Code: Consult the product code above.

H1 / H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

Storage unit with 1 hinged door with shelves (hinges on left)


Storage unit with 1 hinged door with shelves (hinges on left).

FENIX option on front only.

1 fixed shelf and 2 adjustable shelves. Extra adjustable shelves can be ordered separately, see p.E104.

Back is recessed by 3/8", allowing the addition of a back tile, p.L02 to L34.


Available without lock, or with Noki or key lock.



Dimensions					Code	L1		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
54" HIGH									
24	18	53 3/8	3	0419X1290	ADL241854	1270	2061	14.6	121
21	18	53 3/8	3	0419X1290	ADL211854	1226	2015	12.9	110
24	12	53 3/8	3	0267X1290	ADL241254	1171	1714	9.9	95
21	12	53 3/8	3	0267X1290	ADL211254	1133	1675	8.8	86

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Pull

TZ- - L1 - / - -

Code:

Consult the product code above.

Base / Front:

Refer to the different types of finishes, see p.IG03.

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

Pulls included, specify type, see p.IG06.

Storage unit with 1 hinged door with shelves (hinges on right)

Storage unit with 1 hinged door with shelves (hinges on right).


FENIX option on front only.

1 fixed shelf and 3 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E104](#).

Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

Available without lock, or with Noki or key lock.


* For the storage unit with the "H15" height option, add $\frac{1}{2}$ " to the height (C).



Dimensions				Back tiles*		Code	H1		H15		Spec.	
A	B	C	D	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH												
24	24	71 ⅜	4	0571X1747	0571X1761	ADR242472	1561	2967	1779	3195	29.0	262
21	24	71 ⅜	4	0571X1747	0571X1761	ADR212472	1492	2895	1701	3113	25.6	238
66" HIGH												
24	24	65 ⅜	4	0571X1595	0571X1609	ADR242466	1490	2779	1707	3006	26.6	240
21	24	65 ⅜	4	0571X1595	0571X1609	ADR212466	1423	2709	1628	2924	23.5	218
24	18	65 ⅜	4	0419X1595	0419X1609	ADR241866	1414	2394	1441	2422	18.0	150
21	18	65 ⅜	4	0419X1595	0419X1609	ADR211866	1363	2340	1384	2363	15.9	134

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code H1 / H15 Base Front Lock Pull
TZ- - - / - -

Code: Consult the product code above.

H1 / H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").

Base / Front: Refer to the different types of finishes, [see p.IG03](#).


Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).


Storage unit with 1 hinged door with shelves (hinges on right)

Storage unit with 1 hinged door with shelves (hinges on right).
FENIX option on front only.
1 fixed shelf and 2 adjustable shelves. Extra adjustable shelves can be ordered separately, see p.E104.
Back is recessed by 3/8", allowing the addition of a back tile, p.L02 to L34.
Available without lock, or with Noki or key lock.



Dimensions					Code	L1		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
54" HIGH									
24	18	53 3/8	3	0419X1290	ADR241854	1270	2061	14.6	121
21	18	53 3/8	3	0419X1290	ADR211854	1226	2015	12.9	110
24	12	53 3/8	3	0267X1290	ADR241254	1171	1714	9.9	95
21	12	53 3/8	3	0267X1290	ADR211254	1133	1675	8.8	86

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Pull

TZ- - L1 - / - -

Code:

Base / Front:

Lock:

Pull:

Consult the product code above.

Refer to the different types of finishes, see p.IG03.

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pulls included, specify type, see p.IG06.

Wardrobe unit with 1 hinged door (hinges on left)

Wardrobe unit with 1 hinged door (hinges on left).


FENIX option on front only.

1 fixed shelf.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Available without lock, or with Noki or key lock.


* For the storage unit with the "H15" height option, add 1/2" to the height (C).



Dimensions				Back tiles*		Code	H1		H15		Spec.	
A	B	C	D	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH												
24	24	71 3/8	1	0571X1747	0571X1761	AWL242472	1299	2692	1484	2886	29.0	218
21	24	71 3/8	1	0571X1747	0571X1761	AWL212472	1248	2639	1428	2827	25.6	200
66" HIGH												
24	24	65 3/8	1	0571X1595	0571X1609	AWL242466	1236	2513	1422	2708	26.6	207
21	24	65 3/8	1	0571X1595	0571X1609	AWL212466	1187	2461	1363	2646	23.5	189
24	18	65 3/8	1	0419X1595	0419X1609	AWL241866	1203	2172	1296	2269	18.0	119
21	18	65 3/8	1	0419X1595	0419X1609	AWL211866	1165	2132	1256	2228	15.9	110

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code H1 / H15 Base Front Lock Pull
 TZ- - - / - -

Code: Consult the product code above.

H1 / H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Wardrobe unit with 1 hinged door (hinges on left)


Wardrobe unit with 1 hinged door (hinges on left).

FENIX option on front only.

1 fixed shelf.

Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.


Available without lock, or with Noki or key lock.



Dimensions					Code	L1		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
54" HIGH									
24	18	53 3/8	1	0419X1290	AWL241854	1141	1926	14.6	103
21	18	53 3/8	1	0419X1290	AWL211854	1115	1899	12.9	95
24	12	53 3/8	1	0267X1290	AWL241254	1087	1626	9.9	81
21	12	53 3/8	1	0267X1290	AWL211254	1071	1609	8.8	75

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Pull

TZ-

-

L1-

/

-

-

-

Code:

 Consult the product code above.

Base / Front:

 Refer to the different types of finishes, see p.IG03.

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pulls included, specify type, see p.IG06.

Wardrobe unit with 1 hinged door (hinges on right)

Wardrobe unit with 1 hinged door (hinges on right).


FENIX option on front only.

1 fixed shelf.

Back is recessed by 5/8", allowing the addition of a back tile, **p.L02 to L34**.

Available without lock, or with Noki or key lock.


* For the storage unit with the "H15" height option, add 1/2" to the height (C).



Dimensions				Back tiles*		Code	H1		H15		Spec.	
A	B	C	D	H1 High	H15 High		T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH												
24	24	71 3/8	1	0571X1747	0571X1761	AWR242472	1299	2692	1484	2886	29.0	218
21	24	71 3/8	1	0571X1747	0571X1761	AWR212472	1248	2639	1428	2827	25.6	200
66" HIGH												
24	24	65 3/8	1	0571X1595	0571X1609	AWR242466	1236	2513	1422	2708	26.6	207
21	24	65 3/8	1	0571X1595	0571X1609	AWR212466	1187	2461	1363	2646	23.5	189
24	18	65 3/8	1	0419X1595	0419X1609	AWR241866	1203	2172	1296	2269	18.0	119
21	18	65 3/8	1	0419X1595	0419X1609	AWR211866	1165	2132	1256	2228	15.9	110

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code H1 / H15 Base Front Lock Pull
 TZ- - - / - -

Code: Consult the product code above.

H1 / H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.

Wardrobe unit with 1 hinged door (hinges on right)


Wardrobe unit with 1 hinged door (hinges on right).

FENIX option on front only.

1 fixed shelf.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, p.L02 to L34.


Available without lock, or with Noki or key lock.



Dimensions				Code		L1		Spec.	
A	B	C	D	Back tiles*		T.F.L.	FENIX	Cu.Ft.	lb
54" HIGH									
24	18	53 $\frac{3}{8}$	1	0419X1290	AWR241854	1141	1926	14.6	103
21	18	53 $\frac{3}{8}$	1	0419X1290	AWR211854	1115	1899	12.9	95
24	12	53 $\frac{3}{8}$	1	0267X1290	AWR241254	1087	1626	9.9	81
21	12	53 $\frac{3}{8}$	1	0267X1290	AWR211254	1071	1609	8.8	75

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Pull

TZ- - L1 - / - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, see p.IG06.

Combined wardrobe storage unit with mini-cabinet and UF drawers

Combined wardrobe storage unit with mini-cabinet and **UF** drawers.


FENIX option on fronts only.

1 adjustable shelf. Extra adjustable shelves can be ordered separately, [see p.E107](#).

Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

Pencil tray included in the 6" top drawer.


Available without lock, or with Noki or key lock, will lock both drawers.



Dimensions				Back tiles*		Code		L1	Spec.	
A	B	C	D			Left	Right	T.F.L.	FENIX	Cu.Ft. lb
54" HIGH										
24	24	53 $\frac{3}{8}$	1	0571X1290		AWDUF242454	ADUFW242454	1670	2825	20.8 174
21	24	53 $\frac{3}{8}$	1	0571X1290		AWDUF212454	ADUFW212454	1558	2709	18.3 158

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Pull
 TZ- - L1 - / - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).


Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).


Combined wardrobe storage unit with mini-cabinet and UUF drawers.

Combined wardrobe storage unit with mini-cabinet and **UUF** drawers.
FENIX option on fronts only.
2 adjustable shelves. Extra adjustable shelves can be ordered separately, see p.E107.
Back is recessed by 5/8", allowing the addition of a back tile, p.L02 to L34.
Pencil tray included in the 6" top drawer.
Available without lock, or with Noki or key lock, will lock all drawers.
* For the storage unit with the "H15" height option, add 1/2" to the height (C).



Dimensions				Back tiles*		Code		H1		H15		Spec.	
A	B	C	D	H1 High	H15 High	Left	Right	T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
66" HIGH													
24	24	65 3⁄8	2	0571X1595	0571X1609	AWDUUF242466	ADUUFW242466	1962	3387	2162	3596	26.6	257
21	24	65 3⁄8	2	0571X1595	0571X1609	AWDUUF212466	ADUUFW212466	1851	3270	2037	3466	23.5	238

D: Number of shelves
* Back tiles to be ordered separately.



SPECIFY

Code

H1 / H15

Base

Front

Lock

Pull

TZ-

-

-

/

-

-

Code:

 Consult the product code above.

H1 / H15:

 Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").

Base / Front:

 Refer to the different types of finishes, see p.IG03.

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pulls included, specify type, see p.IG06.

Canada E97

REV.01-2025

Combined wardrobe storage unit with mini-cabinet and FF drawers.

Combined wardrobe storage unit with mini-cabinet and **FF** drawers.


FENIX option on fronts only.

2 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E107](#).


Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, [p.L02 to L34](#).

Available without lock, or with Noki or key lock, will lock both drawers.

* For the storage unit with the "H15" height option, add $\frac{1}{2}$ " to the height (C).



LEFT




RIGHT

Dimensions				Back tiles*		Code		H1		H15		Spec.	
A	B	C	D	H1 High	H15 High	Left	Right	T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
66" HIGH													
24	24	65 $\frac{3}{8}$	2	0571X1595	0571X1609	AWDFF242466	ADFFW242466	1924	3324	2093	3501	26.6	257
21	24	65 $\frac{3}{8}$	2	0571X1595	0571X1609	AWDFF212466	ADFFW212466	1811	3205	1970	3373	23.5	238

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code H1 / H15 Base Front Lock Pull
 TZ- - - / - -

Code: Consult the product code above.

H1 / H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, [see p.IG06](#).

Combined wardrobe storage unit with mini-cabinet and UFF drawers.

Combined wardrobe storage unit with mini-cabinet and **UFF** drawers.

FENIX option on fronts only.


2 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E107](#).

Back is recessed by 5/8", allowing the addition of a back tile, [p.L02 to L34](#).

Pencil tray included in the 6" top drawer.

Available without lock, or with Noki or key lock, will lock all drawers.


* For the storage unit with the "**H15**" height option, add 1/2" to the height (**C**).



Dimensions				Back tiles*		Code		H1		H15		Spec.	
A	B	C	D	H1 High	H15 High	Left	Right	T.F.L.	FENIX	T.F.L.	FENIX	Cu.Ft.	lb
72" HIGH													
24	24	71 3⁄8	2	0571X1747	0571X1761	AWDUFF242472	ADUFFW242472	2090	3623	2253	3793	29.0	273
21	24	71 3⁄8	2	0571X1747	0571X1761	AWDUFF212472	ADUFFW212472	1975	3502	2129	3664	25.6	251

D: Number of shelves

* Back tiles to be ordered separately.



SPECIFY

Code

H1 / H15

Base

Front


Lock

Pull

TZ- - - / - -

Code: Consult the product code above.
H1 / H15: Specify the code identifying the height (**H1**= Height for a station in 1", **H15**= Height for a station in 1 1/2").
Base / Front: Refer to the different types of finishes, [see p.IG03](#).
Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.
Pull: Pulls included, specify type, [see p.IG06](#).

1 fixed shelf and 4 tablettes ajustables. Extra adjustable shelves can be ordered separately, [see p.E108](#).
Back is recessed by 5/8", allowing the addition of a back tile (except for 12" deep bookcases) to be ordered separately, [p.L02 to L34](#).
* For the 12" and 15" deep bookcases, it is recommended to fix them to the wall.



Dimensions					Code	L1	Spec.	
A	B	C	D	Back tiles*		T.F.L.	Cu.Ft.	lb
84" HIGH								
24	36	84	5	0860X2068	BK243684	1344	49.2	337
24	30	84	5	0708X2068	BK243084	1242	41.4	284
21	36	84	5	0860X2068	BK213684	1299	43.5	301
21	30	84	5	0708X2068	BK213084	1208	36.6	255
18	36	84	5	0860X2068	BK183684	1230	36.4	242
18	30	84	5	0708X2068	BK183084	1140	30.6	213
15	36	84	5	0860X2068	BK153684	1161	30.8	211
15	30	84	5	0708X2068	BK153084	1072	25.9	185
12	36	84	5	-	BK123684	1093	26.4	169
12	30	84	5	-	BK123084	1004	22.3	152

D: Number of shelves

* Back tiles to be ordered separately.

SPECIFY

Code Base

TZ - - L1 -

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.


Bookcase 72" and 66" high

4 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E108](#).

Back is recessed by 5/8", allowing the addition of a back tile (except for 12" deep bookcases) to be ordered separately, [p.L02 to L34](#).

* For the bookcases with the "H15" height option, add 1/2" to the height (C).

* For the 12" and 15" deep bookcases, it is recommended to fix them to the wall.



Dimensions				Back tiles*		Code	H1	H15	Spec.	
A	B	C	D	H1 High	H15 High		T.F.L.	T.F.L.	Cu.Ft.	lb
72" HIGH										
24	36	71 3/8	4	0860X1747	0860X1761	BK243672	1187	1285	42.3	288
24	30	71 3/8	4	0708X1747	0708X1761	BK243072	1095	1205	35.6	244
21	36	71 3/8	4	0860X1747	0860X1761	BK213672	1142	1241	37.5	260
21	30	71 3/8	4	0708X1747	0708X1761	BK213072	1059	1173	31.5	220
18	36	71 3/8	4	0860X1747	0860X1761	BK183672	1080	1203	31.0	209
18	30	71 3/8	4	0708X1747	0708X1761	BK183072	1000	1132	26.1	185
15	36	71 3/8	4	0860X1747	0860X1761	BK153672	1021	1148	26.3	183
15	30	71 3/8	4	0708X1747	0708X1761	BK153072	941	1078	22.1	161
12	36	71 3/8	4	-	-	BK123672	961	1095	22.8	152
12	30	71 3/8	4	-	-	BK123072	882	1024	19.2	134
66" HIGH										
24	36	65 3/8	4	0860X1595	0860X1609	BK243666	1127	1176	38.9	277
24	30	65 3/8	4	0708X1595	0708X1609	BK243066	1038	1095	32.7	233
21	36	65 3/8	4	0860X1595	0860X1609	BK213666	1084	1132	34.4	251
21	30	65 3/8	4	0708X1595	0708X1609	BK213066	1003	1062	29.0	209
18	36	65 3/8	4	0860X1595	0860X1609	BK183666	1026	1091	28.5	200
18	30	65 3/8	4	0708X1595	0708X1609	BK183066	948	1020	23.9	176
15	36	65 3/8	4	0860X1595	0860X1609	BK153666	972	1042	24.1	174
15	30	65 3/8	4	0708X1595	0708X1609	BK153066	893	971	20.3	152
12	36	65 3/8	4	-	-	BK123666	915	994	20.9	141
12	30	65 3/8	4	-	-	BK123066	839	923	17.6	125

D: Number of shelves

* Back tiles to be ordered separately.

SPECIFY

Code

H1 / H15

Base

TZ- - -


Code: Consult the product code above.
H1 / H15: Specify the code identifying the height (H1= Height for a station in 1", H15= Height for a station in 1 1/2").
Base: Refer to the different types of finishes, [see p.IG03](#).

Bookcase 54" high

3 adjustable shelves. Extra adjustable shelves can be ordered separately, [see p.E108](#).

Back is recessed by 5/8", allowing the addition of a back tile (except for 12" deep bookcases) to be ordered separately, [p.L02 to L34](#).

* For the 12" and 15" deep bookcases, it is recommended to fix them to the wall.



Dimensions					Code	L1	Spec.	
A	B	C	D	Back tiles*		T.F.L.	Cu.Ft.	lb
54" HIGH								
24	36	53 3/8	3	0860X1290	BK243654	950	30.5	209
24	30	53 3/8	3	0708X1290	BK243054	862	25.7	185
21	36	53 3/8	3	0860X1290	BK213654	901	26.9	187
21	30	53 3/8	3	0708X1290	BK213054	825	22.7	165
18	36	53 3/8	3	0860X1290	BK183654	851	23.4	167
18	30	53 3/8	3	0708X1290	BK183054	776	19.7	147
15	36	53 3/8	3	0860X1290	BK153654	802	19.8	145
15	30	53 3/8	3	0708X1290	BK153054	727	16.6	128
12	36	53 3/8	3	-	BK123654	754	16.2	125
12	30	53 3/8	3	-	BK123054	678	13.6	110

D: Number of shelves

* Back tiles to be ordered separately.

SPECIFY

Code

Base

TZ-

-

L1

-

Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Bookcase 41" and 29" high


2 adjustable shelves on the 41" high bookcase, 1 adjustable shelf on the 29" high bookcases.

FENIX option on top only.

Extra adjustable shelves can be ordered separately, [see p.E108](#).

Back is recessed by 5/8", allowing the addition of a back tile (except for 12" deep bookcases) to be ordered separately, [p.L02 to L34](#).

* For the 1 1/2" surfaces (**S15**), add 1/2" to the height (**C**).



Dimensions				Back tiles*		Code	L1	S1	S15	Spec.		
A	B	C	D			T.F.L.	T.F.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
41" HIGH												
24	36	41 ½	2	0860X0987	BK243641	818	1133	1923	1223	24.6	187	196
24	30	41 ½	2	0708X0987	BK243041	734	1035	1781	1131	20.7	154	163
21	36	41 ½	2	0860X0987	BK213641	771	1105	1842	1170	21.7	167	176
21	30	41 ½	2	0708X0987	BK213041	698	993	1684	1091	18.3	139	145
18	36	41 ½	2	0860X0987	BK183641	743	1034	1669	1099	18.3	134	143
18	30	41 ½	2	0708X0987	BK183041	671	930	1525	1019	15.4	117	125
15	36	41 ½	2	0860X0987	BK153641	714	963	1490	1028	15.5	117	125
15	30	41 ½	2	0708X0987	BK153041	642	868	1367	948	13.0	103	110
12	36	41 ½	2	-	BK123641	685	892	1316	956	13.2	101	108
12	30	41 ½	2	-	BK123041	612	805	1208	876	11.2	90	95
29" HIGH												
24	36	28 ⅞	1	0860X0667	BK243629	650	937	1726	982	17.7	134	143
24	30	28 ⅞	1	0708X0667	BK243029	571	848	1593	899	14.9	112	119
21	36	28 ⅞	1	0860X0667	BK213629	540	813	1549	872	15.7	121	130
21	30	28 ⅞	1	0708X0667	BK213029	531	801	1492	859	13.2	101	108
18	36	28 ⅞	1	0860X0667	BK183629	514	751	1385	805	12.9	99	110
18	30	28 ⅞	1	0708X0667	BK183029	506	743	1337	795	10.9	88	97
15	36	28 ⅞	1	0860X0667	BK153629	490	693	1221	743	11.0	88	97
15	30	28 ⅞	1	0708X0667	BK153029	482	684	1182	732	9.2	77	84
12	36	28 ⅞	1	-	BK123629	467	636	1061	679	9.9	84	90
12	30	28 ⅞	1	-	BK123029	458	626	1029	668	6.1	73	79

D: Number of shelves

* Back tiles to be ordered separately.

SPECIFY

Code

L1/S1/S15

Surface

Edge

Base

TZ- - - / -


Code: Consult the product code above.
L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 1/2").
Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#)

Extra adjustable shelves for storage units with 1 door


Extra adjustable shelf for storage units with 1 door.

Shelf is 1" thick.

Shelf supports included.



Dimensions			Code	L1	Spec.	
A	B				T.F.L.	Cu.Ft. lb
21 1/16	22 1/2	for 24x24 storage unit	SHEA2222	122	0.8	18
18 1/16	22 1/2	for 21x24 storage unit	SHEA1922	106	0.7	15
21 1/16	16 1/2	for 24x18 storage unit	SHEA2216	100	0.6	13
18 1/16	16 1/2	for 21x18 storage unit	SHEA1916	87	0.5	11
21 1/16	10 1/2	for 24x12 storage unit	SHEA2210	78	0.4	9
18 1/16	10 1/2	for 21x12 storage unit	SHEA1910	70	0.4	9



SPECIFY


Code Base
 TZ- - L1 -

Code: Consult the product code above.


Base: Refer to the different types of finishes, [see p.IG03](#).

Extra adjustable shelf for storage units with 2 doors and with open section

Extra adjustable shelf for storage units with 2 doors and with open section.
Shelf is 1" thick.
Shelf supports included.



Dimensions			Code	L1		Spec.	
A	B			T.F.L.	Cu.Ft.	lb	
21 1⁄16	34 1⁄2	for 24x36 storage unit	SHEB2234	159	1.3	23	
18 1⁄16	34 1⁄2	for 21x36 storage unit	SHEB1934	147	1.3	21	
15 1⁄16	34 1⁄2	for 18x36 storage unit	SHEB1634	136	1.3	18	
21 1⁄16	28 1⁄2	for 24x30 storage unit	SHEB2228	143	1.0	20	
18 1⁄16	28 1⁄2	for 21x30 storage unit	SHEB1928	135	0.9	18	
15 1⁄16	28 1⁄2	for 18x30 storage unit	SHEB1628	127	0.9	16	



SPECIFY

Code

Base

TZ-

-

L1-


-

Code: Consult the product code above.


Base: Refer to the different types of finishes, see p.IG03.

Extra adjustable shelf for combined wardrobe storage units with 2 doors

Extra adjustable shelf for combinard wardrobe storage units with 2 doors..
Shelf is 1" thick.
Shelf supports included.



Dimensions			Code	L1	Spec.	
A	B			T.F.L.	Cu.Ft.	lb
21 ¹⁵ / ₁₆	16 ⁷ / ₈	for 24x36 storage unit	SHEC2217	102	0.6	13
19	16 ⁷ / ₈	for 21x36 storage unit	SHEC1917	91	0.6	12
21 ¹⁵ / ₁₆	13 ⁷ / ₈	for 24x30 storage unit	SHEC2214	93	0.5	12
19	13 ⁷ / ₈	for 21x30 storage unit	SHEC1914	85	0.5	11



SPECIFY

Code

Base

TZ-

-

L1-


-

Code: Consult the product code above.


Base: Refer to the different types of finishes, see p.IG03.

Extra adjustable shelf for combined wardrobe storage units

Extra adjustable shelf for combinard wardrobe storage units.
Shelf is 1" thick.
Shelf supports included.



Dimensions			Code	L1		Spec.	
A	B			T.F.L.	Cu.Ft.	lb	
21 15⁄16	14	for 24x24 storage unit	SHED2214	83	0.5	12	
19	14	for 21x24 storage unit	SHED1914	80	0.5	11	



SPECIFY

Code Base

TZ- - L1 -

Code: Consult the product code above.
Base: Refer to the different types of finishes, see p.IG03.




Extra adjustable shelf for bookcases


Extra adjustable shelf for bookcases.

Shelf is 1" thick.

Shelf supports included.



Dimensions			Code	L1	Spec.	
A	B				T.F.L.	Cu.Ft. lb
23 1⁄6	33 7⁄8	for 24x36 storage unit	SHEBK2334	170	1.3	24
23 1⁄6	27 7⁄8	for 24x30 storage unit	SHEBK2328	144	1.1	20
20 1⁄6	33 7⁄8	for 21x36 storage unit	SHEBK2034	150	1.1	22
20 1⁄6	27 7⁄8	for 21x30 storage unit	SHEBK2028	124	0.9	18
17 1⁄6	33 7⁄8	for 18x36 storage unit	SHEBK1734	128	1.0	18
17 1⁄6	27 7⁄8	for 18x30 storage unit	SHEBK1728	109	0.8	15
14 1⁄6	33 7⁄8	for 15x36 storage unit	SHEBK1434	110	0.8	15
14 1⁄6	27 7⁄8	for 15x30 storage unit	SHEBK1428	99	0.7	13
11 1⁄6	33 7⁄8	for 12x36 storage unit	SHEBK1134	93	0.7	13
11 1⁄6	27 7⁄8	for 12x30 storage unit	SHEBK1128	88	0.6	11



SPECIFY

Code

Base

TZ-

-

L1

-

Code:

Consult the product code above.

Base:

Refer to the different types of finishes, see p.IG03.





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Pedestals



Pedestals

Drawer for surface-mounted table	F02
Suspended pedestal	F03
Freestanding pedestal	F04
Support pedestal	F06
Mobile pedestal	F08
Cushion for mobile pedestal	F11
Pedestal for floating modular surface	F13



A

B

C

D

E

F

G

H

I

J

K

L

M

N

O

Drawer for surface-mounted table

Drawer positioned between the surface-mounted table and the "support" surface.

FENIX option on front only.


Installs on the surface of a credenza.

Pencil tray included.


Round hole included in the back, allowing access to wires.

Installation hardware included.

Available without lock, or with Noki or key lock.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
17 ¾	15 ⅝	5	T.D181605	344	494	1.4	11



SPECIFY

Code

Base

Front

Lock

TZ-

-

L

-

/

-

Code:

Consult the product code above.

Base:

Front:

Refer to the different types of finishes, see p.IG03.


Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.


For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

UF suspended pedestal

UF suspended pedestal.
FENIX option on fronts only.
Pencil tray included in the 6" drawer.
Available without lock, or with Noki or key lock (will lock both drawers).
Lateral filing bars (AC-BL12) sold separately, refer to the Accessories price list.



Dimensions			Code	Price		Spec.
A	B	C		T.F.L.	FENIX	Cu.Ft. lb
17 3/4	15 5/8	18	SPUF181618	610	972	4.3 40



SPECIFY

OPTION

Code

Base

Front

Lock

Pull

TZ-

-

L

-

/

-

-

Code:

Consult the product code above.

Base / Front:

Refer to the different types of finishes, see p.IG03.

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

Pull options, specify type, add \$25 per drawer, see p.IG06.

Freestanding UUF pedestal without top


Freestanding **UUF** pedestal without top.

FENIX option on fronts only.


Pencil tray included in the 6" top drawer.

Available without lock, or with Noki or key lock (will lock all drawers).

Lateral filing bars (**AC-BL12**) sold separately, refer to the Accessories price list.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
17 ¾	15 ⅝	27 ⅞	FPUUF181628	877	1445	6.6	66



SPECIFY

OPTION

Code

Base

Front

Lock

Pull

TZ- - L - / - -

Code:

Base / Front:

Lock:

Pull:

Consult the product code above.


Refer to the different types of finishes, see p.IG03.

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Freestanding FF pedestal without top

Freestanding **FF** pedestal without top.
FENIX option on fronts only.
Available without lock, or with Noki or key lock (will lock both drawers).
Lateral filing bars (**AC-BL12**) sold separately, refer to the Accessories price list.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
17 3/4	15 5/8	27 7/8	FPFF181628	877	1428	6.6	64



SPECIFY

OPTION

Code

Base

Front

Lock

Pull

TZ- - L - / - -

Code:

Base / Front:

Lock:

Pull:


Consult the product code above.

Refer to the different types of finishes, see p.IG03.


No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pull options, specify type, add \$25 per drawer, see p.IG06.

Lateral filing bars (**AC-BL12** for 15 5/8" pedestals for 12" pedestals) sold separately, refer to the Accessories price list.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
15 5/8" WIDE							
30	15 5/8	27 7/8	FSPUUF301628	913	1483	9.2	75
24	15 5/8	27 7/8	FSPUUF241628	893	1463	7.4	68
21	15 5/8	27 7/8	FSPUUF211628	884	1452	6.6	64
18	15 5/8	27 7/8	FSPUUF181628	873	1442	5.7	62
12" WIDE							
30	12	27 7/8	FSPUUF301228	859	1370	7.3	66
24	12	27 7/8	FSPUUF241228	839	1349	5.9	62
21	12	27 7/8	FSPUUF211228	828	1338	5.2	55
18	12	27 7/8	FSPUUF181228	820	1329	4.5	53




SPECIFY										OPTION	
Code			Base		Front		Lock		Pull		
TZ-			-	L	-		/		-		


Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Support FF pedestal with finished back, without top

Support **FF** pedestal with finished back, without top.
FENIX option on fronts only.
Must be used as a support, under a surface without end panel or modesty panel on that end.
Available without lock, or with Noki or key lock (will lock both drawers).
Front/rear filing bar (**AC-BL09**) included for 12" wide pedestals.
Lateral filing bars (**AC-BL12** for 15 5/8" pedestals for 12" pedestals) sold separately, refer to the Accessories price list.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
15 5/8" WIDE							
30	15 5/8	27 7/8	FSPFF301628	913	1466	9.2	75
24	15 5/8	27 7/8	FSPFF241628	893	1446	7.4	70
21	15 5/8	27 7/8	FSPFF211628	884	1436	6.6	64
18	15 5/8	27 7/8	FSPFF181628	873	1426	5.7	62
12" WIDE							
30	12	27 7/8	FSPFF301228	859	1352	7.3	66
24	12	27 7/8	FSPFF241228	839	1333	5.9	62
21	12	27 7/8	FSPFF211228	828	1321	5.2	57
18	12	27 7/8	FSPFF181228	820	1312	4.5	53



SPECIFY

OPTION

Code

Base

Front

Lock

Pull

TZ-

-

L

-

/

-

-

Code:

 Consult the product code above.

Base / Front:

 Refer to the different types of finishes, see p.IG03.

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pull options, specify type, add \$25 per drawer, see p.IG06.

Mobile UUF pedestal.


FENIX option on fronts only.

Equipped with a 5th caster for stability.


Pencil tray included in the 6" top drawer.

Available without lock, or with Noki or key lock (will lock all drawers).

Lateral filing bars (**AC-BL12**) sold separately, refer to the Accessories price list.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
18	15 5/8	27 3/8	MPUUF181627	877	1445	6.5	62



SPECIFY

Code Base Front Lock Pull

TZ- - L - / - -

OPTION

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Mobile FF pedestal.


FENIX option on fronts only.

Equipped with a 5th caster for stability.


Available without lock, or with Noki or key lock (will lock both drawers).

Lateral filing bars (AC-BL12) sold separately, refer to the Accessories price list.

In order to meet BIFMA safety standards, a counter-weight preventing storage tipping (when overloaded), can be factory installed.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
18	15 5⁄8	27 3⁄8	MPFF181627	877	1428	6.5	62



SPECIFY

OPTIONS

Code

Base

Front

Lock

Pull

C-Weight

TZ-

-

L

-

/

-

-

-

-

Code:

 Consult the product code above.

Base / Front:

 Refer to the different types of finishes, [see p.IG03](#).

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:

 Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Counter-weight:

 For the counter-weight option, add (CW), add \$134.


FENIX option on fronts only.

Equipped with a 5th caster for stability.


Pencil tray included in the 6" drawer.

Available without lock, or with Noki or key lock (will lock all drawers).

Lateral filing bars (**AC-BL12**) sold separately, refer to the Accessories price list.



Dimensions			Code	Price		Spec.
A	B	C		T.F.L.	FENIX	Cu.Ft. lb
18	15 5/8	21 3/8	MPUF181621	713	1087	5.1 55



SPECIFY										OPTION	
Code			Base		Front		Lock		Pull		
TZ-		-	L	-		/		-		-	

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.


Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

Fabric cushion for mobile pedestal

Fabric cushion for mobile pedestal.
Installs with Velcro® strips.



Specifications							
Code	Dimensions			Weight/Volume		Fabric COM	
	A	B	Thickness	Cu.Ft.	lb	yd	m
CUST1816	18	15 5⁄8	1½	0.9	6	0.65	0.6

Price														
Code	Gr.A	Gr.1	COM/ Gr.2	Gr.3	Gr.4	Gr.5	Gr.6	Gr.7	Gr.8	Gr.9	Gr.10	Gr.11	Gr.12	Leather
CUST1816	252	271	287	305	328	349	372	394	416	439	461	506	553	515

SPECIFY

Code

Fabric

AC-


-

Code: Consult the product code above.

Fabric: Specify fabric for the cushion, refer to current Artopex seating fabric card.

Felt cushion for mobile pedestal

Felt cushion for mobile pedestal.
Installs with Velcro® strips.



Dimensions			Code	Price	Spec.	
A	B	Thickness			Cu.Ft.	lb
18	15 5/8	3/8	CUSF1816	70	0.1	1

SPECIFY

Code

Felt

AC-


-

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04.

Open pedestal with finished back for floating modular surface.

Open pedestal with finished back for floating modular surface.
1 adjustable shelf.
3⁄8" high laminate spacer included.



Dimensions				Code	Price	Spec.	
A	B	C	D			Cu.Ft.	lb
15 5⁄8" WIDE							
30	15 5⁄8	27 1⁄2	1	PFTO301627	557	9.1	73
24	15 5⁄8	27 1⁄2	1	PFTO241627	524	7.3	59
21	15 5⁄8	27 1⁄2	1	PFTO211627	503	6.5	55
18	15 5⁄8	27 1⁄2	1	PFTO181627	481	5.6	48
12" WIDE							
30	12	27 1⁄2	1	PFTO301227	524	7.2	62
24	12	27 1⁄2	1	PFTO241227	492	5.8	53
21	12	27 1⁄2	1	PFTO211227	471	5.2	46
18	12	27 1⁄2	1	PFTO181227	449	4.5	42

D: Number of shelves.

SPECIFY

Code

Base

TZ-

-

L-

-

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.

UUF pedestal with finished back for floating modular surface

UUF pedestal with finished back for floating modular surface.

FENIX option on fronts only.


3/8" high laminate spacer included.

Pencil tray included in the 6" top drawer.


Available without lock, or with Noki or key lock (will lock the bottom 2 drawers).

Front/rear filing bar (AC-BL09) included for 12" wide pedestals.

Lateral filing bars (AC-BL12 for 15 5/8" pedestals for 12" pedestals) sold separately, refer to the Accessories price list.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
15 5/8" WIDE							
30	15 5/8	27 1/2	PFTUUF301627	913	1483	9.1	79
24	15 5/8	27 1/2	PFTUUF241627	893	1463	7.3	73
21	15 5/8	27 1/2	PFTUUF211627	884	1452	6.5	66
18	15 5/8	27 1/2	PFTUUF181627	873	1442	5.6	62
12" WIDE							
30	12	27 1/2	PFTUUF301227	859	1370	7.2	70
24	12	27 1/2	PFTUUF241227	839	1349	5.8	62
21	12	27 1/2	PFTUUF211227	828	1338	5.2	57
18	12	27 1/2	PFTUUF181227	820	1329	4.5	53



SPECIFY					OPTION	
Code	Base	Front	Lock	Pull		
TZ-	- L -	/	-	-		

Code: Consult the product code above.


Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


Pull: Pull options, specify type, add \$25 per drawer, [see p.IG06](#).

FF pedestal with finished back for floating modular surface

FF pedestal with finished back for floating modular surface.
FENIX option on fronts only.
3⁄8" high laminate spacer included.
Available without lock, or with Noki or key lock (will lock both drawers).
Front/rear filing bar (AC-BL09) included for 12" wide pedestals.
Lateral filing bars (AC-BL12 for 15 5⁄8" pedestals for 12" pedestals) sold separately, refer to the Accessories price list.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
15 5⁄8" WIDE							
30	15 5⁄8	27 1⁄2	PFTFF301627	913	1466	9.1	79
24	15 5⁄8	27 1⁄2	PFTFF241627	893	1446	7.3	73
21	15 5⁄8	27 1⁄2	PFTFF211627	884	1436	6.5	66
18	15 5⁄8	27 1⁄2	PFTFF181627	873	1426	5.6	64
12" WIDE							
30	12	27 1⁄2	PFTFF301227	859	1352	7.2	70
24	12	27 1⁄2	PFTFF241227	839	1333	5.8	64
21	12	27 1⁄2	PFTFF211227	828	1321	5.2	57
18	12	27 1⁄2	PFTFF181227	820	1312	4.5	55



SPECIFY

OPTIONS

Code

Base

Front

Lock

Pull

C-Weight

TZ-

-

L-

/

-

-

-

-

Code:

 Consult the product code above.

Base / Front:

 Refer to the different types of finishes, see p.IG03.

Lock:

 No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pull:


 Pull options, specify type, add \$25 per drawer, see p.IG06.

Counter-weight:

 For the counter-weight option, add (CW), add \$134.

Laminate spacer for floating surface

3⁄8" high laminate spacer for floating surface.
Installed on a 27 1⁄2" high pedestal.
Black edge.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
20	5	3⁄8	SPFT2005	41	0.2	4
14	5	3⁄8	SPFT1405	40	0.1	4

SPECIFY

Code

TZ-

-

N

Code:

Consult the product code above.





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Personal storage



Personal storage

Mobile storage	G02
Felt tile for mobile	G03
Personal mobile storage	G04
Cushions for mobile storage	G07
Tool box	G09
Suspended metal personal storage	G10



A

B

C

D

E

F

G

H

I

J

K

L

M

N

O

Mobile storage with openings and hinged doors at the bottom

Open top section with adjustable bottom shelf.


FENIX option on fronts only.

Open middle section with lateral access.


2 hinged doors at the bottom.

Includes 4 lockings casters.

Available without lock, or with Noki or key lock.




Dimensions			Code	Price		Spec.
A	B	C		T.F.L.	FENIX	Cu.Ft. Lb
15	24	40 1/2	MSOOD0152440	1060	1632	10.3 77



Base 1

Base 2

Fronts



Lock

SPECIFY

Code	Base 1	Base 2	Front	Lock
TZ-	-	-	-	-

Code: Consult the product code above.


Base 1 & 2 / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.


For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Felt tile for mobile storage with openings and hinged doors at the bottom

Felt tile for mobile storage with openings and hinged doors at the bottom.
3⁄8" thick.
Metal finishing rail on the top section.



Dimensions			Code	Price	Spec	
A	B				Cu.Ft.	lb
22 ½	36 ½	For back	TMSOODDF2137	137	0.9	3
22 ½	10	For front section	TMSOODDF2210	89	0.1	1



Back

Front

SPECIFY

Code

Felt

Metal

TZ-

-

-

Code:

Consult the product code above.

Felt:

Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#).

Metal:

Specify the metal finish, [see p.IG05](#). (34 colors).


Mobile personal storage

Top section includes a removable felt bottom.

Bottom section provides access for lateral storage.

Includes 2 locking and 2 non-locking casters.

Pencil tray not included.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
19 7⁄8	12	21 1⁄8	PSMOTOS201221	528	3.4	26

SPECIFY

Code

Base

Felt

TZ-

-

L

-

-

Code:

 Consult the product code above.

Base:


 Refer to the different types of finishes, [see p.IG03](#).

Felt:

 Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#).

Mobile personal storage

Top section includes a removable felt bottom.
Single door with hinges on left or right.
Includes 2 locking and 2 non-locking casters.
Multi user NOKI lock included (LU option).



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
LEFT						
19⅞	12	21⅞	PSMOTDL201221	650	3.4	30
RIGHT						
19⅞	12	21⅞	PSMOTDR201221	650	3.4	30

SPECIFY

Code

Base

Front

Felt

TZ-

-

L

-

/

-

LU

-

Code:

 Consult the product code above.

Base / Front:


 Refer to the different types of finishes, see p.IG03.

Felt:

 Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04.

Mobile personal storage

Single door with hinges on left or right.
Includes 2 locking and 2 non-locking casters.
Multi user NOKI lock included (**LU** option).



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
LEFT						
197⁄8	12	211⁄8	PSMDL201221	614	3.4	29
RIGHT						
197⁄8	12	211⁄8	PSMDR201221	614	3.4	29

SPECIFY

Code

Base

Front

TZ-

-

L-

/

-

LU

Code:


 Consult the product code above.

Base / Front:

 Refer to the different types of finishes, see p.IG03.

Fabric cushion for mobile personal storage

Fabric cushion for mobile personal storage.
Installs with Velcro® strips.



Specifications							
Code	Dimensions			Weight/Volume		COM Fabric	
	A	B	Thickness	Cu.Ft.	lb	yd	m
PSCUST2012	19 7⁄8	12	1½	0.7	4	0.65	0.6

Price														
Code	Gr.A	Gr.1	COM/ Gr.2	Gr.3	Gr.4	Gr.5	Gr.6	Gr.7	Gr.8	Gr.9	Gr.10	Gr.11	Gr.12	Leather
PSCUST2012	201	214	230	244	261	279	297	314	332	350	369	404	439	409

SPECIFY

Code

Fabric

AC-


-

Code: Consult the product code above.

Fabric: Specify fabric for the cushion, refer to current Artopex seating fabric card.

Felt cushion for mobile personal storage

Felt cushion for mobile personal storage.
Install with Velcro® strips.



Dimensions			Code	Price	Spec.	
A	B	Thickness			Cu.Ft.	lb
19 7/8	12	3/8	PSCUSF2012	66	0.1	2

SPECIFY

Cod

Felt

AC-


-

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04.

Metal tool box.

Metal tool box.
Includes a felt bottom.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
10 ¾	6	6	PSTBOX	253	4.4	22

SPECIFY

Code

Metal

Felt

AC-

-

-

Code:

Consult the product code above.

Metal:


Specify the metal finish, [see p.IG05. \(34 colors\).](#)

Felt:

Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04.](#)

Suspended metal personal storage

Bracket included allows 3" clearance for installation under an adjustable table.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
10	19 ⁷ / ₈	18	PSMS	452	4.4	22

SPECIFY

Code

Metal

AC-

-

Code: Consult the product code above.

Metal: Specify the metal finish, [see p.IG05. \(34 colors\).](#)

Hutches & Top storage



Hutches & Top storage

- Hutches with laminate legs

Hutches with metal legs

Wall mounted hutches

Bookcase hutches
- H02

H16

H29

H37





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Open hutch with laminate support legs


Open hutch with laminate support legs.

Hutches 54" and longer have a central divider.

Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

A horizontal pigeonhole unit can be ordered separately, [see p.H15](#).



Dimensions					Code	L1	Spec.	
A	B	C	D	Back tile*		T.F.L.	Cu.Ft.	lb
43" HIGH								
13 $\frac{5}{16}$	84	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2080X1053	HLO148443	1292	35.8	198
13 $\frac{5}{16}$	78	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1927X1053	HLO147843	1155	33.3	185
13 $\frac{5}{16}$	72	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1775X1053	HLO147243	1057	30.8	165
13 $\frac{5}{16}$	66	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1622X1053	HLO146643	999	28.3	156
13 $\frac{5}{16}$	60	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1470X1053	HLO146043	935	25.8	145
13 $\frac{5}{16}$	54	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1318X1053	HLO145443	851	23.3	139
13 $\frac{5}{16}$	48	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1165X1053	HLO144843	766	20.8	125
13 $\frac{5}{16}$	42	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1013X1053	HLO144243	712	18.3	114
13 $\frac{5}{16}$	36	42 $\frac{1}{2}$	25 $\frac{7}{8}$	0860X1053	HLO143643	647	15.8	106
13 $\frac{5}{16}$	30	42 $\frac{1}{2}$	25 $\frac{7}{8}$	0708X1053	HLO143043	585	13.3	95
13 $\frac{5}{16}$	24	42 $\frac{1}{2}$	25 $\frac{7}{8}$	0555X1053	HLO142443	526	10.8	84

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code Base Grommet
 TZ - - L1 - -


OPTION

Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Grommet: Optional horizontal grommet (PH).

Open hutch with laminate support legs



Dimensions					Code	L1	Spec.	
A	B	C	D	Back tile*		T.F.L.	Cu.Ft.	lb
37" HIGH								
13 5/16	84	36 1/2	19 7/8	2080X0900	HLO148437	1143	29.8	174
13 5/16	78	36 1/2	19 7/8	1927X0900	HLO147837	1072	27.7	161
13 5/16	72	36 1/2	19 7/8	1775X0900	HLO147237	977	25.6	143
13 5/16	66	36 1/2	19 7/8	1622X0900	HLO146637	924	23.6	132
13 5/16	60	36 1/2	19 7/8	1470X0900	HLO146037	867	21.5	123
13 5/16	54	36 1/2	19 7/8	1318X0900	HLO145437	786	19.9	114
13 5/16	48	36 1/2	19 7/8	1165X0900	HLO144837	708	17.3	103
13 5/16	42	36 1/2	19 7/8	1013X0900	HLO144237	652	15.2	95
13 5/16	36	36 1/2	19 7/8	0860X0900	HLO143637	589	13.2	84
13 5/16	30	36 1/2	19 7/8	0708X0900	HLO143037	536	11.1	75
13 5/16	24	36 1/2	19 7/8	0555X0900	HLO142437	479	9.0	66

*Back tiles to be ordered separately.

ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code

Base

Grommet

TZ- - L1 - -

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors and laminate support legs

Hutch with hinged doors and laminate support legs.


FENIX option on fronts only.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

A horizontal pigeonhole unit can be ordered separately, [see p.H15](#).

Available without locks, or with Noki or key locks.



ATTENTION:


Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Dimensions							Code	L1	Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft. lb
43" HIGH										
14 $\frac{7}{16}$	84	42 $\frac{1}{2}$	25 $\frac{7}{8}$	5	3	2080X1053	HLD148443	1675	3309	35.8 224
14 $\frac{7}{16}$	78	42 $\frac{1}{2}$	25 $\frac{7}{8}$	5	3	1927X1053	HLD147843	1545	3054	33.3 209
14 $\frac{7}{16}$	72	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	2	1775X1053	HLD147243	1216	2403	30.8 198
14 $\frac{7}{16}$	66	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	2	1622X1053	HLD146643	1155	2281	28.3 185
14 $\frac{7}{16}$	60	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	2	1470X1053	HLD146043	1090	2154	25.8 172
14 $\frac{7}{16}$	54	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	2	1318X1053	HLD145443	1007	1989	23.3 158
14 $\frac{7}{16}$	48	42 $\frac{1}{2}$	25 $\frac{7}{8}$	3	2	1165X1053	HLD144843	921	1745	20.8 145
14 $\frac{7}{16}$	42	42 $\frac{1}{2}$	25 $\frac{7}{8}$	3	2	1013X1053	HLD144243	889	1686	18.3 134
14 $\frac{7}{16}$	36	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	1	0860X1053	HLD143643	846	1536	15.8 121
14 $\frac{7}{16}$	30	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	1	0708X1053	HLD143043	728	1323	13.3 108
14 $\frac{7}{16}$	24	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	1	0555X1053	HLD142443	607	1101	10.8 95

E: Number of doors.

F: Number of locks.

*Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Grommet

TZ- - L1 - / - -

OPTION

Code: Consult the product code above.


Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Optional horizontal grommet (PH).


Hutch with hinged doors and laminate support legs



ATTENTION:
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Dimensions							Code	L1	Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft. lb
37" HIGH										
14 7/16	84	36 1/2	19 7/8	5	3	2080X0900	HLD148437	1535	3138	29.0 185
14 7/16	78	36 1/2	19 7/8	5	3	1927X0900	HLD147837	1468	3002	26.9 174
14 7/16	72	36 1/2	19 7/8	4	2	1775X0900	HLD147237	1142	2336	24.7 161
14 7/16	66	36 1/2	19 7/8	4	2	1622X0900	HLD146637	1084	2217	22.5 150
14 7/16	60	36 1/2	19 7/8	4	2	1470X0900	HLD146037	1023	2093	20.3 136
14 7/16	54	36 1/2	19 7/8	4	2	1318X0900	HLD145437	943	1929	18.1 125
14 7/16	48	36 1/2	19 7/8	3	2	1165X0900	HLD144837	862	1677	16.0 112
14 7/16	42	36 1/2	19 7/8	3	2	1013X0900	HLD144237	834	1622	13.8 101
14 7/16	36	36 1/2	19 7/8	2	1	0860X0900	HLD143637	792	1462	11.6 88
14 7/16	30	36 1/2	19 7/8	2	1	0708X0900	HLD143037	677	1249	9.4 77
14 7/16	24	36 1/2	19 7/8	2	1	0555X0900	HLD142437	561	1037	9.4 77

E: Number of doors.
F: Number of locks.
*Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Grommet

TZ- - L1 - / - -

OPTION

Grommet

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors with laminate support legs ("contemporary" aluminum frame - frosted acrylic interior panel)


Hutch with hinged doors with laminate support legs ("contemporary" aluminum frame - frosted acrylic interior panel).

Back is recessed by 5/8", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

A horizontal pigeonhole unit can be ordered separately, [see p.H15](#).

No lock.



Dimensions					Code	L1	Spec.	
A	B	C	D	E	Back tile*	T.F.L.	Cu.Ft.	lb
43" HIGH								
14 7/16	84	42 1/2	25 7/8	5	2080X1053	HLDCA148443	3387	224
14 7/16	78	42 1/2	25 7/8	5	1927X1053	HLDCA147843	3259	209
14 7/16	72	42 1/2	25 7/8	4	1775X1053	HLDCA147243	2587	198
14 7/16	66	42 1/2	25 7/8	4	1622X1053	HLDCA146643	2526	185
14 7/16	60	42 1/2	25 7/8	4	1470X1053	HLDCA146043	2459	172
14 7/16	54	42 1/2	25 7/8	4	1318X1053	HLDCA145443	2375	158
14 7/16	48	42 1/2	25 7/8	3	1165X1053	HLDCA144843	1947	145
14 7/16	42	42 1/2	25 7/8	3	1013X1053	HLDCA144243	1918	134
14 7/16	36	42 1/2	25 7/8	2	0860X1053	HLDCA143643	1532	121
14 7/16	30	42 1/2	25 7/8	2	0708X1053	HLDCA143043	1410	108
14 7/16	24	42 1/2	25 7/8	2	0555X1053	HLDCA142443	1292	95

E: Number of doors.

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code Base Grommet

TZ - - L1 - / Gi - 4000 -


OPTION

Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors with laminate support legs
("contemporary" aluminum frame - frosted acrylic interior panel)



Dimensions					Code	L1	Spec.		
A	B	C	D	E	Back tile*	T.F.L.	Cu.Ft.	lb	
37" HIGH									
14 7/16	84	36 1/2	19 7/8	5	2080X0900	HLDCA148437	3245	29.0	185
14 7/16	78	36 1/2	19 7/8	5	1927X0900	HLDCA147837	3179	26.9	174
14 7/16	72	36 1/2	19 7/8	4	1775X0900	HLDCA147237	2512	24.7	161
14 7/16	66	36 1/2	19 7/8	4	1622X0900	HLDCA146637	2452	22.5	150
14 7/16	60	36 1/2	19 7/8	4	1470X0900	HLDCA146037	2394	20.3	136
14 7/16	54	36 1/2	19 7/8	4	1318X0900	HLDCA145437	2313	18.1	125
14 7/16	48	36 1/2	19 7/8	3	1165X0900	HLDCA144837	1889	16.0	112
14 7/16	42	36 1/2	19 7/8	3	1013X0900	HLDCA144237	1860	13.8	101
14 7/16	36	36 1/2	19 7/8	2	0860X0900	HLDCA143637	1477	11.6	88
14 7/16	30	36 1/2	19 7/8	2	0708X0900	HLDCA143037	1363	9.4	77
14 7/16	24	36 1/2	19 7/8	2	0555X0900	HLDCA142437	1246	9.4	77

E: Number of doors.
*Back tiles to be ordered separately.

ATTENTION:
Do not install this hutch on a panel-attached surface,
unless the surface is supported by floor supports.

SPECIFY

OPTION

Code

Base

Grommet

TZ

-

L1

-

/

Gi

-

4000

-

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors with laminate support legs ("contemporary" aluminum frame - opaque acrylic interior panel)


Hutch with hinged doors ("Contemporary" aluminum frame with opaque acrylic interior panel) and laminate support legs.

Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

A horizontal pigeonhole unit can be ordered separately, [see p.H15](#).

No lock.



Dimensions					Code	L1	Spec.		
A	B	C	D	E	Back tile*	T.F.L.	Cu.Ft.	lb	
43" HIGH									
14 $\frac{7}{16}$	84	42 $\frac{1}{2}$	25 $\frac{7}{8}$	5	2080X1053	HLDCO148443	3387	35.8	224
14 $\frac{7}{16}$	78	42 $\frac{1}{2}$	25 $\frac{7}{8}$	5	1927X1053	HLDCO147843	3259	33.3	209
14 $\frac{7}{16}$	72	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	1775X1053	HLDCO147243	2587	30.8	198
14 $\frac{7}{16}$	66	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	1622X1053	HLDCO146643	2526	28.3	185
14 $\frac{7}{16}$	60	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	1470X1053	HLDCO146043	2459	25.8	172
14 $\frac{7}{16}$	54	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	1318X1053	HLDCO145443	2375	23.3	158
14 $\frac{7}{16}$	48	42 $\frac{1}{2}$	25 $\frac{7}{8}$	3	1165X1053	HLDCO144843	1947	20.8	145
14 $\frac{7}{16}$	42	42 $\frac{1}{2}$	25 $\frac{7}{8}$	3	1013X1053	HLDCO144243	1918	18.3	134
14 $\frac{7}{16}$	36	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	0860X1053	HLDCO143643	1532	15.8	121
14 $\frac{7}{16}$	30	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	0708X1053	HLDCO143043	1410	13.3	108
14 $\frac{7}{16}$	24	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	0555X1053	HLDCO142443	1292	10.8	95

E: Number of doors.

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code Base Acrylic Grommet

TZ - - L1 - / - 4000 -

OPTION


Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Acrylic: Opaque acrylic finish : Charcoal (**A1**), White (**A2**), Grey (**A3**) ou Sand (**A4**).

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors with laminate support legs ("contemporary" aluminum frame - opaque acrylic interior panel)



Dimensions					Code	L1	Spec.	
A	B	C	D	E	Back tile*	T.F.L.	Cu.Ft.	lb
37" HIGH								
14 7/16	84	36 1/2	19 7/8	5	2080X0900	HLDCO148437	3245	185
14 7/16	78	36 1/2	19 7/8	5	1927X0900	HLDCO147837	3179	174
14 7/16	72	36 1/2	19 7/8	4	1775X0900	HLDCO147237	2512	161
14 7/16	66	36 1/2	19 7/8	4	1622X0900	HLDCO146637	2452	150
14 7/16	60	36 1/2	19 7/8	4	1470X0900	HLDCO146037	2394	136
14 7/16	54	36 1/2	19 7/8	4	1318X0900	HLDCO145437	2313	125
14 7/16	48	36 1/2	19 7/8	3	1165X0900	HLDCO144837	1889	112
14 7/16	42	36 1/2	19 7/8	3	1013X0900	HLDCO144237	1860	101
14 7/16	36	36 1/2	19 7/8	2	0860X0900	HLDCO143637	1477	88
14 7/16	30	36 1/2	19 7/8	2	0708X0900	HLDCO143037	1363	77
14 7/16	24	36 1/2	19 7/8	2	0555X0900	HLDCO142437	1246	77

E: Number of doors.

*Back tiles to be ordered separately.

ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code

TZ

-

L1

-

Base

/

Acrylic

-

4000

-

Grommet

OPTION

Grommet

Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Acrylic: Opaque acrylic finish : Charcoal (A1), White (A2), Grey (A3) ou Sand (A4).

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors and central opening with laminate support legs

Hutch with hinged doors and central opening with laminate support legs.


FENIX option on fronts only.

Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

A horizontal pigeonhole unit can be ordered separately, [see p.H15](#).

Available without locks, or with Noki or key locks.



ATTENTION:


Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Dimensions							Code	L1	Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft. lb
43" HIGH										
14 $\frac{7}{16}$	72	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	2	1775X1053	HLH147243	1094	1767	30.8 174
14 $\frac{7}{16}$	66	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	2	1622X1053	HLH146643	1033	1669	28.3 163
14 $\frac{7}{16}$	60	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	2	1470X1053	HLH146043	968	1594	25.8 152
14 $\frac{7}{16}$	54	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	2	1318X1053	HLH145443	888	1506	23.3 145
14 $\frac{7}{16}$	48	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	2	1165X1053	HLH144843	848	1454	20.8 132
14 $\frac{7}{16}$	42	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	2	1013X1053	HLH144243	818	1403	18.3 121
37" HIGH										
14 $\frac{7}{16}$	72	36 $\frac{1}{2}$	19 $\frac{7}{8}$	2	2	1775X0900	HLH147237	1021	1680	26.7 150
14 $\frac{7}{16}$	66	36 $\frac{1}{2}$	19 $\frac{7}{8}$	2	2	1622X0900	HLH146637	964	1586	24.6 139
14 $\frac{7}{16}$	60	36 $\frac{1}{2}$	19 $\frac{7}{8}$	2	2	1470X0900	HLH146037	906	1519	22.4 130
14 $\frac{7}{16}$	54	36 $\frac{1}{2}$	19 $\frac{7}{8}$	2	2	1318X0900	HLH145437	826	1427	20.2 123
14 $\frac{7}{16}$	48	36 $\frac{1}{2}$	19 $\frac{7}{8}$	2	2	1165X0900	HLH144837	791	1388	18.1 110
14 $\frac{7}{16}$	42	36 $\frac{1}{2}$	19 $\frac{7}{8}$	2	2	1013X0900	HLH144237	761	1337	15.9 101

E: Number of doors.

F: Number of locks.

*Back tiles to be ordered separately.



Locks

SPECIFY

Code Base Front Lock Grommet

TZ- - L1 - / - -

OPTION

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Optional horizontal grommet (PH).

Hutch with flipper door(s) with laminate support legs
(standard mechanism)

Hutch with flipper door(s) and laminate sides with the standard closing mechanism, and laminate support legs.


FENIX option on fronts only.

Back is recessed by 5/8", allowing the addition of a back tile, can be ordered separately, p.L02 to p.L34.

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

A horizontal pigeonhole unit can be ordered separately, see p.H15.

Available without locks, or with Noki or key locks.




Dimensions							Code	L1		Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft.	lb
43" HIGH											
14 7/16	72	42 1/2	25 7/8	2	2	1775X1058	HLFTD147243	1647	2678	30.8	198
14 7/16	66	42 1/2	25 7/8	2	2	1622X1058	HLFTD146643	1391	2262	28.3	185
14 7/16	60	42 1/2	25 7/8	2	2	1470X1058	HLFTD146043	1344	2186	25.8	172
14 7/16	54	42 1/2	25 7/8	2	2	1318X1058	HLFTD145443	1290	2096	23.3	158
14 7/16	48	42 1/2	25 7/8	2	2	1165X1058	HLFTD144843	1226	1993	20.8	145
14 7/16	42	42 1/2	25 7/8	1	1	1013X1058	HLFTD144243	1058	1720	18.3	134
14 7/16	36	42 1/2	25 7/8	1	1	0860X1058	HLFTD143643	1023	1664	15.8	121
14 7/16	30	42 1/2	25 7/8	1	1	0708X1058	HLFTD143043	889	1446	13.3	108
14 7/16	24	42 1/2	25 7/8	1	1	0555X1058	HLFTD142443	796	1295	10.8	95

E: Number of doors.

F: Number of locks.

*Back tiles to be ordered separately.



ATTENTION:
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code

Base

Front

Lock

TZ-

-

L1

-

/

-

-

OPTION

Grommet


Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Optional horizontal grommet (PH).

Hutch with flipper door(s) with laminate support legs (standard mechanism)



Dimensions							Code	L1		Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft.	lb
37" HIGH											
14 7/16	72	36 1/2	19 7/8	2	2	1775X0905	HLFTD147237	1575	2593	26.9	174
14 7/16	66	36 1/2	19 7/8	2	2	1622X0905	HLFTD146637	1324	2179	24.7	161
14 7/16	60	36 1/2	19 7/8	2	2	1470X0905	HLFTD146037	1278	2105	22.5	150
14 7/16	54	36 1/2	19 7/8	2	2	1318X0905	HLFTD145437	1227	2019	20.3	136
14 7/16	48	36 1/2	19 7/8	2	2	1165X0905	HLFTD144837	1170	1926	18.1	125
14 7/16	42	36 1/2	19 7/8	1	1	1013X0905	HLFTD144237	1002	1651	16.0	112
14 7/16	36	36 1/2	19 7/8	1	1	0860X0905	HLFTD143637	973	1602	13.8	101
14 7/16	30	36 1/2	19 7/8	1	1	0708X0905	HLFTD143037	842	1385	11.6	88
14 7/16	24	36 1/2	19 7/8	1	1	0555X0905	HLFTD142437	754	1241	9.4	77

E: Number of doors.


F: Number of locks.

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.



SPECIFY

Code Base Front Lock Grommet

TZ- - L1 - / - -

OPTION

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p. IG03](#).

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Optional horizontal grommet (PH).

Hutch with flipper door(s) with laminate support legs
("Easy-down" mechanism)

Hutch with flipper door(s) and laminate sides with the "easy-down" closing mechanism, and laminate support legs.


FENIX option on fronts only.

Back is recessed by 3/8", allowing the addition of a back tile, can be ordered separately, p.L02 to p.L34.

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

A horizontal pigeonhole unit can be ordered separately, see p.H15.

Available without locks, or with Noki or key locks.




Dimensions							Code	L1	Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft. lb
43" HIGH										
14 7/16	72	42 1/2	25 7/8	2	2	1775X1058	HLFDW147243	1781	2819	30.8 198
14 7/16	66	42 1/2	25 7/8	2	2	1622X1058	HLFDW146643	1525	2402	28.3 185
14 7/16	60	42 1/2	25 7/8	2	2	1470X1058	HLFDW146043	1478	2326	25.8 172
14 7/16	54	42 1/2	25 7/8	2	2	1318X1058	HLFDW145443	1424	2238	23.3 158
14 7/16	48	42 1/2	25 7/8	2	2	1165X1058	HLFDW144843	1361	2134	20.8 145
14 7/16	42	42 1/2	25 7/8	1	1	1013X1058	HLFDW144243	1125	1790	18.3 134
14 7/16	36	42 1/2	25 7/8	1	1	0860X1058	HLFDW143643	1091	1736	15.8 121
14 7/16	30	42 1/2	25 7/8	1	1	0708X1058	HLFDW143043	956	1516	13.3 108
14 7/16	24	42 1/2	25 7/8	1	1	0555X1058	HLFDW142443	864	1367	10.8 95

E: Number of doors.

F: Number of locks.

*Back tiles to be ordered separately.



ATTENTION:
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

OPTION

Code

Base

Front

Lock

Grommet

TZ-

-

L1

-

/

-

-



Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.


Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Optional horizontal grommet (PH).

Hutch with flipper door(s) with laminate support legs ("Easy-down" mechanism)



"Easy-down"



Flipper door

Dimensions							Code	L1		Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft.	lb
37" HIGH											
14 7/16	72	36 1/2	19 7/8	2	2	1775X0905	HLFDW147237	1710	2734	26.9	174
14 7/16	66	36 1/2	19 7/8	2	2	1622X0905	HLFDW146637	1457	2321	24.7	161
14 7/16	60	36 1/2	19 7/8	2	2	1470X0905	HLFDW146037	1412	2245	22.5	150
14 7/16	54	36 1/2	19 7/8	2	2	1318X0905	HLFDW145437	1362	2161	20.3	136
14 7/16	48	36 1/2	19 7/8	2	2	1165X0905	HLFDW144837	1303	2065	18.1	125
14 7/16	42	36 1/2	19 7/8	1	1	1013X0905	HLFDW144237	1069	1721	16.0	112
14 7/16	36	36 1/2	19 7/8	1	1	0860X0905	HLFDW143637	1039	1672	13.8	101
14 7/16	30	36 1/2	19 7/8	1	1	0708X0905	HLFDW143037	908	1456	11.6	88
14 7/16	24	36 1/2	19 7/8	1	1	0555X0905	HLFDW142437	821	1311	9.4	77

E: Number of doors.


F: Number of locks.

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.



Locks

SPECIFY

Code Base Front Lock Grommet

TZ - - L1 - / - -

OPTION

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p. IG03.


Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Grommet: Optional horizontal grommet (PH).

Horizontal pigeonhole unit

Can be installed on a credenza or suspended underneath a hutch.
Mounting hardware included (to be used when suspending under a hutch)
Select the appropriate tackboard, [see p.J02-J17](#).



Dimensions				Code	Price		Spec.	
A	B	C			T.F.L.		Cu.Ft.	lb
11 ¼	81 ⅞	5	for 84" hutch	PiH118205	834		4.0	37
11 ¼	75 ⅞	5	for 78" hutch	PiH117605	788		3.7	34
11 ¼	69 ⅞	5	for 72" hutch	PiH117005	743		3.5	32
11 ¼	63 ⅞	5	for 66" hutch	PiH116405	701		3.2	29
11 ¼	57 ⅞	5	for 60" hutch	PiH115805	660		2.9	27
11 ¼	51 ⅞	5	for 54" hutch	PiH115205	617		2.6	24
11 ¼	45 ⅞	5	for 48" hutch	PiH114605	576		2.3	22
11 ¼	39 ⅞	5	for 42" hutch	PiH114005	537		2.0	19
11 ¼	33 ⅞	5	for 36" hutch	PiH113405	493		1.7	16
11 ¼	27 ⅞	5	for 30" hutch	PiH112805	448		1.4	14
11 ¼	21 ⅞	5	for 24" hutch	PiH112205	404		1.1	11

ATTENTION:
Cannot be installed under a hutch with open metal support legs.

SPECIFY

Code

Base

TZ- - L -

Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Open hutch with open metal support legs


Open hutch with open metal support legs.

Hutches 54" and longer have a central divider.

Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

Cannot accomodate a horizontal pigeonhole unit.



Dimensions					Code	L1	Spec.	
A	B	C	D	Back tile*		T.F.L.	Cu.Ft.	lb
43" HIGH								
13 $\frac{5}{16}$	84	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2080X1053	HMO148443	1685	35.8	198
13 $\frac{5}{16}$	78	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1927X1053	HMO147843	1549	33.3	185
13 $\frac{5}{16}$	72	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1775X1053	HMO147243	1451	30.8	165
13 $\frac{5}{16}$	66	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1622X1053	HMO146643	1393	28.3	156
13 $\frac{5}{16}$	60	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1470X1053	HMO146043	1331	25.8	145
13 $\frac{5}{16}$	54	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1318X1053	HMO145443	1246	23.3	139
13 $\frac{5}{16}$	48	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1165X1053	HMO144843	1162	20.8	125
13 $\frac{5}{16}$	42	42 $\frac{1}{2}$	25 $\frac{7}{8}$	1013X1053	HMO144243	1106	18.3	114
13 $\frac{5}{16}$	36	42 $\frac{1}{2}$	25 $\frac{7}{8}$	0860X1053	HMO143643	1039	15.8	106
13 $\frac{5}{16}$	30	42 $\frac{1}{2}$	25 $\frac{7}{8}$	0708X1053	HMO143043	980	13.3	95
13 $\frac{5}{16}$	24	42 $\frac{1}{2}$	25 $\frac{7}{8}$	0555X1053	HMO142443	921	10.8	84

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code Base Metal Grommet
 TZ - - L1 - - -

OPTION


Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Optional horizontal grommet (PH).

Open hutch with open metal support legs



Dimensions					Code	L1	Spec.	
A	B	C	D	Back tile*		T.F.L.	Cu.Ft.	lb
37" HIGH								
13 5/16	84	36 1/2	19 7/8	2080X0900	HMO148437	1538	29.8	174
13 5/16	78	36 1/2	19 7/8	1927X0900	HMO147837	1467	27.7	161
13 5/16	72	36 1/2	19 7/8	1775X0900	HMO147237	1371	25.6	143
13 5/16	66	36 1/2	19 7/8	1622X0900	HMO146637	1318	23.6	132
13 5/16	60	36 1/2	19 7/8	1470X0900	HMO146037	1260	21.5	123
13 5/16	54	36 1/2	19 7/8	1318X0900	HMO145437	1180	19.9	114
13 5/16	48	36 1/2	19 7/8	1165X0900	HMO144837	1100	17.3	103
13 5/16	42	36 1/2	19 7/8	1013X0900	HMO144237	1046	15.2	95
13 5/16	36	36 1/2	19 7/8	0860X0900	HMO143637	985	13.2	84
13 5/16	30	42 1/2	25 7/8	0708X0900	HMO143037	930	11.1	75
13 5/16	24	42 1/2	25 7/8	0555X0900	HMO142437	872	9.0	66

*Back tiles to be ordered separately.

ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code

Base

Metal

Grommet

TZ- - L1 - - -

OPTION

Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors and open metal support legs


Back is recessed by $\frac{5}{8}$ ", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).

FENIX option on fronts only.

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

Cannot accommodate a horizontal pigeonhole unit.

Available without locks, or with Noki or key locks.



ATTENTION:


Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Dimensions							Code	L1		Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft.	lb
43" HIGH											
14 $\frac{7}{16}$	84	42 $\frac{1}{2}$	25 $\frac{7}{8}$	5	3	2080X1053	HMD148443	2069	3722	35.8	224
14 $\frac{7}{16}$	78	42 $\frac{1}{2}$	25 $\frac{7}{8}$	5	3	1927X1053	HMD147843	1941	3467	33.3	209
14 $\frac{7}{16}$	72	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	2	1775X1053	HMD147243	1609	2814	30.8	198
14 $\frac{7}{16}$	66	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	2	1622X1053	HMD146643	1549	2694	28.3	185
14 $\frac{7}{16}$	60	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	2	1470X1053	HMD146043	1482	2564	25.8	172
14 $\frac{7}{16}$	54	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	2	1318X1053	HMD145443	1400	2400	23.3	158
14 $\frac{7}{16}$	48	42 $\frac{1}{2}$	25 $\frac{7}{8}$	3	2	1165X1053	HMD144843	1314	2157	20.8	145
14 $\frac{7}{16}$	42	42 $\frac{1}{2}$	25 $\frac{7}{8}$	3	2	1013X1053	HMD144243	1282	2098	18.3	134
14 $\frac{7}{16}$	36	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	1	0860X1053	HMD143643	1240	1949	15.8	121
14 $\frac{7}{16}$	30	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	1	0708X1053	HMD143043	1120	1732	13.3	108
14 $\frac{7}{16}$	24	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	1	0555X1053	HMD142443	1001	1515	10.8	95

E: Number of doors.

F: Number of locks.

*Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Metal Grommet

TZ - - L1 - / - - -

OPTION

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).


Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Optional horizontal grommet (PH).


Hutch with hinged doors and open metal support legs



ATTENTION:
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Dimensions							Code	L1		Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft.	lb
37" HIGH											
14 7/16	84	36 1/2	19 7/8	5	3	2080X0900	HMD148437	1928	3550	29.0	185
14 7/16	78	36 1/2	19 7/8	5	3	1927X0900	HMD147837	1860	3413	26.9	174
14 7/16	72	36 1/2	19 7/8	4	2	1775X0900	HMD147237	1537	2750	24.7	161
14 7/16	66	36 1/2	19 7/8	4	2	1622X0900	HMD146637	1477	2629	22.5	150
14 7/16	60	36 1/2	19 7/8	4	2	1470X0900	HMD146037	1415	2504	20.3	136
14 7/16	54	36 1/2	19 7/8	4	2	1318X0900	HMD145437	1337	2342	18.1	125
14 7/16	48	36 1/2	19 7/8	3	2	1165X0900	HMD144837	1256	2089	16.0	112
14 7/16	42	36 1/2	19 7/8	3	2	1013X0900	HMD144237	1227	2034	13.8	101
14 7/16	36	36 1/2	19 7/8	2	1	0860X0900	HMD143637	1186	1874	11.6	88
14 7/16	30	36 1/2	19 7/8	2	1	0708X0900	HMD143037	1072	1663	9.4	77
14 7/16	24	36 1/2	19 7/8	2	1	0555X0900	HMD142437	955	1449	9.4	77

E: Number of doors.
F: Number of locks.
*Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Metal

Grommet

TZ- - L1 - / - - -

OPTION

Code

Base / Front

Lock

Metal

Grommet

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.
For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Optional horizontal grommet (**PH**).


Hutch with hinged doors and open metal support legs ("contemporary" aluminum frame - frosted acrylic interior panel)

Back is recessed by 5/8", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

Cannot accommodate a horizontal pigeonhole unit.

No lock.



Dimensions					Code	L1	Spec.	
A	B	C	D	E	Back tile*	T.F.L.	Cu.Ft.	lb
43" HIGH								
14 7/16	84	42 1/2	25 7/8	5	2080X1053	HMDCA148443	3779	35.8 224
14 7/16	78	42 1/2	25 7/8	5	1927X1053	HMDCA147843	3652	33.3 209
14 7/16	72	42 1/2	25 7/8	4	1775X1053	HMDCA147243	2982	30.8 198
14 7/16	66	42 1/2	25 7/8	4	1622X1053	HMDCA146643	2920	28.3 185
14 7/16	60	42 1/2	25 7/8	4	1470X1053	HMDCA146043	2852	25.8 172
14 7/16	54	42 1/2	25 7/8	4	1318X1053	HMDCA145443	2769	23.3 158
14 7/16	48	42 1/2	25 7/8	3	1165X1053	HMDCA144843	2341	20.8 145
14 7/16	42	42 1/2	25 7/8	3	1013X1053	HMDCA144243	2312	18.3 134
14 7/16	36	42 1/2	25 7/8	2	0860X1053	HMDCA143643	1923	15.8 121
14 7/16	30	42 1/2	25 7/8	2	0708X1053	HMDCA143043	1805	13.3 108
14 7/16	24	42 1/2	25 7/8	2	0555X1053	HMDCA142443	1685	10.8 95

E: Number of doors.

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code Base Metal Grommet

TZ - - L1 - / Gi - 4000 - -

OPTION


Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors and open metal support legs
("contemporary" aluminum frame - frosted acrylic interior panel)



Dimensions						Code	L1	Spec.	
A	B	C	D	E	Back tile*		T.F.L.	Cu.Ft.	lb
37" HIGH									
14 7/16	84	36 1/2	19 7/8	5	2080X0900	HMDCA148437	3639	29.0	185
14 7/16	78	36 1/2	19 7/8	5	1927X0900	HMDCA147837	3573	26.9	174
14 7/16	72	36 1/2	19 7/8	4	1775X0900	HMDCA147237	2906	24.7	161
14 7/16	66	36 1/2	19 7/8	4	1622X0900	HMDCA146637	2848	22.5	150
14 7/16	60	36 1/2	19 7/8	4	1470X0900	HMDCA146037	2787	20.3	136
14 7/16	54	36 1/2	19 7/8	4	1318X0900	HMDCA145437	2706	18.1	125
14 7/16	48	36 1/2	19 7/8	3	1165X0900	HMDCA144837	2282	16.0	112
14 7/16	42	36 1/2	19 7/8	3	1013X0900	HMDCA144237	2255	13.8	101
14 7/16	36	36 1/2	19 7/8	2	0860X0900	HMDCA143637	1873	11.6	88
14 7/16	30	36 1/2	19 7/8	2	0708X0900	HMDCA143037	1756	9.4	77
14 7/16	24	36 1/2	19 7/8	2	0555X0900	HMDCA142437	1640	9.4	77

E: Number of doors.
*Back tiles to be ordered separately.

ATTENTION:
Do not install this hutch on a panel-attached surface,
unless the surface is supported by floor supports.

SPECIFY

OPTION

Code

Base

Metal

Grommet

TZ

-

L1

-

/

Gi

-

4000

-

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.

Metal: Specify the metal finish, see p.IG05 (34 colors).

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors and open metal support legs ("contemporary" aluminum frame - opaque acrylic interior panel)


Hutch with hinged doors ("Contemporary" aluminum frame with opaque acrylic interior panel) and open metal support legs.

Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

Cannot accommodate a horizontal pigeonhole unit.

No lock.



Dimensions					Code	L1	Spec.	
A	B	C	D	E	Back tile*	T.F.L.	Cu.Ft.	lb
43" HIGH								
14 $\frac{7}{16}$	84	42 $\frac{1}{2}$	25 $\frac{7}{8}$	5	2080X1053	HMDCO148443	3779	34.8 154
14 $\frac{7}{16}$	78	42 $\frac{1}{2}$	25 $\frac{7}{8}$	5	1927X1053	HMDCO147843	3652	32.4 145
14 $\frac{7}{16}$	72	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	1775X1053	HMDCO147243	2982	30.0 132
14 $\frac{7}{16}$	66	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	1622X1053	HMDCO146643	2920	27.5 123
14 $\frac{7}{16}$	60	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	1470X1053	HMDCO146043	2852	25.1 114
14 $\frac{7}{16}$	54	42 $\frac{1}{2}$	25 $\frac{7}{8}$	4	1318X1053	HMDCO145443	2769	22.6 103
14 $\frac{7}{16}$	48	42 $\frac{1}{2}$	25 $\frac{7}{8}$	3	1165X1053	HMDCO144843	2341	20.2 92
14 $\frac{7}{16}$	42	42 $\frac{1}{2}$	25 $\frac{7}{8}$	3	1013X1053	HMDCO144243	2312	17.7 81
14 $\frac{7}{16}$	36	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	0860X1053	HMDCO143643	1923	15.3 70
14 $\frac{7}{16}$	30	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	0708X1053	HMDCO143043	1805	12.9 59
14 $\frac{7}{16}$	24	42 $\frac{1}{2}$	25 $\frac{7}{8}$	2	0555X1053	HMDCO142443	1685	10.4 51

E: Number of doors.

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code Base Acrylic Metal Grommet

TZ - - L1 - / - 4000 - -

OPTION

Code: Consult the product code above.


Base: Refer to the different types of finishes, [see p.IG03](#).

Acrylic: Opaque acrylic finish : Charcoal (**A1**), White (**A2**), Grey (**A3**) ou Sand (**A4**).

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors and open metal support legs ("contemporary" aluminum frame - opaque acrylic interior panel)



Dimensions						Code	L1	Spec.	
A	B	C	D	E	Back tile*		T.F.L.	Cu.Ft.	lb
37" HIGH									
14 7⁄₁₆	84	36 ½	19 7⁄₈	5	2080X0900	HMDCO148437	3639	30.1	145
14 7⁄₁₆	78	36 ½	19 7⁄₈	5	1927X0900	HMDCO147837	3573	28.0	136
14 7⁄₁₆	72	36 ½	19 7⁄₈	4	1775X0900	HMDCO147237	2906	25.9	125
14 7⁄₁₆	66	36 ½	19 7⁄₈	4	1622X0900	HMDCO146637	2848	23.7	117
14 7⁄₁₆	60	36 ½	19 7⁄₈	4	1470X0900	HMDCO146037	2787	21.6	108
14 7⁄₁₆	54	36 ½	19 7⁄₈	4	1318X0900	HMDCO145437	2706	19.5	99
14 7⁄₁₆	48	36 ½	19 7⁄₈	3	1165X0900	HMDCO144837	2282	17.4	88
14 7⁄₁₆	42	36 ½	19 7⁄₈	3	1013X0900	HMDCO144237	2255	15.3	79
14 7⁄₁₆	36	36 ½	19 7⁄₈	2	0860X0900	HMDCO143637	1873	13.2	66
14 7⁄₁₆	30	36 ½	19 7⁄₈	2	0708X0900	HMDCO143037	1756	11.1	57
14 7⁄₁₆	24	36 ½	19 7⁄₈	2	0555X0900	HMDCO142437	1640	9.0	48

E: Number of doors.

*Back tiles to be ordered separately.

ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

OPTION

Code

Base

Acrylic

Metal

Grommet

TZ-

-

L1-

/

-

4000-

-

Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Acrylic: Opaque acrylic finish : Charcoal (A1), White (A2), Grey (A3) ou Sand (A4).

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Optional horizontal grommet (PH).

Hutch with hinged doors and central opening with open metal support legs

Hutch with 2 hinged doors and a central opening, with open metal support legs.


FENIX option on fronts only.

Back is recessed by 3/8", allowing the addition of a back tile, can be ordered separately, **p.L02 to p.L34**.

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

Cannot accommodate a horizontal pigeonhole unit.

Available without locks, or with Noki or key locks.



ATTENTION:


Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Dimensions							Code	L1	Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft. lb
43" HIGH										
14 7/16	72	42 1/2	25 7/8	2	2	1775X1053	HMH147243	1488	2182	30.8 174
14 7/16	66	42 1/2	25 7/8	2	2	1622X1053	HMH146643	1428	2083	28.3 163
14 7/16	60	42 1/2	25 7/8	2	2	1470X1053	HMH146043	1363	2007	25.8 152
14 7/16	54	42 1/2	25 7/8	2	2	1318X1053	HMH145443	1281	1918	23.3 145
14 7/16	48	42 1/2	25 7/8	2	2	1165X1053	HMH144843	1242	1868	20.8 132
14 7/16	42	42 1/2	25 7/8	2	2	1013X1053	HMH144243	1210	1814	18.3 121
37" HIGH										
14 7/16	72	36 1/2	19 7/8	2	2	1775X0900	HMH147237	1414	2093	26.7 150
14 7/16	66	36 1/2	19 7/8	2	2	1622X0900	HMH146637	1358	1998	24.6 139
14 7/16	60	36 1/2	19 7/8	2	2	1470X0900	HMH146037	1300	1932	22.4 130
14 7/16	54	36 1/2	19 7/8	2	2	1318X0900	HMH145437	1221	1840	20.2 123
14 7/16	48	36 1/2	19 7/8	2	2	1165X0900	HMH144837	1185	1800	18.1 110
14 7/16	42	36 1/2	19 7/8	2	2	1013X0900	HMH144237	1156	1751	15.9 101

E: Number of doors.

F: Number of locks.

*Back tiles to be ordered separately.



Locks

SPECIFY

Code Base Front Lock Metal Grommet

TZ- - L1 - / - - -

OPTION

Code: Consult the product code above.

Base/ Front: Refer to the different types of finishes, **see p.IG03**.

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Metal: Specify the metal finish, **see p.IG05 (34 colors)**.

Grommet: Optional horizontal grommet (**PH**).

Hutch with flipper door(s) and open metal support legs
(standard mechanism)

Hutch with flipper door(s) and laminate sides with the standard closing mechanism, and open metal support legs.

FENIX option on fronts only.


Back is recessed by 3/8", allowing the addition of a back tile, can be ordered separately, p.L02 to p.L34.

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

Cannot accommodate a horizontal pigeonhole unit.

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

Available without locks, or with Noki or key locks.




Dimensions							Code	L1	Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft. lb
43" HIGH										
14 7/16	72	42 1/2	25 7/8	2	2	1775X1058	HMFTD147243	2039	3090	30.8 198
14 7/16	66	42 1/2	25 7/8	2	2	1622X1058	HMFTD146643	1785	2674	28.3 185
14 7/16	60	42 1/2	25 7/8	2	2	1470X1058	HMFTD146043	1738	2598	25.8 172
14 7/16	54	42 1/2	25 7/8	2	2	1318X1058	HMFTD145443	1683	2508	23.3 158
14 7/16	48	42 1/2	25 7/8	2	2	1165X1058	HMFTD144843	1620	2406	20.8 145
14 7/16	42	42 1/2	25 7/8	1	1	1013X1058	HMFTD144243	1452	2133	18.3 134
14 7/16	36	42 1/2	25 7/8	1	1	0860X1058	HMFTD143643	1415	2075	15.8 121
14 7/16	30	42 1/2	25 7/8	1	1	0708X1058	HMFTD143043	1282	1858	13.3 108
14 7/16	24	42 1/2	25 7/8	1	1	0555X1058	HMFTD142443	1189	1707	10.8 95

E: Number of doors.

F: Number of locks.

*Back tiles to be ordered separately.



ATTENTION:
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code

Base

Front

Lock

Metal

Grommet

TZ- - L1 - / - - -

OPTION

Code: Consult the product code above.


Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Metal: Specify the metal finish, see p.IG05 (34 colors).

Grommet: Optional horizontal grommet (PH).

Hutch with flipper door(s) and open metal support legs (standard mechanism)



Dimensions							Code	L1		Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft.	lb
37" HIGH											
14 7/16	72	36 1/2	19 7/8	2	2	1775X0905	HMFTD147237	1967	3003	26.9	174
14 7/16	66	36 1/2	19 7/8	2	2	1622X0905	HMFTD146637	1718	2594	24.7	161
14 7/16	60	36 1/2	19 7/8	2	2	1470X0905	HMFTD146037	1672	2517	22.5	150
14 7/16	54	36 1/2	19 7/8	2	2	1318X0905	HMFTD145437	1621	2433	20.3	136
14 7/16	48	36 1/2	19 7/8	2	2	1165X0905	HMFTD144837	1563	2337	18.1	125
14 7/16	42	36 1/2	19 7/8	1	1	1013X0905	HMFTD144237	1397	2063	16.0	112
14 7/16	36	36 1/2	19 7/8	1	1	0860X0905	HMFTD143637	1366	2014	13.8	101
14 7/16	30	36 1/2	19 7/8	1	1	0708X0905	HMFTD143037	1235	1798	11.6	88
14 7/16	24	36 1/2	19 7/8	1	1	0555X0905	HMFTD142437	1146	1652	9.4	77

E: Number of doors.


F: Number of locks.

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.



SPECIFY

Code Base Front Lock Metal Grommet

TZ- - L1 - / - - -

OPTION

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, [see p.IG03](#).

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Grommet: Optional horizontal grommet (**PH**).

Hutch with flipper door(s) and open metal support legs
("Easy-down" mechanism)

Hutch with flipper door(s) and laminate sides with the "Easy-down" closing mechanism, and open metal support legs.


FENIX option on fronts only.

Back is recessed by 3/8", allowing the addition of a back tile, can be ordered separately, p.L02 to p.L34.

Hutch is equipped with a round grommet (black) for fluorescent task light cabling. Horizontal grommet at base offered as an option.

Cannot accommodate a horizontal pigeonhole unit.

Available without locks, or with Noki or key locks.




Dimensions							Code	L1	Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft. lb
43" HIGH										
14 7/16	72	42 1/2	25 7/8	2	2	1775X1058	HMFDW147243	2174	3230	30.8 198
14 7/16	66	42 1/2	25 7/8	2	2	1622X1058	HMFDW146643	1920	2816	28.3 185
14 7/16	60	42 1/2	25 7/8	2	2	1470X1058	HMFDW146043	1874	2740	25.8 172
14 7/16	54	42 1/2	25 7/8	2	2	1318X1058	HMFDW145443	1817	2649	23.3 158
14 7/16	48	42 1/2	25 7/8	2	2	1165X1058	HMFDW144843	1754	2547	20.8 145
14 7/16	42	42 1/2	25 7/8	1	1	1013X1058	HMFDW144243	1519	2204	18.3 134
14 7/16	36	42 1/2	25 7/8	1	1	0860X1058	HMFDW143643	1484	2148	15.8 121
14 7/16	30	42 1/2	25 7/8	1	1	0708X1058	HMFDW143043	1349	1928	13.3 108
14 7/16	24	42 1/2	25 7/8	1	1	0555X1058	HMFDW142443	1258	1779	10.8 95

E: Number of doors.

F: Number of locks.

*Back tiles to be ordered separately.



ATTENTION:
Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.

SPECIFY

Code

Base

Front

Lock

Metal

Grommet

TZ- - L1 - / - - -

OPTION

Code: Consult the product code above.



Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


Metal: Specify the metal finish, see p.IG05 (34 colors).

Grommet: Optional horizontal grommet (PH).

Hutch with flipper door(s) and open metal support legs ("Easy-down" mechanism)



"Easy-down"



Flipper door

Dimensions							Code	L1		Spec.	
A	B	C	D	E	F	Back tile*		T.F.L.	FENIX	Cu.Ft.	lb
37" HIGH											
14 7/16	72	36 1/2	19 7/8	2	2	1775X0905	HMFDW147237	2103	3147	26.9	174
14 7/16	66	36 1/2	19 7/8	2	2	1622X0905	HMFDW146637	1853	2734	24.7	161
14 7/16	60	36 1/2	19 7/8	2	2	1470X0905	HMFDW146037	1808	2659	22.5	150
14 7/16	54	36 1/2	19 7/8	2	2	1318X0905	HMFDW145437	1755	2573	20.3	136
14 7/16	48	36 1/2	19 7/8	2	2	1165X0905	HMFDW144837	1698	2479	18.1	125
14 7/16	42	36 1/2	19 7/8	1	1	1013X0905	HMFDW144237	1464	2133	16.0	112
14 7/16	36	36 1/2	19 7/8	1	1	0860X0905	HMFDW143637	1433	2084	13.8	101
14 7/16	30	36 1/2	19 7/8	1	1	0708X0905	HMFDW143037	1302	1868	11.6	88
14 7/16	24	36 1/2	19 7/8	1	1	0555X0905	HMFDW142437	1213	1722	9.4	77

E: Number of doors.


F: Number of locks.

*Back tiles to be ordered separately.



ATTENTION:

Do not install this hutch on a panel-attached surface, unless the surface is supported by floor supports.



Locks

SPECIFY

Code Base Front Lock Metal Grommet

TZ- - L1 - / - - -

OPTION

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.


For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Metal: Specify the metal finish, see p.IG05 (34 colors).

Grommet: Optional horizontal grommet (PH).

Open wall mounted hutch

Open wall mounted hutch.
Hutches 54" and longer have a central divider.
Wall mounting brackets included.



Dimensions			Code	Price		Spec.	
A	B	C		T.F.L.		Cu.Ft.	lb
13 7/16	72	16 5/8	HWO147217	768		12.7	103
13 7/16	66	16 5/8	HWO146617	718		11.7	95
13 7/16	60	16 5/8	HWO146017	667		10.7	88
13 7/16	54	16 5/8	HWO145417	617		9.7	81
13 7/16	48	16 5/8	HWO144817	567		8.6	73
13 7/16	42	16 5/8	HWO144217	531		7.6	66
13 7/16	36	16 5/8	HWO143617	496		6.6	57
13 7/16	30	16 5/8	HWO143017	461		5.6	51
13 7/16	24	16 5/8	HWO142417	426		4.6	42

SPECIFY

Code

Base

TZ-

-

L1-

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.


Wall mounted hutch with hinged doors

Wall mounted hutch with hinged doors.

FENIX option on fronts only.

Wall mounting brackets included.


Available without locks, or with Noki or key locks.



Dimensions					Code		Price		Spec.	
A	B	C	D	E			T.F.L.	FENIX	Cu.Ft.	lb
14 7/16	72	16 5/8	4	2		HWD147217	968	2142	12.7	121
14 7/16	66	16 5/8	4	2		HWD146617	932	2049	11.7	112
14 7/16	60	16 5/8	4	2		HWD146017	851	1903	10.7	103
14 7/16	54	16 5/8	4	2		HWD145417	791	1762	9.7	95
14 7/16	48	16 5/8	3	2		HWD144817	697	1511	8.6	86
14 7/16	42	16 5/8	3	2		HWD144217	655	1441	7.6	75
14 7/16	36	16 5/8	2	1		HWD143617	602	1279	6.6	66
14 7/16	30	16 5/8	2	1		HWD143017	559	1145	5.6	57
14 7/16	24	16 5/8	2	1		HWD142417	479	967	4.6	48

D: Number of doors.

E: Number of locks.



SPECIFY

Code Base Front Lock

TZ- - L1 - / -

Code: Consult the product code above.


Base: Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Wall mounted hatch with hinged doors
("contemporary" aluminum frame - frosted acrylic interior panel)

Wall mounted hatch with hinged doors ("Contemporary" aluminum frame with frosted acrylic interior panel).
Wall mounting brackets included.
No lock.



Dimensions				Code	L1	Spec.	
A	B	C	D			T.F.L.	Cu.Ft. lb
14 7/16	72	16 5/8	4	HWDC A147217	2339	12.7	127
14 7/16	66	16 5/8	4	HWDC A146617	2302	11.7	112
14 7/16	60	16 5/8	4	HWDC A146017	2224	10.7	103
14 7/16	54	16 5/8	4	HWDC A145417	2162	9.7	95
14 7/16	48	16 5/8	3	HWDC A144817	1725	8.6	86
14 7/16	42	16 5/8	3	HWDC A144217	1685	7.6	75
14 7/16	36	16 5/8	2	HWDC A143617	1288	6.6	66
14 7/16	30	16 5/8	2	HWDC A143017	1144	5.6	57
14 7/16	24	16 5/8	2	HWDC A142417	1164	4.6	48

D : Number of doors.

SPECIFY

Code

Base

TZ-

-

L1

-

/

Gi

-


4000

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.

Wall mounted hutch with hinged doors ("contemporary" aluminum frame - opaque acrylic interior panel)

Wall mounted hutch with hinged doors ("Contemporary" aluminum frame with opaque acrylic interior panel).
Wall mounting brackets included.
No lock.



Dimensions				Code	L1	Spec.	
A	B	C	D		T.F.L.	Cu.Ft.	lb
14 7/16	72	16 5/8	4	HWDCO147217	2339	12.4	111
14 7/16	66	16 5/8	4	HWDCO146617	2302	11.4	101
14 7/16	60	16 5/8	4	HWDCO146017	2224	10.4	95
14 7/16	54	16 5/8	4	HWDCO145417	2162	9.4	86
14 7/16	48	16 5/8	3	HWDCO144817	1725	8.3	75
14 7/16	42	16 5/8	3	HWDCO144217	1685	7.3	68
14 7/16	36	16 5/8	2	HWDCO143617	1288	6.3	57
14 7/16	30	16 5/8	2	HWDCO143017	1244	5.3	48
14 7/16	24	16 5/8	2	HWDCO142417	1164	4.3	42

D : Number of doors.

SPECIFY

Code Base Acrylic

TZ- - L1 - / - 4000


Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Acrylic: Opaque acrylic finish : Charcoal (A1), White (A2), Grey (A3) ou Sand (A4).


Wall mounted hutch with hinged doors and a central opening

Wall mounted hutch with 2 hinged doors and a central opening.
FENIX option on fronts only.
Wall mounting brackets included.
Available without locks, or with Noki or key locks.



Dimensions					Code	Price		Spec.	
A	B	C	D	E		T.F.L.	FENIX	Cu.Ft.	lb
14 7/16	72	16 5/8	2	2	HWH147217	887	1551	12.7	103
14 7/16	66	16 5/8	2	2	HWH146617	848	1475	11.7	95
14 7/16	60	16 5/8	2	2	HWH146017	766	1383	10.7	88
14 7/16	54	16 5/8	2	2	HWH145417	708	1316	9.7	81
14 7/16	48	16 5/8	2	2	HWH144817	654	1252	8.6	73
14 7/16	42	16 5/8	2	2	HWH144217	615	1191	7.6	66

D: Number of doors.
E: Number of locks.



SPECIFY

Code Base Front Lock

TZ- - L1 - / -

Code: Consult the product code above.
Base Front: Refer to the different types of finishes, see p.IG03.
Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Wall mounted hutch with flipper door(s) (standard mechanism)


Wall mounted hutch with flipper door(s).

FENIX option on fronts only.

With the standard closing mechanism.

Wall mounting brackets included.


Available without locks, or with Noki or key locks.



Dimensions					Code	Price		Spec.	
A	B	C	D	E		T.F.L.	FENIX	Cu.Ft.	lb
14 7/16	72	16 5/8	2	2	HWFTD147217	1094	2091	12.7	121
14 7/16	66	16 5/8	2	2	HWFTD146617	1039	1993	11.7	112
14 7/16	60	16 5/8	2	2	HWFTD146017	985	1809	10.7	103
14 7/16	54	16 5/8	2	2	HWFTD145417	938	1729	9.7	95
14 7/16	48	16 5/8	2	2	HWFTD144817	891	1643	8.6	86
14 7/16	42	16 5/8	1	1	HWFTD144217	721	1368	7.6	75
14 7/16	36	16 5/8	1	1	HWFTD143617	671	1299	6.6	66
14 7/16	30	16 5/8	1	1	HWFTD143017	626	1170	5.6	57
14 7/16	24	16 5/8	1	1	HWFTD142417	578	1066	4.6	48

D: Number of doors.

E: Number of locks.



SPECIFY

Code Base Front Lock
TZ- [] L1 - [] / [] - []

Code: Consult the product code above.


Base / Front: Refer to the different types of finishes, see p.IG03.

Lock: No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.

For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.


Wall mounted hutch with flipper door(s) ("Easy-down" mechanism)

Wall mounted hutch with flipper door(s).
FENIX option on fronts only.
Wall mounting brackets included.
Available without locks, or with Noki or key locks.



Dimensions					Code	Price		Spec.	
A	B	C	D	E		T.F.L.	FENIX	Cu.Ft.	lb
14 7/16	72	16 5/8	2	2	HWFDW147217	1229	2240	12.7	121
14 7/16	66	16 5/8	2	2	HWFDW146617	1175	2036	11.7	112
14 7/16	60	16 5/8	2	2	HWFDW146017	1119	1949	10.7	103
14 7/16	54	16 5/8	2	2	HWFDW145417	1073	1869	9.7	95
14 7/16	48	16 5/8	2	2	HWFDW144817	1025	1783	8.6	86
14 7/16	42	16 5/8	1	1	HWFDW144217	788	1438	7.6	75
14 7/16	36	16 5/8	1	1	HWFDW143617	741	1369	6.6	66
14 7/16	30	16 5/8	1	1	HWFDW143017	694	1242	5.6	57
14 7/16	24	16 5/8	1	1	HWFDW142417	645	1136	4.6	48

D: Number of doors.
E: Number of locks.



SPECIFY

Code

Base

Front

Lock

TZ-

-

L1-

/

-

Code:

Consult the product code above.

Base:

Front:

Refer to the different types of finishes, see p.IG03.

Lock:

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.


For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Open wall mounted module

Open wall module, interior dimension 6 1/8".

Modules 54" and longer have a central divider.

Wall mounting brackets included, able to support a regular & non excessive load.



Dimensions			Code	Price	Spec.	
A	B	C		T.F.L.	Cu.Ft.	lb
10	72	8 1/4	HWB107208	615	4.4	88
10	66	8 1/4	HWB106608	574	4.0	86
10	60	8 1/4	HWB106008	535	3.7	81
10	54	8 1/4	HWB105408	493	3.3	79
10	48	8 1/4	HWB104808	455	3.0	59
10	42	8 1/4	HWB104208	430	2.6	55
10	36	8 1/4	HWB103608	406	2.2	53
10	30	8 1/4	HWB103008	384	1.9	51
10	24	8 1/4	HWB102408	359	1.5	46

SPECIFY


Code Base
TZ- - L1 -

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.

Bookcase hutch

Bookcase hutch.
2 shelves: 1 fixed & 1 adjustable.
Back is recessed by 5/8", allowing the addition of a back tile, can be ordered separately, [p.L02 to p.L34](#).



Dimensions				Code	L1	Spec.	
A	B	C	Back tile*		T.F.L.	Cu.Ft.	lb
43" HIGH							
13 5/16	36	42 1/2	0876X1053	HBK143643	712	15.0	86
13 5/16	30	42 1/2	0724X1053	HBK143043	644	12.6	75
37" HIGH							
13 5/16	36	36 1/2	0876X0900	HBK143637	613	13.0	77
13 5/16	30	36 1/2	0724X0900	HBK143037	549	10.9	66

*Back tiles to be ordered separately.

SPECIFY

Code

Base

TZ-

-

L1-

-

Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Bookcase hutch with doors


Bookcase hutch with 2 doors.

FENIX option on fronts only.

2 shelves: 1 fixed & 1 adjustable.


Back is recessed by 5/8", allowing the addition of a back tile, can be ordered separately, **p.L02 to p.L34.**

Available without locks, or with Noki or key locks.



Dimensions				Code	L1	Spec.	
A	B	C	Back tile*		T.F.L.	FENIX	Cu.Ft. lb
43" HIGH							
14 7/16	36	42 1/2	0876X1053	HPDD143643	957	2053	15.0 134
14 7/16	30	42 1/2	0724X1053	HPDD143043	889	1907	12.6 117
37" HIGH							
14 7/16	36	36 1/2	0876X0900	HPDD143637	861	1847	13.0 119
14 7/16	30	36 1/2	0724X0900	HPDD143037	795	1706	10.9 103

*Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Pull

TZ- - L1 - / - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, **see p.IG03.**


Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06.**


Bookcase hutch with doors

Bookcase hutch with door at left.
FENIX option on front only.
4 shelves: 2 fixed & 2 adjustable.
Back is recessed by 3/8", allowing the addition of a back tile, can be ordered separately, p.L02 to p.L34.
Available without lock, or with Noki or key lock.



Dimensions			Code		L1	Spec.		
A	B	C	Back tile*		T.F.L.	FENIX	Cu.Ft.	lb
43" HIGH								
14 7/16	36	42 1/2	0876X1053	HPDO143643	836	1417	15.0	117
14 7/16	30	42 1/2	0724X1053	HPDO143043	765	1299	12.6	101
37" HIGH								
14 7/16	36	36 1/2	0876X0900	HPDO143637	736	1249	13.0	103
14 7/16	30	36 1/2	0724X0900	HPDO143037	673	1141	10.9	90

*Back tiles to be ordered separately.



SPECIFY

Code

Base

Front

Lock

Pull

TZ-

-

L1-

/

-

-

-

Code:

Base / Front:

Lock:

Pull:

Consult the product code above.

Refer to the different types of finishes, see p.IG03.

No lock (LX), NOKI lock (LN), key lock (LS) or keyed-alike (LSK) options.
For the LSK option, specify code LSK01 to the components in the first workstation; LSK02 to the components in the second workstation, and so on to identify the keyed-alike products.

Pulls included, specify type, see p.IG06.

Bookcase hutch with door(s)


Bookcase hutch with door at right.

FENIX option on front only.

4 shelves: 2 fixed & 2 adjustable.


Back is recessed by $\frac{3}{8}$ ", allowing the addition of a back tile, can be ordered separately, **p.L02 to p.L34**.

Available without lock, or with Noki or key lock.



Dimensions			Code		L1	Spec.	
A	B	C	Back tile*		T.F.L.	FENIX	Cu.Ft. lb
43" HIGH							
14 $\frac{7}{16}$	36	42 $\frac{1}{2}$	0876X1053	HPOD143643	836	1417	15.0 117
14 $\frac{7}{16}$	30	42 $\frac{1}{2}$	0724X1053	HPOD143043	765	1299	12.6 101
37" HIGH							
14 $\frac{7}{16}$	36	36 $\frac{1}{2}$	0876X0900	HPOD143637	736	1249	13.0 103
14 $\frac{7}{16}$	30	36 $\frac{1}{2}$	0724X0900	HPOD143037	673	1141	10.9 90

*Back tiles to be ordered separately.



SPECIFY

Code Base Front Lock Pull

TZ- - L1 - / - -

Code: Consult the product code above.

Base / Front: Refer to the different types of finishes, **see p.IG03**.

Lock: No lock (**LX**), NOKI lock (**LN**), key lock (**LS**) or keyed-alike (**LSK**) options.

For the **LSK** option, specify code **LSK01** to the components in the first workstation; **LSK02** to the components in the second workstation, and so on to identify the keyed-alike products.

Pull: Pulls included, specify type, **see p.IG06**.





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Tackboards



Supported-panels

Laminate supported-panels for 23" H. storage	i02
Felt supported-panels for 23" H. storage	i09
Fabric supported-panels for 23" H. storage	i11
Laminate supported-panels for 29" H. storage	i13
Felt supported-panels for 29" H. storage	i21
Fabric supported-panels for 29" H. storage	i23
Shelves for supported-panels	i24



Storage (23" H.)-supported laminate panel


NEW

1 1/4" thick laminate panel.

Metal frame on the back to support the panel.

Installs on top of a 23" H. storage unit.

The wood grain is horizontal.



Dimensions						Spec.			
A	B	C	D	Code	T.F.L.	FFNIX	Cu.Ft.	lb	
84	71 3/8	22 7/8	48 1/2	PDL847223	1134	2353	8.0	80	
78	71 3/8	22 7/8	48 1/2	PDL787223	1083	2225	7.5	75	
72	71 3/8	22 7/8	48 1/2	PDL727223	1033	2098	7.0	71	
66	71 3/8	22 7/8	48 1/2	PDL667223	983	1971	6.5	66	
60	71 3/8	22 7/8	48 1/2	PDL607223	933	1844	6.0	61	
54	71 3/8	22 7/8	48 1/2	PDL547223	883	1717	5.5	57	
48	71 3/8	22 7/8	48 1/2	PDL487223	833	1590	4.9	52	
42	71 3/8	22 7/8	48 1/2	PDL427223	776	1412	4.4	47	
36	71 3/8	22 7/8	48 1/2	PDL367223	669	1250	3.9	42	
30	71 3/8	22 7/8	48 1/2	PDL307223	562	1088	3.4	38	
24	71 3/8	22 7/8	48 1/2	PDL247223	455	926	2.9	33	
84	65 3/8	22 7/8	42 1/2	PDL846623	1028	2116	7.1	72	
78	65 3/8	22 7/8	42 1/2	PDL786623	979	1999	6.7	68	
72	65 3/8	22 7/8	42 1/2	PDL726623	931	1883	6.2	64	
66	65 3/8	22 7/8	42 1/2	PDL666623	883	1766	5.8	60	
60	65 3/8	22 7/8	42 1/2	PDL606623	834	1650	5.3	55	
54	65 3/8	22 7/8	42 1/2	PDL546623	796	1533	4.9	51	
48	65 3/8	22 7/8	42 1/2	PDL486623	758	1416	4.4	47	
42	65 3/8	22 7/8	42 1/2	PDL426623	734	1302	4.0	43	
36	65 3/8	22 7/8	42 1/2	PDL366623	633	1156	3.5	39	
30	65 3/8	22 7/8	42 1/2	PDL306623	532	1009	3.1	35	
24	65 3/8	22 7/8	42 1/2	PDL246623	431	862	2.6	31	

SPECIFY

Code Base 1 Metal

TZ - - L - -

Code: Consult the above price list.


Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (23" H.)-supported laminate panel (cont'd)

NEW

$\frac{1}{4}$ " thick laminate panel.
Metal frame on the back to support the panel.
Installs on top of a 23" H. storage unit.
The wood grain is horizontal.



Dimensions							Spec.		
A	B	C	D	Code	T.F.L.	FENIX	Cu.Ft.	lb	
84	53 3/8	22 7/8	30 1/2	PDL845423	909	736	5.4	56	
78	53 3/8	22 7/8	30 1/2	PDL785423	872	1649	5.1	53	
72	53 3/8	22 7/8	30 1/2	PDL725423	834	1561	4.7	50	
66	53 3/8	22 7/8	30 1/2	PDL665423	797	1474	4.4	47	
60	53 3/8	22 7/8	30 1/2	PDL605423	760	1386	4.1	44	
54	53 3/8	22 7/8	30 1/2	PDL545423	722	1299	3.7	41	
48	53 3/8	22 7/8	30 1/2	PDL485423	685	1211	3.4	38	
42	53 3/8	22 7/8	30 1/2	PDL425423	664	1133	3.1	35	
36	53 3/8	22 7/8	30 1/2	PDL365423	570	994	2.8	32	
30	53 3/8	22 7/8	30 1/2	PDL305423	477	856	2.4	29	
24	53 3/8	22 7/8	30 1/2	PDL245423	383	717	2.1	26	

SPECIFY

Code Base 1 Metal
TZ - - L - -

Code: Consult the above price list.


Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (23" H.)-supported laminate panel with shelf cut-outs

1 1/2" thick laminate panel to receive laminate or metal shelf to be specified.
Metal frame on the back to support the panel.
Installs on top of a 23" H. storage unit.
The wood grain is horizontal.

NEW



Dimensions				Spec.					
A	B	C	D	Code	T.F.L.	FINIX	Cu.Ft.	lb	
84	71 3/8	22 7/8	48 1/2	PDL1T847223	1175	2394	8.0	80	
78	71 3/8	22 7/8	48 1/2	PDL1T787223	1125	2267	7.5	75	
72	71 3/8	22 7/8	48 1/2	PDL1T727223	1075	2140	7.0	71	
66	71 3/8	22 7/8	48 1/2	PDL1T667223	1024	2013	6.5	66	
60	71 3/8	22 7/8	48 1/2	PDL1T607223	974	1885	6.0	61	
54	71 3/8	22 7/8	48 1/2	PDL1T547223	924	1758	5.5	57	
48	71 3/8	22 7/8	48 1/2	PDL1T487223	874	1631	4.9	52	
42	71 3/8	22 7/8	48 1/2	PDL1T427223	817	1453	4.4	47	
36	71 3/8	22 7/8	48 1/2	PDL1T367223	710	1291	3.9	42	
30	71 3/8	22 7/8	48 1/2	PDL1T307223	603	1129	3.4	38	
24	71 3/8	22 7/8	48 1/2	PDL1T247223	497	967	2.9	33	
84	65 3/8	22 7/8	42 1/2	PDL1T846623	1069	2157	7.1	72	
78	65 3/8	22 7/8	42 1/2	PDL1T786623	1020	2040	6.7	68	
72	65 3/8	22 7/8	42 1/2	PDL1T726623	972	1924	6.2	64	
66	65 3/8	22 7/8	42 1/2	PDL1T666623	924	1807	5.8	60	
60	65 3/8	22 7/8	42 1/2	PDL1T606623	876	1691	5.3	55	
54	65 3/8	22 7/8	42 1/2	PDL1T546623	837	1574	4.9	51	
48	65 3/8	22 7/8	42 1/2	PDL1T486623	799	1458	4.4	47	
42	65 3/8	22 7/8	42 1/2	PDL1T426623	775	1344	4.0	43	
36	65 3/8	22 7/8	42 1/2	PDL1T366623	674	1197	3.5	39	
30	65 3/8	22 7/8	42 1/2	PDL1T306623	573	1050	3.1	35	
24	65 3/8	22 7/8	42 1/2	PDL1T246623	473	903	2.6	31	

SPECIFY

Code Base 1 Metal

TZ - - L - -


Code: Consult the above price list.

Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (23" H.)-supported laminate panel with shelf cut-outs (cont'd)

1 1/2" thick laminate panel to receive laminate or metal shelf to be specified.
Metal frame on the back to support the panel.
Installs on top of a 23" H. storage unit.
The wood grain is horizontal.



Dimensions						Spec.			
A	B	C	D	Code	T.F.L.	FINIX	Cu.Ft.	lb	
84	53 3/8	22 7/8	30 1/2	PDL1T845423	950	1777	5.4	56	
78	53 3/8	22 7/8	30 1/2	PDL1T785423	913	1690	5.1	53	
72	53 3/8	22 7/8	30 1/2	PDL1T725423	875	1602	4.7	50	
66	53 3/8	22 7/8	30 1/2	PDL1T665423	838	1515	4.4	47	
60	53 3/8	22 7/8	30 1/2	PDL1T605423	801	1427	4.1	44	
54	53 3/8	22 7/8	30 1/2	PDL1T545423	764	1340	3.7	41	
48	53 3/8	22 7/8	30 1/2	PDL1T485423	726	1252	3.4	38	
42	53 3/8	22 7/8	30 1/2	PDL1T425423	705	1174	3.1	35	
36	53 3/8	22 7/8	30 1/2	PDL1T365423	612	1036	2.8	32	
30	53 3/8	22 7/8	30 1/2	PDL1T305423	518	897	2.4	29	
24	53 3/8	22 7/8	30 1/2	PDL1T245423	424	758	2.1	26	

SPECIFY

Code

Base 1

Metal


TZ - - L - -

Code: Consult the above price list.
Base 1: Take Off finish [see p.IG03](#).
Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (23" H.)-supported laminate panel with shelves (2) cut-outs

1 1/2" thick laminate panel to receive two laminate or metal shelves to be specified.
Metal frame on the back to support the panel.
Installs on top of a 23" H. storage unit.
The wood grain is horizontal.

NEW



Dimensions						Spec.			
A	B	C	D	Code	T.F.L.	FINIX	Cu.Ft.	lb	
84	71 3/8	22 7/8	48 1/2	PDL2T847223	1195	2414	8.0	80	
78	71 3/8	22 7/8	48 1/2	PDL2T787223	1145	2287	7.5	75	
72	71 3/8	22 7/8	48 1/2	PDL2T727223	1095	2160	7.0	71	
66	71 3/8	22 7/8	48 1/2	PDL2T667223	1045	2033	6.5	66	
60	71 3/8	22 7/8	48 1/2	PDL2T607223	995	1906	6.0	61	
54	71 3/8	22 7/8	48 1/2	PDL2T547223	945	1779	5.5	57	
48	71 3/8	22 7/8	48 1/2	PDL2T487223	895	1652	4.9	52	
42	71 3/8	22 7/8	48 1/2	PDL2T427223	838	1473	4.4	47	
36	71 3/8	22 7/8	48 1/2	PDL2T367223	731	1312	3.9	42	
30	71 3/8	22 7/8	48 1/2	PDL2T307223	624	1150	3.4	38	
24	71 3/8	22 7/8	48 1/2	PDL2T247223	517	988	2.9	33	
84	65 3/8	22 7/8	42 1/2	PDL2T846623	1089	2178	7.1	72	
78	65 3/8	22 7/8	42 1/2	PDL2T786623	1041	2061	6.7	68	
72	65 3/8	22 7/8	42 1/2	PDL2T726623	993	1945	6.2	64	
66	65 3/8	22 7/8	42 1/2	PDL2T666623	944	1828	5.8	60	
60	65 3/8	22 7/8	42 1/2	PDL2T606623	896	1711	5.3	55	
54	65 3/8	22 7/8	42 1/2	PDL2T546623	858	1595	4.9	51	
48	65 3/8	22 7/8	42 1/2	PDL2T486623	820	1478	4.4	47	
42	65 3/8	22 7/8	42 1/2	PDL2T426623	796	1364	4.0	43	
36	65 3/8	22 7/8	42 1/2	PDL2T366623	695	1217	3.5	39	
30	65 3/8	22 7/8	42 1/2	PDL2T306623	594	1071	3.1	35	
24	65 3/8	22 7/8	42 1/2	PDL2T246623	493	924	2.6	31	

SPECIFY

Code Base 1 Metal

TZ - - L - -

Code: Consult the above price list.


Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (23" H.)-supported laminate panel for wall-mounted hutch positioned at 72" H.

NEW

$\frac{1}{4}$ " thick laminate panel.
Adjusted height for installation of a wall-mounted hutch at 72" H.
Metal frame on the back to support the panel.
Installs on top of a 23" H. storage unit.
The wood grain is horizontal.



Dimensions							Spec.	
A	B	C	D	Code	T.F.L.	FENL	Cu.Ft.	lb
84	54 3/4	22 7/8	31 7/8	PDLH845523	716	1575	5.4	58
78	54 3/4	22 7/8	31 7/8	PDLH785523	714	1612	5.1	55
72	54 3/4	22 7/8	31 7/8	PDLH725523	712	1549	4.7	51
66	54 3/4	22 7/8	31 7/8	PDLH665523	710	1486	4.4	48
60	54 3/4	22 7/8	31 7/8	PDLH605523	707	1423	4.1	45
54	54 3/4	22 7/8	31 7/8	PDLH545523	705	1360	3.7	42
48	54 3/4	22 7/8	31 7/8	PDLH485523	422	968	3.4	39
42	54 3/4	22 7/8	31 7/8	PDLH425523	403	896	3.1	36
36	54 3/4	22 7/8	31 7/8	PDLH365523	383	824	2.8	33
30	54 3/4	22 7/8	31 7/8	PDLH305523	363	752	2.4	30
24	54 3/4	22 7/8	31 7/8	PDLH245523	343	681	2.1	26

SPECIFY

Code - L - Base 1 - Metal

Code: Consult the above price list.

Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (23" H.)-supported laminate panel with cut-outs for a shelf and for wall-mounted hutch positioned at 72" H.

NEW


1 1/2" thick laminate panel to receive laminate or metal shelf to be specified.

Adjusted height for installation of a wall-mounted hutch at 72" H.

Metal frame on the back to support the panel.

Installs on top of a 23" H. storage unit.

The wood grain is horizontal.



Dimensions							Spec.		
A	B	C	D	Code	T.F.L.	FENI	Cu.Ft.	lb	
84	54 3/4	22 7/8	31 7/8	PDLH1T845523	757	1616	5.4	58	
78	54 3/4	22 7/8	31 7/8	PDLH1T785523	715	1653	5.1	55	
72	54 3/4	22 7/8	31 7/8	PDLH1T725523	673	1590	4.7	51	
66	54 3/4	22 7/8	31 7/8	PDLH1T665523	630	1527	4.4	48	
60	54 3/4	22 7/8	31 7/8	PDLH1T605523	588	1464	4.1	45	
54	54 3/4	22 7/8	31 7/8	PDLH1T545523	545	1401	3.7	42	
48	54 3/4	22 7/8	31 7/8	PDLH1T485523	464	1009	3.4	39	
42	54 3/4	22 7/8	31 7/8	PDLH1T425523	444	937	3.1	36	
36	54 3/4	22 7/8	31 7/8	PDLH1T365523	424	865	2.8	33	
30	54 3/4	22 7/8	31 7/8	PDLH1T305523	404	794	2.4	30	
24	54 3/4	22 7/8	31 7/8	PDLH1T245523	384	722	2.1	26	

SPECIFY

Code Base 1 Metal

TZ - - L - -

Code: Consult the above price list.


Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (23" H.)-supported felt panel

NEW

1 1/4" thick felt panel.
Metal frame on the back to support the panel.
Installs on top of a 23" H. storage unit.
With or without pattern, to be specified.



Dimensions						Spec.			
A	B	C	D	Code	No pattern	With pattern	Cu.Ft.	lb	
42	71 3/8	22 7/8	48 1/2	PDF427223	806	844	1.7	18.5	
36	71 3/8	22 7/8	48 1/2	PDF367223	768	805	1.6	17.1	
30	71 3/8	22 7/8	48 1/2	PDF307223	599	636	1.4	12.8	
24	71 3/8	22 7/8	48 1/2	PDF247223	560	597	1.3	11.4	
42	65 3/8	22 7/8	42 1/2	PDF426623	753	781	1.6	16.7	
36	65 3/8	22 7/8	42 1/2	PDF366623	719	747	1.5	15.5	
30	65 3/8	22 7/8	42 1/2	PDF306623	561	589	1.3	11.6	
24	65 3/8	22 7/8	42 1/2	PDF246623	526	555	1.2	10.4	
42	53 3/8	22 7/8	30 1/2	PDF425423	667	682	1.0	13.2	
36	53 3/8	22 7/8	30 1/2	PDF365423	642	656	0.9	12.3	
30	53 3/8	22 7/8	30 1/2	PDF305423	500	514	0.8	9.2	
24	53 3/8	22 7/8	30 1/2	PDF245423	473	488	0.7	8.2	

SPECIFY

Code TX0/TX1 Felt Metal
TZ - - - -

Code: Consult the above price list.

TX0/TX1: Specify the code identifying the panel pattern (TX0 = No pattern, TX1 = With pattern)



Felt: Specify the choice of felt, Mist FE11, Dune FE12, Shadow FE03 or Orage FE36, see p.IG04.

Metal: Specify metal finish, see p.IG05. (34 colors).

Storage (23" H.)-supported felt panel for wall-mounted hutch installed at 72" H.

NEW

1 1/2" thick felt panel. Adjusted height for installation of a wall-mounted hutch at 72" H.
Metal frame on the back to support the panel.
Installs on top of a 23" H. storage unit.
With or without pattern, to be specified.



Dimensions						Spec.			
A	B	C	D	Code	No pattern	With pattern	Cu.Ft.	lb	
42	54 3/4	22 7/8	31 7/8	PDFH425523	675	689	1.0	13.6	
36	54 3/4	22 7/8	31 7/8	PDFH365523	647	662	0.9	12.6	
30	54 3/4	22 7/8	31 7/8	PDFH305523	505	520	0.8	9.4	
24	54 3/4	22 7/8	31 7/8	PDFH245523	477	492	0.7	8.5	

SPECIFY

Code TX0/TX1 Felt Metal
TZ - - - -

Code: Consult the above price list.

TX0/TX1: Specify the code identifying the panel pattern (TX0 = No pattern, TX1 = With pattern)


Felt: Specify the choice of felt, Mist **FE11**, Dune **FE12**, Shadow **FE03** or Orage **FE36**, see p.IG04.

Metal: Specify metal finish, see p.IG05. (34 colors).

Storage (23" H.)-supported tackable fabric panel

NEW

1 1/2" thick fabric panel.
Metal frame on the back to support the panel.
Installs on top of a 23" H. storage unit.



Dimensions										Spec.			
A	B	C	D	Code	Gr.A	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb	
42	71 3/8	22 7/8	48 1/2	PDT427223	890	915	929	943	956	970	1.7	18.4	
36	71 3/8	22 7/8	48 1/2	PDT367223	839	861	873	885	897	909	1.6	17.0	
30	71 3/8	22 7/8	48 1/2	PDT307223	692	711	721	731	741	751	1.4	12.8	
24	71 3/8	22 7/8	48 1/2	PDT247223	641	656	664	672	681	689	1.2	11.4	
42	65 3/8	22 7/8	42 1/2	PDT426623	825	847	859	872	884	896	1.6	16.7	
36	65 3/8	22 7/8	42 1/2	PDT366623	780	799	810	820	831	842	1.5	15.4	
30	65 3/8	22 7/8	42 1/2	PDT306623	647	663	672	681	690	699	1.3	11.6	
24	65 3/8	22 7/8	42 1/2	PDT246623	602	615	623	630	637	645	1.2	10.3	
42	53 3/8	22 7/8	30 1/2	PDT425423	718	734	744	753	762	771	1.0	13.2	
36	53 3/8	22 7/8	30 1/2	PDT365423	684	698	706	714	722	730	0.8	12.2	
30	53 3/8	22 7/8	30 1/2	PDT305423	569	581	587	594	601	607	0.8	9.1	
24	53 3/8	22 7/8	30 1/2	PDT245423	537	547	552	558	563	569	0.7	8.2	

SPECIFY

Code Fabric Metal
TZ - - -

Code: Consult the above price list.



Fabric: Specify the code, refer to the current Artopex panel fabric cards.

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (23" H.)-supported tackable fabric panel for wall-mounted hutch positioned at 72" H.

NEW

¹/₂" thick fabric panel. Adjusted height for installation of a wall-mounted hutch at 72" H.
Metal frame on the back to support the panel.
Installs on top of a 23" H. storage unit.



Dimensions											Spec.	
A	B	C	D	Code	Gr.A	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
42	54 3/4	22 7/8	31 7/8	PDTH425523	761	778	788	797	806	816	1.0	13.6
36	54 3/4	22 7/8	31 7/8	PDTH365523	691	706	714	722	731	739	0.9	12.6
30	54 3/4	22 7/8	31 7/8	PDTH305523	575	587	594	601	608	615	0.8	9.4
24	54 3/4	22 7/8	31 7/8	PDTH245523	542	552	558	564	569	575	0.7	8.4

SPECIFY

Code Fabric Metal
TZ - - -

Code: Consult the above price list.


Fabric: Specify the code, refer to the current Artopex panel fabric cards.

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (29" H.)-supported laminate panel

$\frac{1}{4}$ " thick laminate panel.
Metal frame on the back to support the panel.
Installs on top of a 29" H. storage unit.
The wood grain is horizontal.

NEW



Dimensions						Spec.			
A	B	C	D	Code	T.F.L.	FEMEX	Cu.Ft.	lb	
84	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL847229	1087	2183	7.1	75	
78	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL787229	1040	2066	6.7	70	
72	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL727229	992	1819	6.2	68	
66	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL667229	945	1731	5.8	64	
60	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL607229	897	1644	5.3	59	
54	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL547229	849	1557	4.9	55	
48	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL487229	802	1470	4.4	51	
42	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL427229	754	1382	4.0	46	
36	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL367229	707	1295	3.5	42	
30	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL307229	561	1038	3.1	37	
24	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDL247229	533	941	2.6	35	
84	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL846629	1024	2005	6.3	68	
78	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL786629	964	1884	5.9	64	
72	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL726629	904	1658	5.5	59	
66	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL666629	845	1548	5.1	57	
60	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL606629	785	1439	4.7	53	
54	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL546629	725	1330	4.3	51	
48	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL486629	666	1220	3.9	46	
42	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL426629	606	1111	3.5	42	
36	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL366629	546	1002	3.1	40	
30	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL306629	522	955	2.7	35	
24	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDL246629	495	866	2.4	31	

SPECIFY

Code Base 1 Metal
TZ - - L - -

Code: Consult the above price list.

Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (29" H.)-supported laminate panel (cont'd)


NEW

1 1/4" thick laminate panel.

Metal frame on the back to support the panel.

Installs on top of a 29" H. storage unit.

The wood grain is horizontal.



Dimensions							Spec.		
A	B	C	D	Code	T.F.L.	FINIX	Cu.Ft.	lb	
84	53 3/8	28 7/8	24 1/2	PDL845429	917	1671	4.5	51	
78	53 3/8	28 7/8	24 1/2	PDL785429	863	1571	4.2	48	
72	53 3/8	28 7/8	24 1/2	PDL725429	808	1482	4.0	46	
66	53 3/8	28 7/8	24 1/2	PDL665429	754	1382	3.7	44	
60	53 3/8	28 7/8	24 1/2	PDL605429	699	1282	3.4	42	
54	53 3/8	28 7/8	24 1/2	PDL545429	645	1182	3.2	40	
48	53 3/8	28 7/8	24 1/2	PDL485429	591	1083	2.9	37	
42	53 3/8	28 7/8	24 1/2	PDL425429	536	983	2.6	35	
36	53 3/8	28 7/8	24 1/2	PDL365429	482	883	2.4	33	
30	53 3/8	28 7/8	24 1/2	PDL305429	475	820	2.1	29	
24	53 3/8	28 7/8	24 1/2	PDL245429	452	752	1.8	26	

SPECIFY

Code Base 1 Metal

TZ - - L - -

Code: Consult the above price list.


Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (29" H.)-supported laminate panel with shelf cut-outs



1 1/8" thick laminate panel to receive laminate or metal shelf to be specified.
Metal frame on the back to support the panel.
Installs on top of a 29" H. storage unit.
The wood grain is horizontal.



Dimensions					Spec.				
A	B	C	D	Code	T.F.L.	FINIX	Cu.Ft.	lb	
84	71 3/8	28 7/8	42 1/2	PDL1T847229	1129	2224	7.1	81	
78	71 3/8	28 7/8	42 1/2	PDL1T787229	1081	2107	6.7	77	
72	71 3/8	28 7/8	42 1/2	PDL1T727229	1033	1860	6.2	73	
66	71 3/8	28 7/8	42 1/2	PDL1T667229	986	1773	5.8	68	
60	71 3/8	28 7/8	42 1/2	PDL1T607229	938	1685	5.3	62	
54	71 3/8	28 7/8	42 1/2	PDL1T547229	891	1598	4.9	57	
48	71 3/8	28 7/8	42 1/2	PDL1T487229	843	1511	4.4	53	
42	71 3/8	28 7/8	42 1/2	PDL1T427229	795	1424	4.0	48	
36	71 3/8	28 7/8	42 1/2	PDL1T367229	748	1336	3.5	44	
30	71 3/8	28 7/8	42 1/2	PDL1T307229	603	1079	3.1	40	
24	71 3/8	28 7/8	42 1/2	PDL1T247229	574	982	2.6	35	
84	65 3/8	28 7/8	36 1/2	PDL1T846629	1065	2047	6.3	73	
78	65 3/8	28 7/8	36 1/2	PDL1T786629	1005	1926	5.9	68	
72	65 3/8	28 7/8	36 1/2	PDL1T726629	946	1699	5.5	64	
66	65 3/8	28 7/8	36 1/2	PDL1T666629	886	1590	5.1	59	
60	65 3/8	28 7/8	36 1/2	PDL1T606629	826	1480	4.7	57	
54	65 3/8	28 7/8	36 1/2	PDL1T546629	767	1371	4.3	53	
48	65 3/8	28 7/8	36 1/2	PDL1T486629	707	1262	3.9	48	
42	65 3/8	28 7/8	36 1/2	PDL1T426629	647	1152	3.5	44	
36	65 3/8	28 7/8	36 1/2	PDL1T366629	588	1043	3.1	42	
30	65 3/8	28 7/8	36 1/2	PDL1T306629	563	996	2.7	37	
24	65 3/8	28 7/8	36 1/2	PDL1T246629	536	908	2.4	33	

SPECIFY

Code

Base 1

Metal

TZ -

-

 L -

-


-

Code: Consult the above price list.
Base 1: Take Off finish [see p.IG03](#).
Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (29" H.)-supported laminate panel with shelf cut-outs (cont'd)

1 1/4" thick laminate panel to receive laminate or metal shelf to be specified.
Metal frame on the back to support the panel.
Installs on top of a 29" H. storage unit.
The wood grain is horizontal.

NEW



Dimensions					Spec.			
A	B	C	D	Code	Mél.	FFNIX.	pi³	lb
84	53 3/8	28 7/8	24 1/2	PDL1T845429	958	1712	4.5	53
78	53 3/8	28 7/8	24 1/2	PDL1T785429	904	1612	4.2	51
72	53 3/8	28 7/8	24 1/2	PDL1T725429	850	1523	4.0	48
66	53 3/8	28 7/8	24 1/2	PDL1T665429	795	1423	3.7	46
60	53 3/8	28 7/8	24 1/2	PDL1T605429	741	1323	3.4	44
54	53 3/8	28 7/8	24 1/2	PDL1T545429	686	1224	3.2	42
48	53 3/8	28 7/8	24 1/2	PDL1T485429	632	1124	2.9	37
42	53 3/8	28 7/8	24 1/2	PDL1T425429	577	1024	2.6	35
36	53 3/8	28 7/8	24 1/2	PDL1T365429	523	924	2.4	33
30	53 3/8	28 7/8	24 1/2	PDL1T305429	516	861	2.1	31
24	53 3/8	28 7/8	24 1/2	PDL1T245429	494	793	1.8	29

SPECIFY

Code Base 1 Metal
TZ - - L - -

Code: Consult the above price list.


Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (29" H.)-supported laminate panel with shelves (2) cut-outs

1 1/2" thick laminate panel to receive two laminate or metal shelves to be specified.
Metal frame on the back to support the panel.
Installs on top of a 29" H. storage unit.
The wood grain is horizontal.

NEW



Dimensions					Spec.			
A	B	C	D	Code	Mét.	PENIX.	pi³	lb
84	71 3/8	28 7/8	42 1/2	PDL2T847229	1149	2245	7.1	79
78	71 3/8	28 7/8	42 1/2	PDL2T787229	1102	2128	6.7	75
72	71 3/8	28 7/8	42 1/2	PDL2T727229	1054	1880	6.2	70
66	71 3/8	28 7/8	42 1/2	PDL2T667229	1006	1793	5.8	66
60	71 3/8	28 7/8	42 1/2	PDL2T607229	959	1706	5.3	62
54	71 3/8	28 7/8	42 1/2	PDL2T547229	911	1619	4.9	57
48	71 3/8	28 7/8	42 1/2	PDL2T487229	864	1531	4.4	53
42	71 3/8	28 7/8	42 1/2	PDL2T427229	816	1444	4.0	48
36	71 3/8	28 7/8	42 1/2	PDL2T367229	768	1357	3.5	44
30	71 3/8	28 7/8	42 1/2	PDL2T307229	623	1100	3.1	40
24	71 3/8	28 7/8	42 1/2	PDL2T247229	594	1002	2.6	35
84	65 3/8	28 7/8	36 1/2	PDL2T846629	1086	2067	6.3	70
78	65 3/8	28 7/8	36 1/2	PDL2T786629	1026	1946	5.9	68
72	65 3/8	28 7/8	36 1/2	PDL2T726629	966	1720	5.5	64
66	65 3/8	28 7/8	36 1/2	PDL2T666629	907	1610	5.1	59
60	65 3/8	28 7/8	36 1/2	PDL2T606629	847	1501	4.7	55
54	65 3/8	28 7/8	36 1/2	PDL2T546629	787	1392	4.3	53
48	65 3/8	28 7/8	36 1/2	PDL2T486629	728	1282	3.9	48
42	65 3/8	28 7/8	36 1/2	PDL2T426629	668	1173	3.5	44
36	65 3/8	28 7/8	36 1/2	PDL2T366629	608	1063	3.1	40
30	65 3/8	28 7/8	36 1/2	PDL2T306629	584	1017	2.7	37
24	65 3/8	28 7/8	36 1/2	PDL2T246629	557	928	2.4	33

SPECIFY

Code Base 1 Metal
TZ - - L - -

Code: Consult the above price list.

Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (29" H.)-supported laminate panel for wall-mounted hutch positioned at 72" H.

NEW


1 1/8" thick laminate panel.

Adjusted height for installation of a wall-mounted hutch at 72" H.

Metal frame on the back to support the panel.

Installs on top of a 29" H. storage unit.

The wood grain is horizontal.



Dimensions							Spec.		
A	B	C	D	Code	T.F.L.	FENL	Cu.Ft.	lb	
84	54 3/4	28 7/8	25 7/8	PDLH845529	911	1588	4.7	55	
78	54 3/4	28 7/8	25 7/8	PDLH785529	856	1570	4.4	53	
72	54 3/4	28 7/8	25 7/8	PDLH725529	802	1470	4.1	51	
66	54 3/4	28 7/8	25 7/8	PDLH665529	747	1370	3.9	48	
60	54 3/4	28 7/8	25 7/8	PDLH605529	693	1270	3.6	46	
54	54 3/4	28 7/8	25 7/8	PDLH545529	639	1171	3.3	42	
48	54 3/4	28 7/8	25 7/8	PDLH485529	584	1071	3.0	40	
42	54 3/4	28 7/8	25 7/8	PDLH425529	530	971	2.7	37	
36	54 3/4	28 7/8	25 7/8	PDLH365529	475	871	2.5	35	
30	54 3/4	28 7/8	25 7/8	PDLH305529	468	859	2.2	31	
24	54 3/4	28 7/8	25 7/8	PDLH245529	455	762	1.9	29	

SPECIFY

Code Base 1 Metal

TZ - - L - -

Code: Consult the above price list.


Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (29" H.)-supported laminate panel with cut-outs for a shelf and for wall-mounted hutch positioned at 72" H.



1 1/4" thick laminate panel to receive laminate or metal shelf to be specified.
Adjusted height for installation of a wall-mounted hutch at 72" H.
Metal frame on the back to support the panel.
Installs on top of a 29" H. storage unit.
The wood grain is horizontal.



Dimensions							Spec.	
A	B	C	D	Code	T.F.L.	FENIX	Cu.Ft.	lb
84	54 3/4	28 7/8	25 7/8	PDLH1T845529	952	729	4.7	55
78	54 3/4	28 7/8	25 7/8	PDLH1T785529	897	1611	4.4	53
72	54 3/4	28 7/8	25 7/8	PDLH1T725529	843	1511	4.1	51
66	54 3/4	28 7/8	25 7/8	PDLH1T665529	788	1411	3.9	48
60	54 3/4	28 7/8	25 7/8	PDLH1T605529	734	1311	3.6	44
54	54 3/4	28 7/8	25 7/8	PDLH1T545529	680	1212	3.3	42
48	54 3/4	28 7/8	25 7/8	PDLH1T485529	625	1112	3.0	40
42	54 3/4	28 7/8	25 7/8	PDLH1T425529	571	1012	2.7	37
36	54 3/4	28 7/8	25 7/8	PDLH1T365529	517	913	2.5	33
30	54 3/4	28 7/8	25 7/8	PDLH1T305529	510	900	2.2	31
24	54 3/4	28 7/8	25 7/8	PDLH1T245529	497	804	1.9	29

SPECIFY

Code

Base 1

Metal

TZ - - L - -

Code: Consult the above price list.

Base 1: Take Off finish [see p.IG03](#).

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (29" H.)-supported felt panel



NEW

$1\frac{1}{16}$ " thick felt panel.

Metal frame on the back to support the panel.

Installs on top of a 29" H. storage unit.

With or without pattern, to be specified.



with pattern

Dimensions					Spec.				
A	B	C	D	Code	No pattern	With pattern	Cu.Ft.	lb	
42	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDF427229	767	921	1.6	17.4	
36	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDF367229	729	875	1.5	16.2	
30	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDF307229	691	829	1.3	12.1	
24	71 $\frac{3}{8}$	28 $\frac{7}{8}$	42 $\frac{1}{2}$	PDF247229	654	784	1.2	10.8	
42	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDF426629	714	856	1.5	15.7	
36	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDF366629	680	816	1.3	14.6	
30	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDF306629	646	776	1.2	10.9	
24	65 $\frac{3}{8}$	28 $\frac{7}{8}$	36 $\frac{1}{2}$	PDF246629	613	735	1.1	9.8	
42	53 $\frac{3}{8}$	28 $\frac{7}{8}$	24 $\frac{1}{2}$	PDF425429	631	757	0.9	12.1	
36	53 $\frac{3}{8}$	28 $\frac{7}{8}$	24 $\frac{1}{2}$	PDF365429	605	727	0.8	11.3	
30	53 $\frac{3}{8}$	28 $\frac{7}{8}$	24 $\frac{1}{2}$	PDF305429	580	696	0.7	8.4	
24	53 $\frac{3}{8}$	28 $\frac{7}{8}$	24 $\frac{1}{2}$	PDF245429	555	666	0.6	7.6	

SPECIFY

Code TX0/TX1 Felt Metal
TZ - - - -

Code: Consult the above price list.

TX0/ TX1: Specify the code identifying the panel pattern (TX0 = No pattern, TX1 = With pattern)



Felt: Specify the choice of felt, Mist **FE11**, Dune **FE12**, Shadow **FE03** or Orage **FE36**, see p.IG04.

Metal: Specify metal finish, see p.IG05. (34 colors).



Storage (29" H.)-supported felt panel for wall-mounted hutch installed at 72" H.

1 1/8" thick felt panel. Adjusted height for installation of a wall-mounted hutch at 72" H.
Metal frame on the back to support the panel.
Installs on top of a 29" H. storage unit.
With or without pattern, to be specified.



Dimensions					Spec.			
A	B	C	D	Code	No pattern	With pattern	Cu.Ft.	lb
42	54 3/4	28 7/8	25 7/8	PDFH425529	687	724	1.6	17.7
36	54 3/4	28 7/8	25 7/8	PDFH365529	662	794	1.4	16.2
30	54 3/4	28 7/8	25 7/8	PDFH305529	641	769	1.2	12.4
24	54 3/4	28 7/8	25 7/8	PDFH245529	563	676	1.0	10.8

SPECIFY

Code

TX0/TX1

Felt

Metal

TZ

-

-

-

-

Code:

Consult the above price list.

TX0/ TX1:

Specify the code identifying the panel pattern (TX0 = No pattern, TX1 = With pattern)

Felt:

Specify the choice of felt, Mist FE11, Dune FE12, Shadow FE03 or Orage FE36, see p.IG04.

Metal:

Specify metal finish, see p.IG05. (34 colors).



Storage (29" H.)-supported tackable fabric panel

NEW

1 1/2" thick fabric panel.

Metal frame on the back to support the panel.

Installs on top of a 29" H. storage unit.



Dimensions											Spec.	
A	B	C	D	Code	Gr.A	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
42	71 3/8	28 7/8	42 1/2	PDT427229	848	904	934	965	995	1026	1.6	17.4
36	71 3/8	28 7/8	42 1/2	PDT367229	800	849	876	902	929	955	1.5	16.1
30	71 3/8	28 7/8	42 1/2	PDT307229	629	670	693	715	738	760	1.3	12.0
24	71 3/8	28 7/8	42 1/2	PDT247229	581	615	634	652	671	689	1.2	10.8
42	65 3/8	28 7/8	36 1/2	PDT426629	785	834	860	887	914	940	1.5	15.6
36	65 3/8	28 7/8	36 1/2	PDT366629	743	785	808	831	854	877	1.3	14.5
30	65 3/8	28 7/8	36 1/2	PDT306629	585	627	641	661	680	700	1.2	10.8
24	65 3/8	28 7/8	36 1/2	PDT246629	541	571	587	603	619	636	1.1	9.7
42	53 3/8	28 7/8	24 1/2	PDT425429	682	716	735	753	772	790	0.9	12.1
36	53 3/8	28 7/8	24 1/2	PDT365429	651	681	697	713	729	745	0.8	11.3
30	53 3/8	28 7/8	24 1/2	PDT305429	510	535	549	562	576	590	0.7	8.4
24	53 3/8	28 7/8	24 1/2	PDT245429	477	498	509	520	532	543	0.6	7.6

SPECIFY

Code Fabric Metal

TZ - - -

Code: Consult the above price list.



Fabric: Specify the code, refer to the current Artopex panel fabric cards.

Metal: Specify metal finish, [see p.IG05](#). (34 colors).

Storage (29" H.)-supported tackable fabric panel for wall-mounted hutch positioned at 72" H.

NEW

1 1/4" thick fabric panel. Adjusted height for installation of a wall-mounted hutch at 72" H.
Metal frame on the back to support the panel.
Installs on top of a 29" H. storage unit.



Dimensions											Spec.	
A	B	C	D	Code	Gr.A	COM / Gr.1	Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
42	54 3/4	28 7/8	25 7/8	PDTH425529	691	727	746	766	785	805	0.9	12.5
36	54 3/4	28 7/8	25 7/8	PDTH365529	656	686	703	720	737	754	0.8	11.7
30	54 3/4	28 7/8	25 7/8	PDTH305529	513	539	554	568	582	597	0.7	8.6
24	54 3/4	28 7/8	25 7/8	PDTH245529	482	504	515	527	539	551	0.6	7.8

SPECIFY

Code

Fabric

Metal

TZ - - -

Code:

 Consult the above price list.

Fabric:

 Specify the code, refer to the current Artopex panel fabric cards.


Metal:

 Specify metal finish, see p.IG05. (34 colors).

Laminate shelf for storage-supported laminate panel

NEW

1 1/8" thick laminate shelf.
 Install on a laminate panel.
 Panel mounting hardware included.
 Sold individually.



Dimensions						Spec.	
A	B	Panel width	Code	T.F.L.	FENIX	Cu.Ft.	lb
11	82	84	SHELPDL1182	222	635	1.7	18
11	76	78	SHELPDL1176	215	607	1.6	17
11	70	72	SHELPDL1170	209	579	1.5	15
11	64	66	SHELPDL1164	202	550	1.4	14
11	58	60	SHELPDL1158	195	522	1.3	13
11	52	54	SHELPDL1152	189	494	1.1	12
11	46	48	SHELPDL1146	164	447	1.0	11
11	40	42	SHELPDL1140	159	420	0.9	10
11	34	36	SHELPDL1134	153	393	0.8	8
11	28	30	SHELPDL1128	148	366	0.6	7
11	22	24	SHELPDL1122	142	340	0.5	6

SPECIFY

Code

Base 1

TZ

-

-

L

-

Code:

Consult the above price list.


Base 1:

Take Off finish see p.IG03.

Laminate shelf (rounded corners) for storage-supported laminate panel



1 1/2" thick laminate shelf with rounded front corners.
Installs on a laminate panel.
Panel-mounting hardware included.
Sold individually.



Dimensions					Spec.		
A	B	Panel width	Code	T.F.L.	FENIX	Cu.Ft.	lb
11	82	84	SHELPDLA1182	233	667	1.7	18
11	76	78	SHELPDLA1176	226	637	1.6	17
11	70	72	SHELPDLA1170	219	608	1.5	15
11	64	66	SHELPDLA1164	212	578	1.4	14
11	58	60	SHELPDLA1158	205	548	1.3	13
11	52	54	SHELPDLA1152	198	518	1.1	12
11	46	48	SHELPDLA1146	172	469	1.0	11
11	40	42	SHELPDLA1140	166	441	0.9	10
11	34	36	SHELPDLA1134	161	413	0.8	8
11	28	30	SHELPDLA1128	155	385	0.6	7
11	22	24	SHELPDLA1122	149	357	0.5	6

SPECIFY

Code

Base 1

TZ

-

L

-


Code: Consult the above price list.

Base 1: Take Off finish see p.IG03.

Metal shelf for storage-supported laminate panel

NEW

Metal shelf.
Installs on a laminate panel.
Panel mounting hardware included.
Sold individually.



Dimensions					Spec.	
A	B	Panel width	Code	Price	Cu.Ft.	lb
5	78	84	SHEMPDL0578	224	1.0	11
5	72	78	SHEMPDL0572	218	0.9	10
5	66	72	SHEMPDL0566	212	0.8	9
5	60	66	SHEMPDL0560	206	0.8	8
5	54	60	SHEMPDL0554	199	0.7	8
5	48	54	SHEMPDL0548	183	0.6	7
5	42	48	SHEMPDL0542	144	0.5	6
5	36	42	SHEMPDL0536	135	0.5	5
5	30	36	SHEMPDL0530	126	0.4	4
5	24	30	SHEMPDL0524	117	0.3	3
5	18	24	SHEMPDL0518	108	0.2	3

SPECIFY

Code Metal
TZ - -

Code: Consult the above price list.

Metal: Specify metal finish, [see p.IG05](#). (34 colors)





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Tackboards



Tackboards

Tackboards for 43" high hutches	J02
Tackboards for 37" high hutches	J10
Mounting brackets for hutch-type tackboard	J22






A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Fabric tackboard for 43" high hutches without horizontal pigeonhole unit and without horizontal grommet

Fabric tackboard for 43" high hutches without horizontal pigeonhole unit and without horizontal grommet.
Installs with Velcro® strips. Black brackets **AC-HKBT** included.



Dimensions			Code	Price						Spec.	
A	B			Gr.A	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
81 7/8	25 7/8	for 84" hutch	BT8226	413	468	524	575	607	630	0.8	9
75 7/8	25 7/8	for 78" hutch	BT7626	384	435	485	536	562	584	0.8	8
69 7/8	25 7/8	for 72" hutch	BT7026	357	404	452	493	524	545	0.7	7
63 7/8	25 7/8	for 66" hutch	BT6426	317	358	402	440	467	489	0.7	7
57 7/8	25 7/8	for 60" hutch	BT5826	266	301	341	369	380	386	0.6	6
51 7/8	25 7/8	for 54" hutch	BT5226	252	285	320	348	358	368	0.5	5
45 7/8	25 7/8	for 48" hutch	BT4626	244	277	309	333	344	354	0.5	5
39 7/8	25 7/8	for 42" hutch	BT4026	208	235	263	282	295	302	0.4	4
33 7/8	25 7/8	for 36" hutch	BT3426	192	216	239	263	273	281	0.4	4
27 7/8	25 7/8	for 30" hutch	BT2826	175	198	217	237	249	256	0.3	3
21 7/8	25 7/8	for 24" hutch	BT2226	168	184	198	214	225	235	0.2	2

SPECIFY


Code Fabric
AC- - - 3067

Code: Consult the product code above.

Fabric: Refer to current Artopex panel fabric card.

Felt tackboard for 43" high hutches without horizontal pigeonhole unit and without horizontal grommet

Felt tackboard for 43" high hutches without horizontal pigeonhole unit and without horizontal grommet. Installs with Velcro® strips. Silver brackets **AC-HKBF** included.



Dimensions			Code	Price	Spec.	
A	B				Cu.Ft.	lb
81 7⁄8	25 7⁄8	for 84" hutch	BF8226	315	0.5	7
75 7⁄8	25 7⁄8	for 78" hutch	BF7626	296	0.4	7
69 7⁄8	25 7⁄8	for 72" hutch	BF7026	276	0.4	6
63 7⁄8	25 7⁄8	for 66" hutch	BF6426	256	0.4	6
57 7⁄8	25 7⁄8	for 60" hutch	BF5826	237	0.3	5
51 7⁄8	25 7⁄8	for 54" hutch	BF5226	217	0.3	5
45 7⁄8	25 7⁄8	for 48" hutch	BF4626	198	0.3	4
39 7⁄8	25 7⁄8	for 42" hutch	BF4026	178	0.2	3
33 7⁄8	25 7⁄8	for 36" hutch	BF3426	159	0.2	3
27 7⁄8	25 7⁄8	for 30" hutch	BF2826	143	0.2	2
21 7⁄8	25 7⁄8	for 24" hutch	BF2226	124	0.1	2

SPECIFY

Code Felt
AC- - 3090


Code: Consult the product code above.
Felt: Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04

Fabric tackboard for 43" high hutches without horizontal pigeonhole unit and with horizontal grommet

Fabric tackboard for 43" high hutches without horizontal pigeonhole unit and with horizontal grommet.

Installs with Velcro® strips. Black brackets **AC-HKBT** included.

Allows access to the hutch's wiring grommet.



Dimensions			Code	Price						Spec.	
A	B			Gr.A	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
81 7⁄8	24 5⁄8	for 84" hutch	BT8225	413	468	524	575	607	630	0.8	8
75 7⁄8	24 5⁄8	for 78" hutch	BT7625	384	435	485	536	562	584	0.8	8
69 7⁄8	24 5⁄8	for 72" hutch	BT7025	357	404	452	493	524	545	0.7	7
63 7⁄8	24 5⁄8	for 66" hutch	BT6425	317	358	402	440	467	489	0.6	6
57 7⁄8	24 5⁄8	for 60" hutch	BT5825	266	301	341	369	380	386	0.6	6
51 7⁄8	24 5⁄8	for 54" hutch	BT5225	252	285	320	348	358	368	0.5	5
45 7⁄8	24 5⁄8	for 48" hutch	BT4625	244	277	309	333	344	354	0.5	5
39 7⁄8	24 5⁄8	for 42" hutch	BT4025	208	235	263	282	295	302	0.4	4
33 7⁄8	24 5⁄8	for 36" hutch	BT3425	192	216	239	263	273	281	0.3	3
27 7⁄8	24 5⁄8	for 30" hutch	BT2825	175	198	217	237	249	256	0.3	3
21 7⁄8	24 5⁄8	for 24" hutch	BT2225	168	184	198	214	225	235	0.2	2

SPECIFY


Code Fabric
AC- - - 3067

Code: Consult the product code above.

Fabric: Refer to current Artopex panel fabric card.

Felt tackboard for 43" high hutches without horizontal pigeonhole unit and with horizontal grommet

Felt tackboard for 43" high hutches without horizontal pigeonhole unit and with horizontal grommet.
Installs with Velcro® strips. Silver brackets **AC-HKBF** included.
Allows access to the hutch's wiring grommet.



Dimensions			Code	Price	Spec.	
A	B				Cu.Ft.	lb
81 7⁄8	24 5⁄8	for 84" hutch	BF8225	315	0.5	7
75 7⁄8	24 5⁄8	for 78" hutch	BF7625	296	0.4	6
69 7⁄8	24 5⁄8	for 72" hutch	BF7025	276	0.4	6
63 7⁄8	24 5⁄8	for 66" hutch	BF6425	256	0.4	5
57 7⁄8	24 5⁄8	for 60" hutch	BF5825	237	0.3	5
51 7⁄8	24 5⁄8	for 54" hutch	BF5225	217	0.3	4
45 7⁄8	24 5⁄8	for 48" hutch	BF4625	198	0.3	4
39 7⁄8	24 5⁄8	for 42" hutch	BF4025	178	0.2	3
33 7⁄8	24 5⁄8	for 36" hutch	BF3425	159	0.2	3
27 7⁄8	24 5⁄8	for 30" hutch	BF2825	143	0.2	2
21 7⁄8	24 5⁄8	for 24" hutch	BF2225	124	0.1	2


SPECIFY

Code Felt
AC- - - 3090

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04

Fabric tackboard for 43" high hutches with horizontal pigeonhole unit and without horizontal grommet

Fabric tackboard for 43" high hutches with horizontal pigeonhole unit and without horizontal grommet.
Installs with Velcro® strips. Black brackets **AC-HKBT** included.



Dimensions			Code	Price						Spec.	
A	B			Gr.A	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
81 7⁄8	22 5⁄8	for 84" hutch	BT8222	383	433	487	539	569	593	0.7	7
75 7⁄8	22 5⁄8	for 78" hutch	BT7622	355	403	452	501	527	550	0.7	7
69 7⁄8	22 5⁄8	for 72" hutch	BT7022	327	369	418	459	490	514	0.6	6
63 7⁄8	22 5⁄8	for 66" hutch	BT6422	286	324	368	408	434	458	0.6	6
57 7⁄8	22 5⁄8	for 60" hutch	BT5822	240	272	310	340	347	355	0.5	5
51 7⁄8	22 5⁄8	for 54" hutch	BT5222	228	256	293	319	327	339	0.5	5
45 7⁄8	22 5⁄8	for 48" hutch	BT4622	218	247	279	303	316	323	0.4	4
39 7⁄8	22 5⁄8	for 42" hutch	BT4022	184	208	236	256	265	276	0.4	4
33 7⁄8	22 5⁄8	for 36" hutch	BT3422	167	188	213	236	246	256	0.3	3
27 7⁄8	22 5⁄8	for 30" hutch	BT2822	152	173	192	212	224	232	0.3	2
21 7⁄8	22 5⁄8	for 24" hutch	BT2222	146	160	175	192	201	212	0.2	2

SPECIFY

CodeFabric


AC- - 3067

Code: Consult the product code above.

Fabric: Refer to current Artopex panel fabric card.

Felt tackboard for 43" high hutches with horizontal pigeonhole unit and without horizontal grommet

Felt tackboard for 43" high hutches with horizontal pigeonhole unit and without horizontal grommet. Installs with Velcro® strips. Silver brackets **AC-HKBF** included.



Dimensions			Code	Price	Spec.	
A	B				Cu.Ft.	lb
81 7⁄8	22 5⁄8	for 84" hutch	BF8222	283	0.4	6
75 7⁄8	22 5⁄8	for 78" hutch	BF7622	266	0.4	6
69 7⁄8	22 5⁄8	for 72" hutch	BF7022	249	0.3	5
63 7⁄8	22 5⁄8	for 66" hutch	BF6422	232	0.3	5
57 7⁄8	22 5⁄8	for 60" hutch	BF5822	214	0.3	4
51 7⁄8	22 5⁄8	for 54" hutch	BF5222	197	0.3	4
45 7⁄8	22 5⁄8	for 48" hutch	BF4622	179	0.2	3
39 7⁄8	22 5⁄8	for 42" hutch	BF4022	163	0.2	3
33 7⁄8	22 5⁄8	for 36" hutch	BF3422	145	0.2	3
27 7⁄8	22 5⁄8	for 30" hutch	BF2822	132	0.1	2
21 7⁄8	22 5⁄8	for 24" hutch	BF2222	114	0.1	2

SPECIFY

Code Felt
AC- - 3090


Code: Consult the product code above.
Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04

Fabric tackboard for 43" high hutches with horizontal pigeonhole unit and with horizontal grommet

Fabric tackboard for 43" high hutches with horizontal pigeonhole unit and with horizontal grommet.

Installs with Velcro® strips. Black brackets **AC-HKBT** included.

Allows access to the hutch's wiring grommet.



Dimensions			Code	Price						Spec.	
A	B			Gr.A	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
81 7/8	21 3/8	for 84" hutch	BT8221	383	433	487	539	569	593	0.7	7
75 7/8	21 3/8	for 78" hutch	BT7621	355	403	452	501	527	550	0.6	6
69 7/8	21 3/8	for 72" hutch	BT7021	327	369	418	459	490	514	0.6	6
63 7/8	21 3/8	for 66" hutch	BT6421	286	324	368	408	434	458	0.5	5
57 7/8	21 3/8	for 60" hutch	BT5821	240	272	310	340	347	355	0.5	5
51 7/8	21 3/8	for 54" hutch	BT5221	228	256	293	319	327	339	0.4	4
45 7/8	21 3/8	for 48" hutch	BT4621	218	247	279	303	316	323	0.4	4
39 7/8	21 3/8	for 42" hutch	BT4021	184	208	236	256	265	276	0.3	3
33 7/8	21 3/8	for 36" hutch	BT3421	167	188	213	236	246	256	0.3	3
27 7/8	21 3/8	for 30" hutch	BT2821	152	173	192	212	224	232	0.2	2
21 7/8	21 3/8	for 24" hutch	BT2221	146	160	175	192	201	212	0.2	2

SPECIFY


Code Fabric
AC- - - 3067

Code: Consult the product code above.

Fabric: Refer to current Artopex panel fabric card.

Felt tackboard for 43" high hutches with horizontal pigeonhole unit and with horizontal grommet

Felt tackboard for 43" high hutches with horizontal pigeonhole unit and with horizontal grommet.
Installs with Velcro® strips. Silver brackets **AC-HKBF** included.
Allows access to the hutch's wiring grommet.



Dimensions			Code	Price	Spec.	
A	B				Cu.Ft.	lb
81 7/8	21 3/8	for 84" hutch	BF8221	283	0.4	6
75 7/8	21 3/8	for 78" hutch	BF7621	266	0.4	5
69 7/8	21 3/8	for 72" hutch	BF7021	249	0.3	5
63 7/8	21 3/8	for 66" hutch	BF6421	232	0.3	5
57 7/8	21 3/8	for 60" hutch	BF5821	214	0.3	4
51 7/8	21 3/8	for 54" hutch	BF5221	197	0.2	4
45 7/8	21 3/8	for 48" hutch	BF4621	179	0.2	3
39 7/8	21 3/8	for 42" hutch	BF4021	163	0.2	3
33 7/8	21 3/8	for 36" hutch	BF3421	145	0.2	2
27 7/8	21 3/8	for 30" hutch	BF2821	132	0.1	2
21 7/8	21 3/8	for 24" hutch	BF2221	114	0.1	2


SPECIFY

Code Felt
AC- - - 3090

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04

Fabric tackboard for 37" high hutches without horizontal pigeonhole unit and without horizontal grommet

Fabric tackboard for 37" high hutches without horizontal pigeonhole unit and without horizontal grommet.
Installs with Velcro® strips. Black brackets **AC-HKBT** included.



Dimensions			Code	Price						Spec.	
A	B			Gr.A	Gr.1	COM /Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
81 7/8	19 7/8	for 84" hutch	BT8220	376	425	480	530	561	586	0.7	7
75 7/8	19 7/8	for 78" hutch	BT7620	349	394	446	491	520	543	0.6	6
69 7/8	19 7/8	for 72" hutch	BT7020	321	364	409	453	483	506	0.6	6
63 7/8	19 7/8	for 66" hutch	BT6420	282	319	363	403	427	452	0.5	5
57 7/8	19 7/8	for 60" hutch	BT5820	234	264	303	333	343	348	0.5	5
51 7/8	19 7/8	for 54" hutch	BT5220	220	250	285	315	322	333	0.4	4
45 7/8	19 7/8	for 48" hutch	BT4620	215	243	275	299	312	321	0.4	4
39 7/8	19 7/8	for 42" hutch	BT4020	180	204	233	252	262	272	0.3	3
33 7/8	19 7/8	for 36" hutch	BT3420	165	186	209	234	242	250	0.3	3
27 7/8	19 7/8	for 30" hutch	BT2820	149	169	188	209	220	229	0.2	2
21 7/8	19 7/8	for 24" hutch	BT2220	143	157	172	188	199	209	0.2	2

SPECIFY


Code Fabric
AC- - - 3067

Code: Consult the product code above.

Fabric: Refer to current Artopex panel fabric card.

Felt tackboard for 37" high hutches without horizontal pigeonhole unit and without horizontal grommet

Felt tackboard for 37" high hutches without horizontal pigeonhole unit and without horizontal grommet. Installs with Velcro® strips. Silver brackets **AC-HKBF** included.




Dimensions			Code	Price	Spec.	
A	B				Cu.Ft.	lb
81 7/8	19 7/8	for 84" hutch	BF8220	258	0.4	5
75 7/8	19 7/8	for 78" hutch	BF7620	241	0.3	5
69 7/8	19 7/8	for 72" hutch	BF7020	226	0.3	5
63 7/8	19 7/8	for 66" hutch	BF6420	211	0.3	4
57 7/8	19 7/8	for 60" hutch	BF5820	196	0.3	4
51 7/8	19 7/8	for 54" hutch	BF5220	180	0.2	3
45 7/8	19 7/8	for 48" hutch	BF4620	166	0.2	3
39 7/8	19 7/8	for 42" hutch	BF4020	150	0.2	3
33 7/8	19 7/8	for 36" hutch	BF3420	135	0.2	2
27 7/8	19 7/8	for 30" hutch	BF2820	123	0.1	2
21 7/8	19 7/8	for 24" hutch	BF2220	108	0.1	1

SPECIFY

Code Felt
AC- - 3090

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04

Fabric tackboard for 37" high hutches without horizontal pigeonhole unit and with horizontal grommet. Installs with Velcro® strips. Black brackets **AC-HKBT** included. Allows access to the hutch's wiring grommet.



Dimensions			Code	Price						Spec.	
A	B			Gr.A	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
81 7/8"	18 5/8"	for 84" hutch	BT8219	376	425	480	530	561	586	0.6	6
75 7/8"	18 5/8"	for 78" hutch	BT7619	349	394	446	491	520	543	0.6	6
69 7/8"	18 5/8"	for 72" hutch	BT7019	321	364	409	453	483	506	0.5	5
63 7/8"	18 5/8"	for 66" hutch	BT6419	282	319	363	403	427	452	0.5	5
57 7/8"	18 5/8"	for 60" hutch	BT5819	234	264	303	333	343	348	0.4	4
51 7/8"	18 5/8"	for 54" hutch	BT5219	220	250	285	315	322	333	0.4	4
45 7/8"	18 5/8"	for 48" hutch	BT4619	215	243	275	299	312	321	0.4	4
39 7/8"	18 5/8"	for 42" hutch	BT4019	180	204	233	252	262	272	0.3	3
33 7/8"	18 5/8"	for 36" hutch	BT3419	165	186	209	234	242	250	0.3	3
27 7/8"	18 5/8"	for 30" hutch	BT2819	149	169	188	209	220	229	0.2	2
21 7/8"	18 5/8"	for 24" hutch	BT2219	143	157	172	188	199	209	0.2	2


SPECIFY

Code Fabric
AC- - - 3067

Code: Consult the product code above.
Fabric: Refer to current Artopex panel fabric card.

Felt tackboard for 37" high hutches without horizontal pigeonhole unit and with horizontal grommet

Felt tackboard for 37" high hutches without horizontal pigeonhole unit and with horizontal grommet.
Installs with Velcro® strips. Silver brackets **AC-HKBF** included.
Allows access to the hutch's wiring grommet.



Dimensions			Code	Price	Spec.	
A	B				Cu.Ft.	lb
81 7⁄8	18 5⁄8	for 84" hutch	BF8219	258	0.3	5
75 7⁄8	18 5⁄8	for 78" hutch	BF7619	241	0.3	5
69 7⁄8	18 5⁄8	for 72" hutch	BF7019	226	0.3	4
63 7⁄8	18 5⁄8	for 66" hutch	BF6419	211	0.3	4
57 7⁄8	18 5⁄8	for 60" hutch	BF5819	196	0.2	4
51 7⁄8	18 5⁄8	for 54" hutch	BF5219	180	0.2	3
45 7⁄8	18 5⁄8	for 48" hutch	BF4619	166	0.2	3
39 7⁄8	18 5⁄8	for 42" hutch	BF4019	150	0.2	3
33 7⁄8	18 5⁄8	for 36" hutch	BF3419	135	0.1	2
27 7⁄8	18 5⁄8	for 30" hutch	BF2819	123	0.1	2
21 7⁄8	18 5⁄8	for 24" hutch	BF2219	108	0.1	1

SPECIFY

Code

Felt

AC-

-

-

3090

Code:


Consult the product code above.

Felt:

Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04

Fabric tackboard for 37" high hutches with horizontal pigeonhole unit and without horizontal grommet

Fabric tackboard for 37" high hutches with horizontal pigeonhole unit and without horizontal grommet. Installs with Velcro® strips. Black brackets **AC-HKBT** included.



Dimensions			Code	Price						Spec.	
A	B			Gr.A	Gr.1	COM /Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
81 7/8	16 5/8	for 84" hutch	BT8216	359	407	462	515	545	569	0.5	5
75 7/8	16 5/8	for 78" hutch	BT7616	334	379	428	477	505	526	0.5	5
69 7/8	16 5/8	for 72" hutch	BT7016	308	348	398	439	470	490	0.4	5
63 7/8	16 5/8	for 66" hutch	BT6416	268	304	347	389	416	438	0.4	4
57 7/8	16 5/8	for 60" hutch	BT5816	224	253	294	321	332	339	0.4	4
51 7/8	16 5/8	for 54" hutch	BT5216	212	240	275	303	314	322	0.3	3
45 7/8	16 5/8	for 48" hutch	BT4616	208	235	267	289	301	314	0.3	3
39 7/8	16 5/8	for 42" hutch	BT4016	173	196	224	243	253	264	0.3	3
33 7/8	16 5/8	for 36" hutch	BT3416	159	179	203	226	236	245	0.2	2
27 7/8	16 5/8	for 30" hutch	BT2816	145	165	184	204	216	220	0.2	2
21 7/8	16 5/8	for 24" hutch	BT2216	139	153	167	185	195	206	0.1	1

SPECIFY


Code Fabric
AC- - - 3067

Code: Consult the product code above.

Fabric: Refer to current Artopex panel fabric card.

Felt tackboard for 37" high hutches with horizontal pigeonhole unit and without horizontal grommet

Felt tackboard for 37" high hutches with horizontal pigeonhole unit and without horizontal grommet. Installs with Velcro® strips. Silver brackets **AC-HKBF** included.



Dimensions			Code	Price	Spec.	
A	B				Cu.Ft.	lb
81 7⁄8	16 5⁄8	for 84" hutch	BF8216	226	0.3	4
75 7⁄8	16 5⁄8	for 78" hutch	BF7616	213	0.3	4
69 7⁄8	16 5⁄8	for 72" hutch	BF7016	200	0.3	4
63 7⁄8	16 5⁄8	for 66" hutch	BF6416	187	0.2	3
57 7⁄8	16 5⁄8	for 60" hutch	BF5816	174	0.2	3
51 7⁄8	16 5⁄8	for 54" hutch	BF5216	161	0.2	3
45 7⁄8	16 5⁄8	for 48" hutch	BF4616	148	0.2	2
39 7⁄8	16 5⁄8	for 42" hutch	BF4016	135	0.1	2
33 7⁄8	16 5⁄8	for 36" hutch	BF3416	123	0.1	2
27 7⁄8	16 5⁄8	for 30" hutch	BF2816	108	0.1	2
21 7⁄8	16 5⁄8	for 24" hutch	BF2216	95	0.1	1

SPECIFY

Code Felt
AC- - - 3090


Code: Consult the product code above.
Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04

Fabric tackboard for 37" high hutches with horizontal pigeonhole unit and with horizontal grommet

Fabric tackboard for 37" high hutches with horizontal pigeonhole unit and with horizontal grommet.

Installs with Velcro® strips. Black brackets **AC-HKBT** included.

Allows access to the hutch's wiring grommet.



Dimensions			Code	Price						Spec.	
A	B			Gr.A	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
81 7/8	15 3/8	for 84" hutch	BT8215	359	407	462	515	545	569	0.5	5
75 7/8	15 3/8	for 78" hutch	BT7615	334	379	428	477	505	526	0.5	5
69 7/8	15 3/8	for 72" hutch	BT7015	308	348	398	439	470	490	0.4	4
63 7/8	15 3/8	for 66" hutch	BT6415	268	304	347	389	416	438	0.4	4
57 7/8	15 3/8	for 60" hutch	BT5815	224	253	294	321	332	339	0.3	4
51 7/8	15 3/8	for 54" hutch	BT5215	212	240	275	303	314	322	0.3	3
45 7/8	15 3/8	for 48" hutch	BT4615	208	235	267	289	301	314	0.3	3
39 7/8	15 3/8	for 42" hutch	BT4015	173	196	224	243	253	264	0.2	2
33 7/8	15 3/8	for 36" hutch	BT3415	159	179	203	226	236	245	0.2	2
27 7/8	15 3/8	for 30" hutch	BT2815	145	165	184	204	216	220	0.2	2
21 7/8	15 3/8	for 24" hutch	BT2215	139	153	167	185	195	206	0.1	1

SPECIFY


Code Fabric
AC- - - 3067

Code: Consult the product code above.

Fabric: Refer to current Artopex panel fabric card.

Felt tackboard for 37" high hutches with horizontal pigeonhole unit and with horizontal grommet

Felt tackboard for 37" high hutches with horizontal pigeonhole unit and with horizontal grommet.
Installs with Velcro® strips. Silver brackets **AC-HKBF** included.
Allows access to the hutch's wiring grommet.



Dimensions			Code	Price	Spec.	
A	B				Cu.Ft.	lb
81 7⁄8	15 3⁄8	for 84" hutch	BF8215	226	0.3	4
75 7⁄8	15 3⁄8	for 78" hutch	BF7615	213	0.3	4
69 7⁄8	15 3⁄8	for 72" hutch	BF7015	200	0.2	4
63 7⁄8	15 3⁄8	for 66" hutch	BF6415	187	0.2	3
57 7⁄8	15 3⁄8	for 60" hutch	BF5815	174	0.2	3
51 7⁄8	15 3⁄8	for 54" hutch	BF5215	161	0.2	3
45 7⁄8	15 3⁄8	for 48" hutch	BF4615	148	0.2	2
39 7⁄8	15 3⁄8	for 42" hutch	BF4015	135	0.1	2
33 7⁄8	15 3⁄8	for 36" hutch	BF3415	123	0.1	2
27 7⁄8	15 3⁄8	for 30" hutch	BF2815	108	0.1	1
21 7⁄8	15 3⁄8	for 24" hutch	BF2215	95	0.1	1


SPECIFY

Code Felt
AC- - 3090

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04

Wall-mounted fabric tackboard for wall-mounted hutches installed 72" high

Wall-Mounted fabric tackboard for wall-mounted hutches installed 72" high (with 29" high credenza/table below).
Installs with Velcro® strips. Black brackets **AC-HKBT** included.



Dimensions		Code	Price						Spec.	
A	B		Gr.A	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5	Cu.Ft.	lb
72	25 7/8	WBT7226	371	419	470	515	544	561	0.7	3
66	25 7/8	WBT6626	338	381	427	468	495	517	0.7	3
60	25 7/8	WBT6026	293	330	371	405	423	438	0.6	3
54	25 7/8	WBT5426	260	294	331	359	366	377	0.6	3
48	25 7/8	WBT4826	249	281	315	341	351	362	0.5	2
42	25 7/8	WBT4226	226	256	286	308	319	329	0.4	2
36	25 7/8	WBT3626	200	226	251	273	283	293	0.4	2
30	25 7/8	WBT3026	184	208	229	250	261	269	0.3	1
24	25 7/8	WBT2426	172	192	208	226	237	245	0.2	1

SPECIFY

Code

Fabric

AC- - - 3067

Code:


Consult the product code above.

Fabric:

Refer to current Artopex panel fabric card.

Wall-mounted felt tackboard for wall-mounted hutches installed 72" high

Wall-Mounted felt tackboard for wall-mounted hutches installed 72" high (with 29" high credenza/table below).
Installed with Velcro® strips. Silver brackets **AC-HKBF** included.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
72	25 7/8	WBF7226	285	0.4	3
66	25 7/8	WBF6626	266	0.4	3
60	25 7/8	WBF6026	246	0.3	2
54	25 7/8	WBF5426	228	0.3	2
48	25 7/8	WBF4826	208	0.3	2
42	25 7/8	WBF4226	188	0.2	2
36	25 7/8	WBF3626	169	0.2	1
30	25 7/8	WBF3026	151	0.2	1
24	25 7/8	WBF2426	133	0.1	1

SPECIFY

Code

Felt

AC-

-

-

3090

Code:


Consult the product code above.

Felt:

Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#)

Wall-mounted fabric tackboard for wall-mounted hutches installed 66" high

Wall-Mounted fabric tackboard for wall-mounted hutches installed 66" high (with 29" high credenza/table below).
Install with Velcro® strips. Black brackets **AC-HKBT** included.



Dimensions		Code	Price							Spec.	
A	B		Gr.A	Gr.1	COM/Gr.2	Gr.3	Gr.4	Gr.5		Cu.Ft.	lb
72	19 7/8	WBT7220	336	380	427	473	502	504		0.6	3
66	19 7/8	WBT6620	302	342	386	428	455	479		0.5	2
60	19 7/8	WBT6020	259	293	333	368	385	401		0.5	2
54	19 7/8	WBT5420	228	258	295	324	333	341		0.4	2
48	19 7/8	WBT4820	218	246	280	307	318	328		0.4	2
42	19 7/8	WBT4220	198	224	254	276	287	297		0.3	2
36	19 7/8	WBT3620	173	196	220	233	252	261		0.3	1
30	19 7/8	WBT3020	157	177	199	221	232	239		0.2	1
24	19 7/8	WBT2420	146	164	180	199	210	218		0.2	1

SPECIFY

Code

Fabric

AC- - - 3067

Code:


Consult the product code above.

Fabric:

Refer to current Artopex panel fabric card.

Wall-mounted felt tackboard for wall-mounted hutches installed 66" high

Wall-Mounted felt tackboard for wall-mounted hutches installed 66" high (with 29" high credenza/table below).
Install with Velcro® strips. Silver brackets **AC-HKBF** included.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
72	19 7/8	WBF7220	234	0.3	2
66	19 7/8	WBF6620	218	0.3	2
60	19 7/8	WBF6020	203	0.3	2
54	19 7/8	WBF5420	188	0.2	2
48	19 7/8	WBF4820	173	0.2	1
42	19 7/8	WBF4220	158	0.2	1
36	19 7/8	WBF3620	143	0.2	1
30	19 7/8	WBF3020	129	0.1	1
24	19 7/8	WBF2420	115	0.1	1

SPECIFY

Code

Felt

AC-

-

-

3090

Code:


Consult the product code above.

Felt:

Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04

Mounting brackets for hutch-type fabric tackboard

Hook brackets for installing a hutch-type fabric tackboard on a hutch's back or on a wall.
Order 2 packs for tackboards 60" and over.
Available in black (3067) color only.



Code		Price	Spec.	
			Cu.Ft.	lb
Pack of 4	AC-HKBT-3067	61		




ATTENTION:

Cannot be used with "BF" felt tackboards.

Mounting brackets for hutch-type felt tackboard

Hook brackets for installing a hutch-type felt tackboard on a hutch's back or on a wall.
Order 2 packs for tackboards 60" and over.
Available in silver (3090) color only.



Code		Price	Spec.	
			Cu.Ft.	lb
Pack of 4	AC-HKBF-3090	61		



ATTENTION:

Cannot be used with "BT" fabric tackboards.





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O


Screens



Screens

Laminate privacy screen	K02
Laminate privacy screen, exceeding in front of the surface	K03
Laminate double privacy screen	K04
Laminate modesty panel	K05
Felt privacy screen	K06
Felt privacy screen, exceeding in front of the surface	K08
Felt double privacy screen	K09
Felt modesty panel	K11
Acrylic privacy screen	K12
Acrylic privacy screen, exceeding in front of the surface	K14
Acrylic double privacy screen	K15
Acrylic modesty panel	K17

Laminate privacy screen



Dimensions			Code	L	S	Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
15" HIGH							
71 ¾	15 ¼	3	PPOVL7215	397	1131	1.9	22
65 ¾	15 ¼	3	PPOVL6615	391	1080	1.7	20
59 ¾	15 ¼	3	PPOVL6015	388	1024	1.6	20
53 ¾	15 ¼	2	PPOVL5415	331	922	1.5	18
47 ¾	15 ¼	2	PPOVL4815	327	870	1.3	15
41 ¾	15 ¼	2	PPOVL4215	289	774	1.2	15
35 ¾	15 ¼	2	PPOVL3615	284	732	1.0	13
29 ¾	15 ¼	2	PPOVL3015	279	679	0.9	11
23 ¾	15 ¼	2	PPOVL2415	273	614	0.7	11
20 ¾	15 ¼	2	PPOVL2115	271	589	0.7	9
17 ¾	15 ¼	2	PPOVL1815	268	555	0.6	9
13" HIGH							
71 ¾	12 ½	3	PPOVL7213	382	1018	1.7	18
65 ¾	12 ½	3	PPOVL6613	376	967	1.5	18
59 ¾	12 ½	3	PPOVL6013	373	911	1.4	15
53 ¾	12 ½	2	PPOVL5413	316	809	1.3	15
47 ¾	12 ½	2	PPOVL4813	312	758	1.2	13
41 ¾	12 ½	2	PPOVL4213	276	661	1.0	13
35 ¾	12 ½	2	PPOVL3613	271	620	0.9	11
29 ¾	12 ½	2	PPOVL3013	266	568	0.8	11
23 ¾	12 ½	2	PPOVL2413	260	503	0.6	9
20 ¾	12 ½	2	PPOVL2113	258	478	0.6	9
17 ¾	12 ½	2	PPOVL1813	255	444	0.5	7

C: Number of supports

SPECIFY

Code L/S Base Metal

TZ- - - -

Code: Consult the product code above.


L / S: Specify the code identifying the type of finish (**L** = T.F.L. $1\frac{1}{16}$ " , **S** = FENIX $1\frac{1}{16}$ ").

Base: Refer to the different types of finishes, see p.IG03.

Metal: Specify the metal finish, see p.IG05 (34 colors).


Laminate privacy screen, exceeding in front of the surface

Laminate privacy screen, exceeding by 8" in front of the surface.
11/16" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code	L	S	Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
LEFT							
15" HIGH							
37 3/4	15 1/4	2	PPOVLEL3815	286	743	1.1	13
31 3/4	15 1/4	2	PPOVLEL3215	281	720	0.9	11
13" HIGH							
37 3/4	12 1/2	2	PPOVLEL3813	273	659	0.9	11
31 3/4	12 1/2	2	PPOVLEL3213	268	592	0.8	11
RIGHT							
15" HIGH							
37 3/4	15 1/4	2	PPOVLER3815	286	743	1.1	13
31 3/4	15 1/4	2	PPOVLER3215	281	720	0.9	11
13" HIGH							
37 3/4	12 1/2	2	PPOVLER3813	273	659	0.9	11
31 3/4	12 1/2	2	PPOVLER3213	268	592	0.8	11

C: Number of supports



SPECIFY

Code

L / S

Base

Metal

TZ-

-

-

-

-

Code:

 Consult the product code above.

L / S:

 Specify the code identifying the type of finish (L= T.F.L. 11/16", S= FENIX 11/16").

Base:


 Refer to the different types of finishes, see p.IG03.

Metal:

 Specify the metal finish, see p.IG05 (34 colors).

Laminate double privacy screen

Laminate double privacy screen.
1¹/₁₆" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code	L	S	Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
29" HIGH							
71 3/4	29 1/4	3	PPFRL7229	450	2340	3.4	44
65 3/4	29 1/4	3	PPFRL6629	440	2196	3.1	40
59 3/4	29 1/4	3	PPFRL6029	432	2049	2.8	37
53 3/4	29 1/4	2	PPFRL5429	370	1843	2.6	33
47 3/4	29 1/4	2	PPFRL4829	331	1655	2.3	31
41 3/4	29 1/4	2	PPFRL4229	322	1525	2.0	26
35 3/4	29 1/4	2	PPFRL3629	311	1379	1.8	24
29 3/4	29 1/4	2	PPFRL3029	303	1224	1.5	22
23 3/4	29 1/4	2	PPFRL2429	293	1054	1.2	18
27" HIGH							
71 3/4	26 1/2	3	PPFRL7227	423	2153	3.2	40
65 3/4	26 1/2	3	PPFRL6627	413	2031	2.9	37
59 3/4	26 1/2	3	PPFRL6027	405	1884	2.7	33
53 3/4	26 1/2	2	PPFRL5427	343	1678	2.4	31
47 3/4	26 1/2	2	PPFRL4827	304	1503	2.2	29
41 3/4	26 1/2	2	PPFRL4227	296	1395	1.9	26
35 3/4	26 1/2	2	PPFRL3627	284	1260	1.7	22
29 3/4	26 1/2	2	PPFRL3027	276	1105	1.4	20
23 3/4	26 1/2	2	PPFRL2427	265	958	1.2	15

C: Number of supports

SPECIFY

Code

L / S

Base

Metal

TZ-

-

-

-

-

Code:

Consult the product code above.

L / S:

Specify the code identifying the type of finish (L= T.F.L. 1¹/₁₆", S= FENIX 1¹/₁₆").

Base:


Refer to the different types of finishes, see p.IG03.

Metal:

Specify the metal finish, see p.IG05 (34 colors).

Laminate modesty panel

Laminate modesty panel.
11/16" thick.
Installs under a work surface with the provided metal supports.



Dimensions			Code	L	S	Spec.	
A	B	C		T.F.L.	FENIX	Cu.Ft.	lb
23" HIGH							
71 ¾	23	3	PPUNL7223	434	1913	2.9	33
65 ¾	23	3	PPUNL6623	428	1836	2.7	31
59 ¾	23	3	PPUNL6023	422	1719	2.5	29
53 ¾	23	2	PPUNL5423	366	1532	2.3	26
47 ¾	23	2	PPUNL4823	329	1378	2.0	24
41 ¾	23	2	PPUNL4223	322	1248	1.8	22
35 ¾	23	2	PPUNL3623	318	1151	1.6	20
29 ¾	23	2	PPUNL3023	310	1037	1.3	18
23 ¾	23	2	PPUNL2423	306	914	1.1	15
13" HIGH							
71 ¾	13	3	PPUNL7213	391	1288	1.8	20
65 ¾	13	3	PPUNL6613	387	1238	1.7	20
59 ¾	13	3	PPUNL6013	382	1166	1.5	18
53 ¾	13	2	PPUNL5413	327	1031	1.4	18
47 ¾	13	2	PPUNL4813	290	924	1.3	15
41 ¾	13	2	PPUNL4213	285	846	1.1	15
35 ¾	13	2	PPUNL3613	282	750	1.0	13
29 ¾	13	2	PPUNL3013	276	713	0.9	11
23 ¾	13	2	PPUNL2413	272	637	0.7	11

C: Number of supports

SPECIFY

Code

L / S

Base

Metal

TZ-

-

-

-

Code:

 Consult the product code above.

L / S:

 Specify the code identifying the type of finish (L= T.F.L. 11/16", S= FENIX 11/16").

Base:


 Refer to the different types of finishes, see p.IG03.

Metal:

 Specify the metal finish, see p.IG05 (34 colors).

Felt privacy screen with rounded corners

Felt privacy screen with rounded corners.
3/4" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
25" HIGH						
71 3/4	24 1/2	3	PPOVFA7225	757	0.4	6
65 3/4	24 1/2	3	PPOVFA6625	723	0.3	5
59 3/4	24 1/2	3	PPOVFA6025	689	0.3	5
53 3/4	24 1/2	2	PPOVFA5425	560	0.3	4
47 3/4	24 1/2	2	PPOVFA4825	533	0.2	4
41 3/4	24 1/2	2	PPOVFA4225	503	0.2	3
35 3/4	24 1/2	2	PPOVFA3625	470	0.2	3
29 3/4	24 1/2	2	PPOVFA3025	441	0.2	2
23 3/4	24 1/2	2	PPOVFA2425	411	0.1	2
20 3/4	24 1/2	2	PPOVFA2125	384	0.1	2
17 3/4	24 1/2	2	PPOVFA1825	358	0.1	1
15" HIGH						
71 3/4	15 1/4	3	PPOVFA7215	620	0.2	3
65 3/4	15 1/4	3	PPOVFA6615	596	0.2	3
59 3/4	15 1/4	3	PPOVFA6015	591	0.2	3
53 3/4	15 1/4	2	PPOVFA5415	482	0.2	3
47 3/4	15 1/4	2	PPOVFA4815	454	0.2	2
41 3/4	15 1/4	2	PPOVFA4215	424	0.1	2
35 3/4	15 1/4	2	PPOVFA3615	402	0.1	2
29 3/4	15 1/4	2	PPOVFA3015	382	0.1	1
23 3/4	15 1/4	2	PPOVFA2415	363	0.1	1
20 3/4	15 1/4	2	PPOVFA2115	345	0.1	1
17 3/4	15 1/4	2	PPOVFA1815	329	0.1	1

C: Number of supports

SPECIFY

Code

Felt

Metal

AC-

-

-

Code:

Consult the product code above.

Felt:

Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#).

Metal:

Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Felt privacy screen with rounded corners

Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
13" HIGH						
71 ¾	12 ½	3	PPOVFA7213	577	0.2	3
65 ¾	12 ½	3	PPOVFA6613	557	0.2	3
59 ¾	12 ½	3	PPOVFA6013	552	0.2	3
53 ¾	12 ½	2	PPOVFA5413	443	0.2	3
47 ¾	12 ½	2	PPOVFA4813	415	0.2	2
41 ¾	12 ½	2	PPOVFA4213	390	0.1	2
35 ¾	12 ½	2	PPOVFA3613	372	0.1	2
29 ¾	12 ½	2	PPOVFA3013	352	0.1	1
23 ¾	12 ½	2	PPOVFA2413	338	0.1	1
20 ¾	12 ½	2	PPOVFA2113	321	0.1	1
17 ¾	12 ½	2	PPOVFA1813	309	0.1	1

SPECIFY

Code

Felt

Metal

AC-

-

-

Code:

Consult the product code above.

Felt:

Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#).


Metal:

Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Felt privacy screen with rounded corners, exceeding in front of the surface

Left privacy screen with rounded corners, exceeding by 8" in front of the surface.
 $\frac{3}{4}$ " thick.

Installs on a work surface with the provided metal supports.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
LEFT						
25" HIGH						
37 $\frac{3}{4}$	24 $\frac{1}{2}$	2	PPOVFAEL3825	500	0.2	2
31 $\frac{3}{4}$	24 $\frac{1}{2}$	2	PPOVFAEL3225	465	0.2	2
15" HIGH						
37 $\frac{3}{4}$	15 $\frac{1}{4}$	2	PPOVFAEL3815	416	0.1	1
31 $\frac{3}{4}$	15 $\frac{1}{4}$	2	PPOVFAEL3215	391	0.1	1
13" HIGH						
37 $\frac{3}{4}$	12 $\frac{1}{2}$	2	PPOVFAEL3813	382	0.1	1
31 $\frac{3}{4}$	12 $\frac{1}{2}$	2	PPOVFAEL3213	363	0.1	1
RIGHT						
25" HIGH						
37 $\frac{3}{4}$	24 $\frac{1}{2}$	2	PPOVFAER3825	500	0.2	2
31 $\frac{3}{4}$	24 $\frac{1}{2}$	2	PPOVFAER3225	465	0.2	2
15" HIGH						
37 $\frac{3}{4}$	15 $\frac{1}{4}$	2	PPOVFAER3815	416	0.1	1
31 $\frac{3}{4}$	15 $\frac{1}{4}$	2	PPOVFAER3215	391	0.1	1
13" HIGH						
37 $\frac{3}{4}$	12 $\frac{1}{2}$	2	PPOVFAER3813	382	0.1	1
31 $\frac{3}{4}$	12 $\frac{1}{2}$	2	PPOVFAER3213	363	0.1	1

C: Number of supports

SPECIFY

Code Felt Metal
AC- - -


Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Metal: Specify the metal finish, see p.IG05 (34 colors).

Felt double privacy screen with rounded corners

Felt double privacy screen with rounded corners.
¾" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
39" HIGH						
71 ¾	38 ½	3	PPFRFA7239	996	0.6	9
65 ¾	38 ½	3	PPFRFA6639	950	0.6	8
59 ¾	38 ½	3	PPFRFA6039	904	0.5	8
53 ¾	38 ½	2	PPFRFA5439	804	0.5	7
47 ¾	38 ½	2	PPFRFA4839	706	0.4	6
41 ¾	38 ½	2	PPFRFA4239	658	0.4	5
35 ¾	38 ½	2	PPFRFA3639	613	0.3	5
29 ¾	38 ½	2	PPFRFA3039	565	0.3	4
23 ¾	38 ½	2	PPFRFA2439	519	0.2	3
29" HIGH						
71 ¾	29 ¼	3	PPFRFA7229	864	0.5	7
65 ¾	29 ¼	3	PPFRFA6629	829	0.4	6
59 ¾	29 ¼	3	PPFRFA6029	793	0.4	6
53 ¾	29 ¼	2	PPFRFA5429	706	0.4	5
47 ¾	29 ¼	2	PPFRFA4829	617	0.3	5
41 ¾	29 ¼	2	PPFRFA4229	581	0.3	4
35 ¾	29 ¼	2	PPFRFA3629	546	0.2	4
29 ¾	29 ¼	2	PPFRFA3029	510	0.2	3
23 ¾	29 ¼	2	PPFRFA2429	475	0.2	2

C: Number of supports

SPECIFY

Code

Felt

Metal

AC-

-

-

Code:

 Consult the product code above.

Felt:

 Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04.

Metal:

 Specify the metal finish, see p.IG05 (34 colors).

Felt double privacy screen with rounded corners

Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
27" HIGH						
71 ¾	26 ½	3	PPFRFA7227	825	0.4	6
65 ¾	26 ½	3	PPFRFA6627	793	0.4	6
59 ¾	26 ½	3	PPFRFA6027	760	0.4	5
53 ¾	26 ½	2	PPFRFA5427	676	0.3	5
47 ¾	26 ½	2	PPFRFA4827	591	0.3	4
41 ¾	26 ½	2	PPFRFA4227	558	0.2	4
35 ¾	26 ½	2	PPFRFA3627	525	0.2	3
29 ¾	26 ½	2	PPFRFA3027	493	0.2	3
23 ¾	26 ½	2	PPFRFA2427	460	0.1	2

C: Number of supports

SPECIFY

Code

Felt

Metal

AC-

-

-

-

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#).


Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Felt modesty panel with rounded corners

Felt modesty panel with rounded corners.

¾" thick.

Installs under a work surface with the provided metal supports.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
23" HIGH						
71 ¾	23	3	PPUNFA7223	764	0.3	5
65 ¾	23	3	PPUNFA6623	736	0.3	5
59 ¾	23	3	PPUNFA6023	711	0.3	4
53 ¾	23	2	PPUNFA5423	631	0.3	4
47 ¾	23	2	PPUNFA4823	552	0.2	3
41 ¾	23	2	PPUNFA4223	524	0.2	3
35 ¾	23	2	PPUNFA3623	499	0.2	3
29 ¾	23	2	PPUNFA3023	472	0.1	2
23 ¾	23	2	PPUNFA2423	444	0.1	2
13" HIGH						
71 ¾	13	3	PPUNFA7213	621	0.2	3
65 ¾	13	3	PPUNFA6613	606	0.2	3
59 ¾	13	3	PPUNFA6013	591	0.2	2
53 ¾	13	2	PPUNFA5413	523	0.1	2
47 ¾	13	2	PPUNFA4813	456	0.1	2
41 ¾	13	2	PPUNFA4213	441	0.1	2
35 ¾	13	2	PPUNFA3613	425	0.1	1
29 ¾	13	2	PPUNFA3013	411	0.1	1
23 ¾	13	2	PPUNFA2413	397	0.1	1

C: Number of supports

SPECIFY

Code Felt Metal
AC- - -

Code: Consult the product code above.


Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#).

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

🏠
☰
i
↶
A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Translucent acrylic privacy screen

Translucent acrylic privacy screen.
 ¼" thick.
 Installs on a work surface with the provided metal supports.



Dimensions			Code	Price		Spec.	
A	B	C		Gi	CL	Cu.Ft.	lb
25" HIGH							
71 ¾	24 ½	3	PPOVA7225	745	607	0.4	12
65 ¾	24 ½	3	PPOVA6625	705	578	0.4	11
59 ¾	24 ½	3	PPOVA6025	664	548	0.3	10
53 ¾	24 ½	2	PPOVA5425	589	485	0.3	9
47 ¾	24 ½	2	PPOVA4825	516	424	0.3	8
41 ¾	24 ½	2	PPOVA4225	475	394	0.2	7
35 ¾	24 ½	2	PPOVA3625	435	366	0.2	6
29 ¾	24 ½	2	PPOVA3025	393	337	0.2	5
23 ¾	24 ½	2	PPOVA2425	352	307	0.1	4
20 ¾	24 ½	2	PPOVA2125	332	293	0.1	3
17 ¾	24 ½	2	PPOVA1825	312	278	0.1	3
15" HIGH							
71 ¾	15 ¼	3	PPOVA7215	550	468	0.2	7
65 ¾	15 ¼	3	PPOVA6615	525	449	0.2	7
59 ¾	15 ¼	3	PPOVA6015	502	432	0.2	6
53 ¾	15 ¼	2	PPOVA5415	445	381	0.2	5
47 ¾	15 ¼	2	PPOVA4815	386	331	0.2	5
41 ¾	15 ¼	2	PPOVA4215	363	312	0.1	4
35 ¾	15 ¼	2	PPOVA3615	338	296	0.1	4
29 ¾	15 ¼	2	PPOVA3015	312	278	0.1	3
23 ¾	15 ¼	2	PPOVA2415	303	260	0.1	2
20 ¾	15 ¼	2	PPOVA2115	295	251	0.1	2
17 ¾	15 ¼	2	PPOVA1815	286	242	0.1	2

C: Number of supports

SPECIFY

Code

Acrylic

Metal

AC- - -

Code: Consult the product code above.

Acrylic: Acrylic finish Frosted (Gi) or Clear (CL).

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Translucent acrylic privacy screen

Dimensions			Code	Price		Spec.	
A	B	C		Gi	CL	Cu.Ft.	lb
13" HIGH							
71 ¾	12 ½	3	PPOVA7213	494	427	0.2	6
65 ¾	12 ½	3	PPOVA6613	475	413	0.2	5
59 ¾	12 ½	3	PPOVA6013	455	399	0.2	5
53 ¾	12 ½	2	PPOVA5413	369	318	0.1	4
47 ¾	12 ½	2	PPOVA4813	349	304	0.1	4
41 ¾	12 ½	2	PPOVA4213	329	289	0.1	3
35 ¾	12 ½	2	PPOVA3613	309	276	0.1	3
29 ¾	12 ½	2	PPOVA3013	289	262	0.1	2
23 ¾	12 ½	2	PPOVA2413	269	247	0.1	2
20 ¾	12 ½	2	PPOVA2113	260	240	0.1	2
17 ¾	12 ½	2	PPOVA1813	250	234	0.1	1

C: Number of supports

SPECIFY

Code

Acrylic

Metal

AC-

-

-

Code: Consult the product code above.

Acrylic: Acrylic finish Frosted (Gi) or Clear (CL).




Metal: Specify the metal finish, see p.IG05 (34 colors).

Translucent acrylic privacy screen, exceeding in front of the surface

Translucide acrylic privacy screen, exceeding by 8" in front of the surface.

¼" thick.

Installs on a work surface with the provided metal supports.



Dimensions			Code		Price		Spec.	
A	B	C			Gi	CL	Cu.Ft.	lb
LEFT								
25" HIGH								
37 ¾	24 ½	2	PPOVAEL3825		448	375	0.2	6
31 ¾	24 ½	2	PPOVAEL3225		407	346	0.2	5
15" HIGH								
37 ¾	15 ¼	2	PPOVAEL3815		346	302	0.1	4
31 ¾	15 ¼	2	PPOVAEL3215		321	284	0.1	3
13" HIGH								
37 ¾	12 ½	2	PPOVAEL3813		316	280	0.1	3
31 ¾	12 ½	2	PPOVAEL3213		297	266	0.1	3
RIGHT								
25" HIGH								
37 ¾	24 ½	2	PPOVFAER3825		448	375	0.2	6
31 ¾	24 ½	2	PPOVFAER3225		407	346	0.2	5
15" HIGH								
37 ¾	15 ¼	2	PPOVFAER3815		346	302	0.1	4
31 ¾	15 ¼	2	PPOVFAER3215		321	284	0.1	3
13" HIGH								
37 ¾	12 ½	2	PPOVFAER3813		316	280	0.1	3
31 ¾	12 ½	2	PPOVFAER3213		297	266	0.1	3

C: Number of supports

SPECIFY

Code

Acrylic


Metal

AC- - -

Code: Consult the product code above.
Acrylic: Acrylic finish Frosted (Gi) or Clear (CL).
Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Translucent acrylic double privacy screen

Translucent acrylic double privacy screen.
¼" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code	Price		Spec.	
A	B	C		Gi	CL	Cu.Ft.	lb
39" HIGH							
71 ¾	38 ½	3	PPFRA7239	1212	985	0.7	19
65 ¾	38 ½	3	PPFRA6639	1145	935	0.6	18
59 ¾	38 ½	3	PPFRA6039	1078	888	0.6	16
53 ¾	38 ½	2	PPFRA5439	894	723	0.5	14
47 ¾	38 ½	2	PPFRA4839	827	675	0.4	13
41 ¾	38 ½	2	PPFRA4239	760	626	0.4	11
35 ¾	38 ½	2	PPFRA3639	693	579	0.3	10
29 ¾	38 ½	2	PPFRA3039	626	531	0.3	8
23 ¾	38 ½	2	PPFRA2439	558	482	0.2	6
29" HIGH							
71 ¾	29 ¼	3	PPFRA7229	1020	846	0.5	15
65 ¾	29 ¼	3	PPFRA6629	969	809	0.5	13
59 ¾	29 ¼	3	PPFRA6029	918	774	0.4	12
53 ¾	29 ¼	2	PPFRA5429	750	620	0.4	11
47 ¾	29 ¼	2	PPFRA4829	698	583	0.3	10
41 ¾	29 ¼	2	PPFRA4229	648	546	0.3	9
35 ¾	29 ¼	2	PPFRA3629	597	510	0.3	7
29 ¾	29 ¼	2	PPFRA3029	545	473	0.2	6
23 ¾	29 ¼	2	PPFRA2429	494	436	0.2	5

C: Number of supports

SPECIFY

Code

Acrylic

Metal

AC-

-

-

-

Code: Consult the product code above.

Acrylic: Acrylic finish Frosted (Gi) or Clear (CL).

Metal: Specify the metal finish, see p.IG05 (34 colors).



Translucent acrylic double privacy screen

Dimensions			Code	Price		Spec.	
A	B	C		Gi	CL	Cu.Ft.	lb
27" HIGH							
71 3/4	26 1/2	3	PPFRA7227	963	804	0.5	13
65 3/4	26 1/2	3	PPFRA6627	916	771	0.4	12
59 3/4	26 1/2	3	PPFRA6027	869	739	0.4	11
53 3/4	26 1/2	2	PPFRA5427	708	588	0.3	10
47 3/4	26 1/2	2	PPFRA4827	661	556	0.3	9
41 3/4	26 1/2	2	PPFRA4227	614	501	0.3	8
35 3/4	26 1/2	2	PPFRA3627	568	489	0.2	7
29 3/4	26 1/2	2	PPFRA3027	521	456	0.2	6
23 3/4	26 1/2	2	PPFRA2427	475	423	0.2	4

C: Number of supports

SPECIFY

Code

Acrylic

Metal

AC-

-

-


Code: Consult the product code above.

Acrylic: Acrylic finish Frosted (Gi) or Clear (CL).

Metal: Specify the metal finish, see p.IG05 (34 colors).

Translucent acrylic modesty modesty

Translucent acrylic modesty panel.
¼" thick.
Installs under a work surface with the provided metal supports.



Dimensions			Code	Price	Spec.	
A	B	C		Gi - Frosted	Cu.Ft.	lb
39" HIGH						
71 ¾	23	3	PPUNA7223	713	0.4	11
65 ¾	23	3	PPUNA6623	675	0.3	10
59 ¾	23	3	PPUNA6023	637	0.3	9
53 ¾	23	2	PPUNA5423	533	0.3	8
47 ¾	23	2	PPUNA4823	494	0.3	7
41 ¾	23	2	PPUNA4223	456	0.2	6
35 ¾	23	2	PPUNA3623	418	0.2	5
29 ¾	23	2	PPUNA3023	381	0.2	5
23 ¾	23	2	PPUNA2423	342	0.1	4
29" HIGH						
71 ¾	13	3	PPUNA7213	504	0.2	6
65 ¾	13	3	PPUNA6613	483	0.2	5
59 ¾	13	3	PPUNA6013	462	0.2	5
53 ¾	13	2	PPUNA5413	376	0.2	4
47 ¾	13	2	PPUNA4813	355	0.1	4
41 ¾	13	2	PPUNA4213	336	0.1	3
35 ¾	13	2	PPUNA3613	315	0.1	3
29 ¾	13	2	PPUNA3013	295	0.1	3
23 ¾	13	2	PPUNA2413	273	0.1	2

C: Number of supports

SPECIFY

Code

Metal

AC-

-

Gi

-

Code: Consult the product code above.

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).


Felt rounded corner privacy screen

Felt rounded corner privacy screen.

For a rectangular work surface with rounded corners.

¾" thick.

Installs on a work surface with the provided metal supports.



Dimensions			Code		Price	Spec.	
A	B	C	NB. of supports	Left	Right	Cu.Ft.	lb
39" HIGH							
29 7/8	71 7/8	38 1/2	5	PPFRFACAL307239	PPFRFACAR307239	1744	2.4 20
29 7/8	65 7/8	38 1/2	5	PPFRFACAL306639	PPFRFACAR306639	1655	2.2 19
29 7/8	59 7/8	38 1/2	5	PPFRFACAL306039	PPFRFACAR306039	1566	2.1 18
29 7/8	53 7/8	38 1/2	4	PPFRFACAL305439	PPFRFACAR305439	1476	2.0 16
29 7/8	47 7/8	38 1/2	4	PPFRFACAL304839	PPFRFACAR304839	1387	1.8 15
29 7/8	41 7/8	38 1/2	4	PPFRFACAL304239	PPFRFACAR304239	1159	1.7 14
29 7/8	35 7/8	38 1/2	4	PPFRFACAL303639	PPFRFACAR303639	1104	1.6 13
23 7/8	71 7/8	38 1/2	5	PPFRFACAL247239	PPFRFACAR247239	1654	2.2 19
23 7/8	65 7/8	38 1/2	5	PPFRFACAL246639	PPFRFACAR246639	1565	2.1 18
23 7/8	59 7/8	38 1/2	5	PPFRFACAL246039	PPFRFACAR246039	1475	2.0 17
23 7/8	53 7/8	38 1/2	4	PPFRFACAL245439	PPFRFACAR245439	1386	1.8 15
23 7/8	47 7/8	38 1/2	4	PPFRFACAL244839	PPFRFACAR244839	1159	1.7 14
23 7/8	41 7/8	38 1/2	4	PPFRFACAL244239	PPFRFACAR244239	1104	1.6 13
23 7/8	35 7/8	38 1/2	4	PPFRFACAL243639	PPFRFACAR243639	1047	1.4 12
17 7/8	71 7/8	38 1/2	4	PPFRFACAL187239	PPFRFACAR187239	1529	2.1 17
17 7/8	65 7/8	38 1/2	4	PPFRFACAL186639	PPFRFACAR186639	1476	2.0 16
17 7/8	59 7/8	38 1/2	4	PPFRFACAL186039	PPFRFACAR186039	1423	1.8 15
17 7/8	53 7/8	38 1/2	3	PPFRFACAL185439	PPFRFACAR185439	1068	1.7 14
17 7/8	47 7/8	38 1/2	3	PPFRFACAL184839	PPFRFACAR184839	1013	1.6 13
17 7/8	41 7/8	38 1/2	3	PPFRFACAL184239	PPFRFACAR184239	958	1.4 12
17 7/8	35 7/8	38 1/2	3	PPFRFACAL183639	PPFRFACAR183639	901	1.3 11

SPECIFY

Code Felt Metal
AC- - -


Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Metal: Specify the metal finish, see p.IG05 (34 colors).

Felt rounded corner privacy screen

Felt rounded corner privacy screen.
For a rectangular work surface with rounded corners.
¾" thick.
Installs on a work surface with the provided metal supports.



Dimensions				Code		Price	Spec.	
A	B	C	NB. of supports	Left	Right		Cu.Ft.	lb
29" HIGH								
29 7/8	71 7/8	29 1/4	5	PPFRFACAL307229	PPFRFACAR307229	1730	1.8	16
29 7/8	65 7/8	29 1/4	5	PPFRFACAL306629	PPFRFACAR306629	1640	1.7	15
29 7/8	59 7/8	29 1/4	5	PPFRFACAL306029	PPFRFACAR306029	1551	1.6	14
29 7/8	53 7/8	29 1/4	4	PPFRFACAL305429	PPFRFACAR305429	1462	1.5	13
29 7/8	47 7/8	29 1/4	4	PPFRFACAL304829	PPFRFACAR304829	1372	1.4	12
29 7/8	41 7/8	29 1/4	4	PPFRFACAL304229	PPFRFACAR304229	1145	1.3	11
29 7/8	35 7/8	29 1/4	4	PPFRFACAL303629	PPFRFACAR303629	1090	1.2	11
23 7/8	71 7/8	29 1/4	5	PPFRFACAL247229	PPFRFACAR247229	1640	1.7	15
23 7/8	65 7/8	29 1/4	5	PPFRFACAL246629	PPFRFACAR246629	1551	1.6	14
23 7/8	59 7/8	29 1/4	5	PPFRFACAL246029	PPFRFACAR246029	1461	1.5	13
23 7/8	53 7/8	29 1/4	4	PPFRFACAL245429	PPFRFACAR245429	1372	1.4	12
23 7/8	47 7/8	29 1/4	4	PPFRFACAL244829	PPFRFACAR244829	1145	1.3	11
23 7/8	41 7/8	29 1/4	4	PPFRFACAL244229	PPFRFACAR244229	1090	1.2	11
23 7/8	35 7/8	29 1/4	4	PPFRFACAL243629	PPFRFACAR243629	1036	1.1	10
17 7/8	71 7/8	29 1/4	4	PPFRFACAL187229	PPFRFACAR187229	1515	1.6	14
17 7/8	65 7/8	29 1/4	4	PPFRFACAL186629	PPFRFACAR186629	1462	1.6	14
17 7/8	59 7/8	29 1/4	4	PPFRFACAL186029	PPFRFACAR186029	1408	1.4	11
17 7/8	53 7/8	29 1/4	3	PPFRFACAL185429	PPFRFACAR185429	1055	1.3	11
17 7/8	47 7/8	29 1/4	3	PPFRFACAL184829	PPFRFACAR184829	999	1.2	10
17 7/8	41 7/8	29 1/4	3	PPFRFACAL184229	PPFRFACAR184229	945	1.1	9
17 7/8	35 7/8	29 1/4	3	PPFRFACAL183629	PPFRFACAR183629	890	1.0	9

SPECIFY

Code

Felt

Metal

AC-

-

-

Code:

 Consult the product code above.

Felt:

 Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Metal:

 Specify the metal finish, see p.IG05 (34 colors).


Felt rounded corner privacy screen

Felt rounded corner privacy screen.

For a rectangular work surface with rounded corners.

¾" thick.

Installs on a work surface with the provided metal supports.



Dimensions				Code		Price	Spec.	
A	B	C	NB. of supports	Left	Right		Cu.Ft.	lb
27" HIGH								
29 7/8	71 7/8	26 1/2	5	PPFRFACAL307227	PPFRFACAR307227	1455	1.7	15
29 7/8	65 7/8	26 1/2	5	PPFRFACAL306627	PPFRFACAR306627	1366	1.6	14
29 7/8	59 7/8	26 1/2	5	PPFRFACAL306027	PPFRFACAR306027	1276	1.5	13
29 7/8	53 7/8	26 1/2	4	PPFRFACAL305427	PPFRFACAR305427	1187	1.4	12
29 7/8	47 7/8	26 1/2	4	PPFRFACAL304827	PPFRFACAR304827	1098	1.3	11
29 7/8	41 7/8	26 1/2	4	PPFRFACAL304227	PPFRFACAR304227	871	1.2	11
29 7/8	35 7/8	26 1/2	4	PPFRFACAL303627	PPFRFACAR303627	839	1.1	10
23 7/8	71 7/8	26 1/2	5	PPFRFACAL247227	PPFRFACAR247227	1325	1.6	14
23 7/8	65 7/8	26 1/2	5	PPFRFACAL246627	PPFRFACAR246627	1235	1.5	13
23 7/8	59 7/8	26 1/2	5	PPFRFACAL246027	PPFRFACAR246027	1146	1.4	13
23 7/8	53 7/8	26 1/2	4	PPFRFACAL245427	PPFRFACAR245427	1057	1.3	11
23 7/8	47 7/8	26 1/2	4	PPFRFACAL244827	PPFRFACAR244827	870	1.2	11
23 7/8	41 7/8	26 1/2	4	PPFRFACAL244227	PPFRFACAR244227	838	1.1	10
23 7/8	35 7/8	26 1/2	4	PPFRFACAL243627	PPFRFACAR243627	806	1.0	9
17 7/8	71 7/8	26 1/2	4	PPFRFACAL187227	PPFRFACAR187227	1110	1.5	13
17 7/8	65 7/8	26 1/2	4	PPFRFACAL186627	PPFRFACAR186627	1057	1.4	12
17 7/8	59 7/8	26 1/2	4	PPFRFACAL186027	PPFRFACAR186027	1005	1.3	11
17 7/8	53 7/8	26 1/2	3	PPFRFACAL185427	PPFRFACAR185427	781	1.2	10
17 7/8	47 7/8	26 1/2	3	PPFRFACAL184827	PPFRFACAR184827	748	1.1	10
17 7/8	41 7/8	26 1/2	3	PPFRFACAL184227	PPFRFACAR184227	715	1.0	9
17 7/8	35 7/8	26 1/2	3	PPFRFACAL183627	PPFRFACAR183627	683	1.0	8

SPECIFY

Code Felt Metal
AC- - -


Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Metal: Specify the metal finish, see p.IG05 (34 colors).

Felt symmetric rounded corner privacy screen

Felt rounded corner privacy screen.
For a rectangular work surface with rounded corners.
¾" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code		Price	Spec.	
A	B	C	NB. de supports	Left & Right		Cu.Ft.	lb
39" HIGH							
29 7⁄8	29 7⁄8	38 ½	4	PPFRFACA303039	1048	1.4	12
23 7⁄8	23 7⁄8	38 ½	4	PPFRFACA242439	938	1.2	10
29" HIGH							
29 7⁄8	29 7⁄8	29 ¼	4	PPFRFACA303029	1035	1.1	9
23 7⁄8	23 7⁄8	29 ¼	4	PPFRFACA242429	925	0.9	8
27" HIGH							
29 7⁄8	29 7⁄8	26 ½	4	PPFRFACA303027	806	1.0	9
23 7⁄8	23 7⁄8	26 ½	4	PPFRFACA242427	740	0.9	7

SPECIFY

Code

Felt

Metal

AC-

-

-

Code:

 Consult the product code above.

Felt:

 Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#).

Metal:

 Specify the metal finish, [see p.IG05 \(34 colors\)](#).


Felt square corner privacy screen

Felt square corner privacy screen.

For a rectangular work surface.

¾" thick.

Installs on a work surface with the provided metal supports.



Dimensions				Code		Price	Spec.	
A	B	C	NB. of supports	Left	Right		Cu.Ft.	lb
39" HIGH								
29 7/8	71 7/8	38 1/2	5	PPFRFACL307239	PPFRFACR307239	1724	2.4	20
29 7/8	65 7/8	38 1/2	5	PPFRFACL306639	PPFRFACR306639	1635	2.2	19
29 7/8	59 7/8	38 1/2	5	PPFRFACL306039	PPFRFACR306039	1545	2.1	18
29 7/8	53 7/8	38 1/2	4	PPFRFACL305439	PPFRFACR305439	1456	2.0	16
29 7/8	47 7/8	38 1/2	4	PPFRFACL304839	PPFRFACR304839	1367	1.8	15
29 7/8	41 7/8	38 1/2	4	PPFRFACL304239	PPFRFACR304239	1145	1.7	14
29 7/8	35 7/8	38 1/2	4	PPFRFACL303639	PPFRFACR303639	1090	1.6	13
23 7/8	71 7/8	38 1/2	5	PPFRFACL247239	PPFRFACR247239	1634	2.2	19
23 7/8	65 7/8	38 1/2	5	PPFRFACL246639	PPFRFACR246639	1545	2.1	18
23 7/8	59 7/8	38 1/2	5	PPFRFACL246039	PPFRFACR246039	1455	2.0	17
23 7/8	53 7/8	38 1/2	4	PPFRFACL245439	PPFRFACR245439	1366	1.8	15
23 7/8	47 7/8	38 1/2	4	PPFRFACL244839	PPFRFACR244839	1145	1.7	14
23 7/8	41 7/8	38 1/2	4	PPFRFACL244239	PPFRFACR244239	1090	1.6	13
23 7/8	35 7/8	38 1/2	4	PPFRFACL243639	PPFRFACR243639	1033	1.4	12
17 7/8	71 7/8	38 1/2	4	PPFRFACL187239	PPFRFACR187239	1509	2.1	17
17 7/8	65 7/8	38 1/2	4	PPFRFACL186639	PPFRFACR186639	1456	2.0	16
17 7/8	59 7/8	38 1/2	4	PPFRFACL186039	PPFRFACR186039	1403	1.8	15
17 7/8	53 7/8	38 1/2	3	PPFRFACL185439	PPFRFACR185439	1054	1.7	14
17 7/8	47 7/8	38 1/2	3	PPFRFACL184839	PPFRFACR184839	999	1.6	13
17 7/8	41 7/8	38 1/2	3	PPFRFACL184239	PPFRFACR184239	944	1.4	12
17 7/8	35 7/8	38 1/2	3	PPFRFACL183639	PPFRFACR183639	888	1.3	11

SPECIFY

Code Felt Metal
AC- - -


Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Metal: Specify the metal finish, see p.IG05 (34 colors).

Felt square corner privacy screen

Felt square corner privacy screen.
For a rectangular work surface.
¾" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code		Price	Spec.	
A	B	C	NB. of supports	Left	Right	Cu.Ft.	lb
29" HIGH							
29 7⁄8	71 7⁄8	29 1⁄4	5	PPFRFACL307229	PPFRFACR307229	1714	1.8 16
29 7⁄8	65 7⁄8	29 1⁄4	5	PPFRFACL306629	PPFRFACR306629	1625	1.7 15
29 7⁄8	59 7⁄8	29 1⁄4	5	PPFRFACL306029	PPFRFACR306029	1536	1.6 14
29 7⁄8	53 7⁄8	29 1⁄4	4	PPFRFACL305429	PPFRFACR305429	1446	1.5 13
29 7⁄8	47 7⁄8	29 1⁄4	4	PPFRFACL304829	PPFRFACR304829	1357	1.4 12
29 7⁄8	41 7⁄8	29 1⁄4	4	PPFRFACL304229	PPFRFACR304229	1138	1.3 11
29 7⁄8	35 7⁄8	29 1⁄4	4	PPFRFACL303629	PPFRFACR303629	1081	1.2 11
23 7⁄8	71 7⁄8	29 1⁄4	5	PPFRFACL247229	PPFRFACR247229	1625	1.7 15
23 7⁄8	65 7⁄8	29 1⁄4	5	PPFRFACL246629	PPFRFACR246629	1535	1.6 14
23 7⁄8	59 7⁄8	29 1⁄4	5	PPFRFACL246029	PPFRFACR246029	1446	1.5 13
23 7⁄8	53 7⁄8	29 1⁄4	4	PPFRFACL245429	PPFRFACR245429	1357	1.4 12
23 7⁄8	47 7⁄8	29 1⁄4	4	PPFRFACL244829	PPFRFACR244829	1137	1.3 11
23 7⁄8	41 7⁄8	29 1⁄4	4	PPFRFACL244229	PPFRFACR244229	1081	1.2 11
23 7⁄8	35 7⁄8	29 1⁄4	4	PPFRFACL243629	PPFRFACR243629	1026	1.1 10
17 7⁄8	71 7⁄8	29 1⁄4	4	PPFRFACL187229	PPFRFACR187229	1499	1.6 14
17 7⁄8	65 7⁄8	29 1⁄4	4	PPFRFACL186629	PPFRFACR186629	1446	1.6 14
17 7⁄8	59 7⁄8	29 1⁄4	4	PPFRFACL186029	PPFRFACR186029	1393	1.4 11
17 7⁄8	53 7⁄8	29 1⁄4	3	PPFRFACL185429	PPFRFACR185429	1046	1.3 11
17 7⁄8	47 7⁄8	29 1⁄4	3	PPFRFACL184829	PPFRFACR184829	991	1.2 10
17 7⁄8	41 7⁄8	29 1⁄4	3	PPFRFACL184229	PPFRFACR184229	937	1.1 9
17 7⁄8	35 7⁄8	29 1⁄4	3	PPFRFACL183629	PPFRFACR183629	881	1.0 9

SPECIFY

Code

Felt

Metal

AC-

-

-

-

Code:

 Consult the product code above.

Felt:

 Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Metal:

 Specify the metal finish, see p.IG05 (34 colors).


Felt square corner privacy screen

Felt square corner privacy screen.

For a rectangular work surface.

¾" thick.

Installs on a work surface with the provided metal supports.



Dimensions				Code		Price	Spec.	
A	B	C	NB. of supports	Left	Right		Cu.Ft.	lb
27" HIGH								
29 7/8	71 7/8	26 1/2	5	PPFRFACL307227	PPFRFACR307227	1441	1.7	15
29 7/8	65 7/8	26 1/2	5	PPFRFACL306627	PPFRFACR306627	1351	1.6	14
29 7/8	59 7/8	26 1/2	5	PPFRFACL306027	PPFRFACR306027	1263	1.5	13
29 7/8	53 7/8	26 1/2	4	PPFRFACL305427	PPFRFACR305427	1173	1.4	12
29 7/8	47 7/8	26 1/2	4	PPFRFACL304827	PPFRFACR304827	1084	1.3	11
29 7/8	41 7/8	26 1/2	4	PPFRFACL304227	PPFRFACR304227	860	1.2	11
29 7/8	35 7/8	26 1/2	4	PPFRFACL303627	PPFRFACR303627	828	1.1	10
23 7/8	71 7/8	26 1/2	5	PPFRFACL247227	PPFRFACR247227	1309	1.6	14
23 7/8	65 7/8	26 1/2	5	PPFRFACL246627	PPFRFACR246627	1220	1.5	13
23 7/8	59 7/8	26 1/2	5	PPFRFACL246027	PPFRFACR246027	1130	1.4	13
23 7/8	53 7/8	26 1/2	4	PPFRFACL245427	PPFRFACR245427	1043	1.3	11
23 7/8	47 7/8	26 1/2	4	PPFRFACL244827	PPFRFACR244827	860	1.2	11
23 7/8	41 7/8	26 1/2	4	PPFRFACL244227	PPFRFACR244227	828	1.1	10
23 7/8	35 7/8	26 1/2	4	PPFRFACL243627	PPFRFACR243627	796	1.0	9
17 7/8	71 7/8	26 1/2	4	PPFRFACL187227	PPFRFACR187227	1096	1.5	13
17 7/8	65 7/8	26 1/2	4	PPFRFACL186627	PPFRFACR186627	1043	1.4	12
17 7/8	59 7/8	26 1/2	4	PPFRFACL186027	PPFRFACR186027	991	1.3	11
17 7/8	53 7/8	26 1/2	3	PPFRFACL185427	PPFRFACR185427	770	1.2	10
17 7/8	47 7/8	26 1/2	3	PPFRFACL184827	PPFRFACR184827	736	1.1	10
17 7/8	41 7/8	26 1/2	3	PPFRFACL184227	PPFRFACR184227	705	1.0	9
17 7/8	35 7/8	26 1/2	3	PPFRFACL183627	PPFRFACR183627	673	1.0	8

SPECIFY

Code Felt Metal
AC- - -


Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Metal: Specify the metal finish, see p.IG05 (34 colors).

Felt symmetric square corner privacy screen

Felt square corner privacy screen.
For a rectangular work surface.
¾" thick.
Installs on a work surface with the provided metal supports.



Dimensions			Code		Price	Spec.	
A	B	C	NB. de supports	Left & Right		Cu.Ft.	lb
39" HIGH							
29 7⁄8	29 7⁄8	38 ½	4	PPFRFAC303039	1034	1.4	12
23 7⁄8	23 7⁄8	38 ½	4	PPFRFAC242439	924	1.2	10
29" HIGH							
29 7⁄8	29 7⁄8	29 ¼	4	PPFRFAC303029	1028	1.1	9
23 7⁄8	23 7⁄8	29 ¼	4	PPFRFAC242429	918	0.9	8
27" HIGH							
29 7⁄8	29 7⁄8	26 ½	4	PPFRFAC303027	796	1.0	9
23 7⁄8	23 7⁄8	26 ½	4	PPFRFAC242427	730	0.9	7

SPECIFY

Code

Felt

Metal

AC-

-

-

Code:

 Consult the product code above.

Felt:


 Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Metal:


 Specify the metal finish, see p.IG05 (34 colors).

Metal bridge connector for felt privacy panel - for straight-line junction

Metal bridge connector for felt privacy panel.
For straight-line junction.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1 ½	3	BCPPFS	45	0.1	1



SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above.



Metal: Specify the finish : Black (3067) or Silver (3090).

Metal bridge connector for felt privacy panel - for corner junction

Metal bridge connector for felt privacy panel.
For corner junction.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1 ½	1 ½	BCPPFL	60	0.1	1




SPECIFY

Code Metal
AC- -


Code: Consult the product code above.
Metal: Specify the finish : Black (3067) or Silver (3090).

Plastic bridge connector for acrylic privacy panel - for straight-line junction

Plastic bridge connector for acrylic privacy panel.
For straight-line junction.
Clear finish.




Dimensions	Code	Price	Spec.	
A			Cu.Ft.	lb
2	AC-BCPPAS-CL	45	0.1	1





Plastic bridge connector for acrylic privacy panel - for corner junction

Plastic bridge connector for acrylic privacy panel.
For straight-line junction.
Clear finish.



Dimensions		Code	Price	Spec.	
A				Cu.Ft.	lb
2		AC-BCPPAL-CL	60	0.1	1



Back Tiles



Back Tiles

Laminate back tiles	L02
Felt back tiles	L13
Acrylic back tiles	L24






A
B
C
D
E
F
G
H
I
J
K
K
M
N
O

Laminate back tile (for 22" and 23" high units)

Laminate back tile.
For 22" and 23" high units
3⁄8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1791	515	TDL1791X0515	197	2.5	26
1638	515	TDL1638X0515	188	2.3	24
1486	515	TDL1486X0515	179	2.1	22
1334	515	TDL1334X0515	171	1.9	20
1181	515	TDL1181X0515	163	1.7	18
1029	515	TDL1029X0515	143	1.5	15
876	515	TDL0876X0515	134	1.3	13
724	515	TDL0724X0515	125	1.1	11


SPECIFY

Code Base
TZ- - L -

Code: Consult the product code above.
Base: Refer to the different types of finishes, [see p.IG03](#).

Laminate back tile (for 28" and 29" high units)

Laminate back tile.
For 28" and 29" high units.
3⁄8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1791	667	TDL1791X0667	226	3.1	35
1638	667	TDL1638X0667	215	2.9	33
1486	667	TDL1486X0667	204	2.6	29
1334	667	TDL1334X0667	193	2.4	26
1181	667	TDL1181X0667	181	2.1	22
1029	667	TDL1029X0667	160	1.8	20
876	667	TDL0876X0667	149	1.6	18
860	667	TDL0860X0667	148	1.6	18
724	667	TDL0724X0667	137	1.3	13
708	667	TDL0708X0667	136	1.3	13
419	667	TDL0419X0667	116	0.8	9


SPECIFY

Code Base
TZ- - L -

Code: Consult the product code above.
Base: Refer to the different types of finishes, see p.IG03.

Laminate back tile (for 34" and 35" high units)

Laminate back tile.
For 34" and 35" high units.
3⁄8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1791	819	TDL1791X0819	253	3.7	44
1486	819	TDL1486X0819	228	3.1	35
876	819	TDL0876X0819	164	1.9	22
724	819	TDL0724X0819	149	1.6	18
419	819	TDL0419X0819	124	1.0	11


SPECIFY

Code Base
TZ- - L -

Code: Consult the product code above.
Base: Refer to the different types of finishes, [see p.IG03](#).

Laminate back tile (for 40" and 41" high units)

Laminate back tile.
For 40" and 41" high units.
3⁄8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
876	987	TDL0876X0987	178	2.3	24
860	987	TDL0860X0987	176	2.2	24
724	987	TDL0724X0987	161	1.9	22
708	987	TDL0708X0987	160	1.9	20
419	987	TDL0419X0987	131	1.2	11
267	987	TDL0267X0987	114	0.8	9

SPECIFY

Code

Base

TZ-

-

L-

Code:


Consult the product code above.

Base:

Refer to the different types of finishes, see p.IG03.

Laminate back tile (for 53" high units)

Laminate back tile.
For 53" high units.
3⁄8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
876	1275	TDL0876X1275	215	2.9	33
724	1275	TDL0724X1275	195	2.4	26

SPECIFY

Code

Base

TZ-

-

L


-

Code: Consult the product code above.

Base: Refer to the different types of finishes, see p.IG03.

Laminate back tile (for 54" high units)

Laminate back tile.
For 54" high units.
3/8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
876	1290	TDL0876X1290	217	2.9	33
860	1290	TDL0860X1290	215	2.9	33
724	1290	TDL0724X1290	196	2.5	26
708	1290	TDL0708X1290	194	2.4	26
571	1290	TDL0571X1290	176	2.0	22
419	1290	TDL0419X1290	157	1.5	15
267	1290	TDL0267X1290	126	1.1	11

SPECIFY

Code

Base

TZ-

-

L-

Code:


Consult the product code above.

Base:

Refer to the different types of finishes, see p.IG03.

Laminate back tile (for 66" high units)

Laminate back tile.
For 66" high units.
3⁄8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
HEIGHT (H15)					
876	1609	TDL0876X1609	247	3.6	42
860	1609	TDL0860X1609	244	3.5	40
724	1609	TDL0724X1609	220	3.0	33
708	1609	TDL0708X1609	218	3.0	33
571	1609	TDL0571X1609	197	2.4	26
419	1609	TDL0419X1609	173	1.9	20
HEIGHT (H1)					
876	1595	TDL0876X1595	245	3.6	42
860	1595	TDL0860X1595	243	3.5	40
724	1595	TDL0724X1595	219	3.0	33
708	1595	TDL0708X1595	217	2.9	33
571	1595	TDL0571X1595	196	2.4	26
419	1595	TDL0419X1595	172	1.9	20

SPECIFY

Code

Base

TZ-

-

L-

Code:


Consult the product code above.

Base:

Refer to the different types of finishes, see p.IG03.

Laminate back tile (for 72" high units)

Laminate back tile.
For 72" high units.
3⁄8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
HEIGHT (H15)					
876	1761	TDL0876X1761	261	3.9	44
860	1761	TDL0860X1761	259	3.8	44
724	1761	TDL0724X1761	233	3.3	37
708	1761	TDL0708X1761	230	3.2	35
571	1761	TDL0571X1761	206	2.7	29
HEIGHT (H1)					
876	1747	TDL0876X1747	260	3.9	44
860	1747	TDL0860X1747	259	3.8	44
724	1747	TDL0724X1747	232	3.3	37
708	1747	TDL0708X1747	229	3.2	35
571	1747	TDL0571X1747	206	2.6	29

SPECIFY

Code

Base

TZ-

-

L-

Code:


Consult the product code above.

Base:

Refer to the different types of finishes, see p.IG03.

Laminate back tile (for 84" high units)

Laminate back tile.
For 84" high units.
3⁄8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
860	2068	TDL0860X2068	286	4.5	53
708	2068	TDL0708X2068	253	3.8	42

SPECIFY

Code

Base

TZ-

-

L-

Code:


 Consult the product code above.

Base:

 Refer to the different types of finishes, see p.IG03.

Laminate back tile (for 37" high hutch and bookcase hutch)

Laminate back tile.
For 37" high hutch and bookcase hutch.
3⁄8" thick. Edges are always black.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
FOR HUTCH WITH FLIPPER DOOR					
1775	905	TDL1775X0905	266	4.1	46
1622	905	TDL1622X0905	252	3.7	44
1470	905	TDL1470X0905	238	3.4	40
1318	905	TDL1318X0905	222	3.1	35
1165	905	TDL1165X0905	209	2.7	31
1013	905	TDL1013X0905	182	2.4	26
860	905	TDL0860X0905	169	2.1	22
708	905	TDL0708X0905	153	1.7	20
555	905	TDL0555X0905	139	1.4	15
FOR OPEN AND HINGED DOOR HUTCHES					
2080	900	TDL2080X0900	295	4.7	55
1927	900	TDL1927X0900	280	4.4	51
1775	900	TDL1775X0900	265	4.0	46
1622	900	TDL1622X0900	251	3.7	42
1470	900	TDL1470X0900	238	3.4	37
1318	900	TDL1318X0900	222	3.0	33
1165	900	TDL1165X0900	209	2.7	31
1013	900	TDL1013X0900	182	2.4	26
876	900	TDL0876X0900	170	2.1	22
860	900	TDL0860X0900	169	2.1	22
724	900	TDL0724X0900	155	1.8	20
708	900	TDL0708X0900	153	1.7	18
555	900	TDL0555X0900	139	1.4	13

SPECIFY

Code

Base

TZ-

-

L

-

Code: Consult the product code above.
Base: Refer to the different types of finishes, see p.IG03.


Laminate back tile (for 43" high hutch and bookcase hutch)

Laminate back tile.

For 43" high hutch and bookcase hutch.

3⁄8" thick. Edges are always black.

Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
FOR HUTCH WITH FLIPPER DOOR					
1775	1058	TDL1775X1058	296	4.7	55
1622	1058	TDL1622X1058	279	4.3	51
1470	1058	TDL1470X1058	263	3.9	44
1318	1058	TDL1318X1058	245	3.5	40
1165	1058	TDL1165X1058	230	3.1	35
1013	1058	TDL1013X1058	200	2.8	31
860	1058	TDL0860X1058	184	2.4	26
708	1058	TDL0708X1058	167	2.0	22
555	1058	TDL0555X1058	150	1.6	18
FOR OPEN AND HINGED DOOR HUTCHES					
2080	1053	TDL2080X1053	329	5.4	64
1927	1053	TDL1927X1053	312	5.0	59
1775	1053	TDL1775X1053	295	4.7	55
1622	1053	TDL1622X1053	278	4.3	51
1470	1053	TDL1470X1053	262	3.9	44
1318	1053	TDL1318X1053	244	3.5	40
1165	1053	TDL1165X1053	229	3.1	35
1013	1053	TDL1013X1053	200	2.8	31
876	1053	TDL0876X1053	185	2.4	26
860	1053	TDL0860X1053	184	2.4	26
724	1053	TDL0724X1053	168	2.0	22
708	1053	TDL0708X1053	166	2.0	22
555	1053	TDL0555X1053	149	1.6	18

SPECIFY

Code Base


TZ- - L -

Code: Consult the product code above.

Base: Refer to the different types of finishes, [see p.IG03](#).

Felt back tile (for 22" and 23" high units)

Felt back tile.
For 22" and 23" high units
3⁄8" thick.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1791	515	TDF1791X0515	176	0.3	5
1638	515	TDF1638X0515	164	0.3	4
1486	515	TDF1486X0515	149	0.3	4
1334	515	TDF1334X0515	136	0.2	4
1181	515	TDF1181X0515	123	0.2	3
1029	515	TDF1029X0515	109	0.2	3
876	515	TDF0876X0515	95	0.2	2
724	515	TDF0724X0515	82	0.1	2

SPECIFY

Code

Felt


TZ-

-

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Felt back tile (for 28" and 29" high units)

Felt back tile.
For 28" and 29" high units.
3⁄8" thick.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1791	667	TDF1791X0667	224	0.4	6
1638	667	TDF1638X0667	207	0.4	6
1486	667	TDF1486X0667	190	0.3	5
1334	667	TDF1334X0667	172	0.3	5
1181	667	TDF1181X0667	155	0.3	4
1029	667	TDF1029X0667	136	0.2	4
876	667	TDF0876X0667	119	0.2	3
860	667	TDF0860X0667	117	0.2	3
724	667	TDF0724X0667	102	0.2	3
708	667	TDF0708X0667	100	0.2	2
419	667	TDF0419X0667	67	0.1	1


SPECIFY

Code Felt
TZ- -

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#).

Felt back tile (for 34" and 35" high units)

Felt back tile.
For 34" and 35" high units.
3/8" thick.
Installs with Velcro® strips.




Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1791	819	TDF1791X0819	271	0.5	8
1486	819	TDF1486X0819	229	0.4	6
876	819	TDF0876X0819	142	0.2	4
724	819	TDF0724X0819	121	0.2	3
419	819	TDF0419X0819	78	0.1	2

SPECIFY

Code Felt
TZ- -

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Felt back tile.
For 40" and 41" high units.
3/8" thick.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
876	987	TDF0876X0987	167	0.3	4
860	987	TDF0860X0987	164	0.3	4
724	987	TDF0724X0987	141	0.2	4
708	987	TDF0708X0987	137	0.2	4
419	987	TDF0419X0987	90	0.1	2
267	987	TDF0267X0987	63	0.1	1

SPECIFY


TZ- Code Felt

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Felt back tile (for 53" high units)

Felt back tile.
For 53" high units.
3⁄8" thick.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
876	1275	TDF0876X1275	210	2.6	1
724	1275	TDF0724X1275	172	2.2	1

SPECIFY

Code

Felt

TZ-

-

Code:


Consult the product code above.

Felt:

Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04.

Felt back tile (for 54" high units)

Felt back tile.
For 54" high units.
3/8" thick.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
876	1290	TDF0876X1290	213	2.7	1
860	1290	TDF0860X1290	209	2.6	1
724	1290	TDF0724X1290	178	2.2	1
708	1290	TDF0708X1290	175	2.1	1
571	1290	TDF0571X1290	145	1.7	1
419	1290	TDF0419X1290	111	1.3	1
267	1290	TDF0267X1290	78	0.8	1

SPECIFY

Code

Felt


TZ-

-

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#).

Felt back tile (for 66" high units)

Felt back tile.
For 66" high units.
3/8" thick.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
HEIGHT (H15)					
876	1609	TDF0876X1609	261	3.3	1
860	1609	TDF0860X1609	256	3.2	1
724	1609	TDF0724X1609	218	2.7	1
708	1609	TDF0708X1609	214	2.7	1
571	1609	TDF0571X1609	176	2.2	1
419	1609	TDF0419X1609	135	1.6	1
HEIGHT (H1)					
876	1595	TDF0876X1595	259	3.3	1
860	1595	TDF0860X1595	254	3.2	1
724	1595	TDF0724X1595	216	2.7	1
708	1595	TDF0708X1595	212	2.7	1
571	1595	TDF0571X1595	175	2.1	1
419	1595	TDF0419X1595	134	1.6	1


SPECIFY

Code Felt
TZ- -

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.



Felt back tile.
For 72" high units.
3/8" thick.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
HEIGHT (H15)					
876	1761	TDF0876X1761	283	3.6	1
860	1761	TDF0860X1761	279	3.6	1
724	1761	TDF0724X1761	237	3.0	1
708	1761	TDF0708X1761	232	2.9	1
571	1761	TDF0571X1761	192	2.4	1
HEIGHT (H1)					
876	1747	TDF0876X1747	281	3.6	1
860	1747	TDF0860X1747	277	3.5	1
724	1747	TDF0724X1747	233	3.0	1
708	1747	TDF0708X1747	231	2.9	1
571	1747	TDF0571X1747	191	2.3	1

SPECIFY


TZ - Code - Felt

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04.

Felt back tile (for 84" high units)

Felt back tile.
For 84" high units.
3/8" thick.
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
860	2068	TDF0860X2068	324	4.2	1
708	2068	TDF0708X2068	269	3.4	1

SPECIFY

Code

Felt

TZ-


-

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04.

Felt back tile (for 43" high hutch and bookcase hutch)

Felt back tile.
For 43" high hutch and bookcase hutch.
3⁄8" thick.
Installs with Velcro® strips.




Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
FOR HUTCH WITH FLIPPER DOOR					
1775	1058	TDF1775X1058	341	0.6	10
1622	1058	TDF1622X1058	314	0.6	9
1470	1058	TDF1470X1058	286	0.5	8
1318	1058	TDF1318X1058	259	0.5	7
1165	1058	TDF1165X1058	232	0.4	6
1013	1058	TDF1013X1058	202	0.4	6
860	1058	TDF0860X1058	175	0.3	5
708	1058	TDF0708X1058	146	0.3	4
555	1058	TDF0555X1058	119	0.2	3
FOR OPEN AND HINGED DOOR HUTCHES					
2080	1053	TDF2080X1053	394	0.8	11
1927	1053	TDF1927X1053	368	0.7	10
1775	1053	TDF1775X1053	340	0.6	10
1622	1053	TDF1622X1053	312	0.6	9
1470	1053	TDF1470X1053	285	0.5	8
1318	1053	TDF1318X1053	258	0.5	7
1165	1053	TDF1165X1053	231	0.4	6
1013	1053	TDF1013X1053	202	0.4	6
876	1053	TDF0876X1053	177	0.3	5
860	1053	TDF0860X1053	175	0.3	5
724	1053	TDF0724X1053	149	0.3	4
708	1053	TDF0708X1053	146	0.3	4
555	1053	TDF0555X1053	119	0.2	3

SPECIFY

Code Felt
TZ- -

Code: Consult the product code above.
Felt: Specify your choice of felt: Dune FE12, Mist FE11, Shadow FE03 or Storm FE36, see p.IG04.

Opaque acrylic back tile.
For 22" and 23" high units
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1791	515	TDA1791X0515	505	0.3	10
1638	515	TDA1638X0515	462	0.3	9
1486	515	TDA1486X0515	422	0.3	8
1334	515	TDA1334X0515	380	0.3	7
1181	515	TDA1181X0515	339	0.2	7
1029	515	TDA1029X0515	297	0.2	6
876	515	TDA0876X0515	254	0.2	5
724	515	TDA0724X0515	213	0.1	4


SPECIFY

TZ- Code Acrylic

Code: Consult the product code above.
Acrylic: Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

Opaque acrylic back tile (for 28" and 29" high units)

Opaque acrylic back tile.
For 28" and 29" high units.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1791	667	TDA1791X0667	649	0.4	13
1638	667	TDA1638X0667	595	0.4	12
1486	667	TDA1486X0667	541	0.4	11
1334	667	TDA1334X0667	487	0.3	10
1181	667	TDA1181X0667	434	0.3	8
1029	667	TDA1029X0667	380	0.3	7
876	667	TDA0876X0667	325	0.2	6
860	667	TDA0860X0667	320	0.2	6
724	667	TDA0724X0667	272	0.2	5
708	667	TDA0708X0667	266	0.2	5
419	667	TDA0419X0667	165	0.1	3


SPECIFY

Code Acrylic
TZ- -

Code: Consult the product code above.
Acrylic: Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

Opaque acrylic back tile (for 34" and 35" high units)

Opaque acrylic back tile.
For 34" and 35" high units.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
1791	819	TDA1791X0819	791	0.5	16
1486	819	TDA1486X0819	660	0.5	13
876	819	TDA0876X0819	396	0.3	8
724	819	TDA0724X0819	329	0.2	6
419	819	TDA0419X0819	198	0.1	4

SPECIFY

Code

Acrylic

TZ-

-

Code:


Consult the product code above.

Acrylic:

Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

Opaque acrylic back tile (for 40" and 41" high units)

Opaque acrylic back tile.
For 40" and 41" high units.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
876	987	TDA0876X0987	473	0.3	9
860	987	TDA0860X0987	464	0.3	9
724	987	TDA0724X0987	393	0.3	8
708	987	TDA0708X0987	385	0.3	8
419	987	TDA0419X0987	235	0.2	4
267	987	TDA0267X0987	156	0.1	3

SPECIFY

Code

Acrylic

TZ-


-

Code: Consult the product code above.

Acrylic: Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

Opaque acrylic back tile (for 53" high units)

Opaque acrylic back tile.
For 53" high units.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
876	1275	TDA0876X1275	607	0.4	12
724	1275	TDA0724X1275	489	0.3	10

SPECIFY

Code

Acrylic

TZ--

Code:


Consult the product code above.

Acrylic:

Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

Opaque acrylic back tile (for 54" high units)

Opaque acrylic back tile.
For 54" high units.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
876	1290	TDA0876X1290	613	0.4	12
860	1290	TDA0860X1290	603	0.4	12
724	1290	TDA0724X1290	510	0.3	10
708	1290	TDA0708X1290	499	0.3	10
571	1290	TDA0571X1290	406	0.3	8
419	1290	TDA0419X1290	303	0.2	6
267	1290	TDA0267X1290	199	0.1	4

SPECIFY

Code

Acrylic

TZ- -

Code:


 Consult the product code above.

Acrylic:

 Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

Opaque acrylic back tile (for 66" high units)

Opaque acrylic back tile.
For 66" high units.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
HEIGHT (H15)					
876	1609	TDA0876X1609	761	0.5	15
860	1609	TDA0860X1609	748	0.5	15
724	1609	TDA0724X1609	631	0.4	13
708	1609	TDA0708X1609	619	0.4	12
571	1609	TDA0571X1609	503	0.3	10
419	1609	TDA0419X1609	375	0.3	7
HEIGHT (H1)					
876	1595	TDA0876X1595	755	0.5	15
860	1595	TDA0860X1595	741	0.5	15
724	1595	TDA0724X1595	626	0.4	12
708	1595	TDA0708X1595	613	0.4	12
571	1595	TDA0571X1595	499	0.3	10
419	1595	TDA0419X1595	372	0.2	7

SPECIFY

Code


Acrylic

TZ- -

Code: Consult the product code above.
Acrylic: Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

Opaque acrylic back tile (for 72" high units)

Opaque acrylic back tile.
For 72" high units.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
HEIGHT (H15)					
876	1761	TDA0876X1761	830	0.6	17
860	1761	TDA0860X1761	817	0.6	16
724	1761	TDA0724X1761	690	0.5	14
708	1761	TDA0708X1761	675	0.5	13
571	1761	TDA0571X1761	548	0.4	11
HEIGHT (H1)					
876	1747	TDA0876X1747	824	0.6	16
860	1747	TDA0860X1747	810	0.6	16
724	1747	TDA0724X1747	676	0.5	14
708	1747	TDA0708X1747	670	0.5	13
571	1747	TDA0571X1747	544	0.4	11

SPECIFY

Code Acrylic
TZ- -

Code: Consult the product code above.
Acrylic: Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

🏠

☰

i

↶

A

B

C

D

E

F

G

H

I

J

K

L


M

N

O

Opaque acrylic back tile (for 84" high units)

Opaque acrylic back tile.
For 84" high units.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
860	2068	TDA0860X2068	956	0.7	19
708	2068	TDA0708X2068	791	0.5	16

SPECIFY

Code

Acrylic

TZ-

-

Code:


Consult the product code above.

Acrylic:

Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

Opaque acrylic back tile
(for 37" high hutch and bookcase hutch)

Opaque acrylic back tile.
For 37" high hutch and bookcase hutch.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
FOR HUTCH WITH FLIPPER DOOR					
1775	905	TDA1775X0905	864	0.6	17
1622	905	TDA1622X0905	791	0.5	16
1470	905	TDA1470X0905	719	0.5	14
1318	905	TDA1318X0905	646	0.4	13
1165	905	TDA1165X0905	574	0.4	11
1013	905	TDA1013X0905	500	0.3	10
860	905	TDA0860X0905	427	0.3	8
708	905	TDA0708X0905	354	0.2	7
555	905	TDA0555X0905	281	0.2	5
FOR OPEN AND HINGED DOOR HUTCHES					
2080	900	TDA2080X0900	1003	0.7	20
1927	900	TDA1927X0900	932	0.6	19
1775	900	TDA1775X0900	859	0.6	17
1622	900	TDA1622X0900	787	0.5	16
1470	900	TDA1470X0900	715	0.5	14
1318	900	TDA1318X0900	643	0.4	13
1165	900	TDA1165X0900	570	0.4	11
1013	900	TDA1013X0900	497	0.3	10
876	900	TDA0876X0900	433	0.3	8
860	900	TDA0860X0900	425	0.3	8
724	900	TDA0724X0900	361	0.2	7
708	900	TDA0708X0900	352	0.2	7
555	900	TDA0555X0900	280	0.2	5

SPECIFY

Code

Acrylic


TZ- -

Code: Consult the product code above.
Acrylic: Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).

Opaque acrylic back tile

(for 43" high hutch and bookcase hutch)

Opaque acrylic back tile.
For 43" high hutch and bookcase hutch.
3/16" thick (4mm).
Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
FOR HUTCH WITH FLIPPER DOOR					
1775	1058	TDA1775X1058	1007	0.7	20
1622	1058	TDA1622X1058	923	0.6	18
1470	1058	TDA1470X1058	838	0.6	17
1318	1058	TDA1318X1058	753	0.5	15
1165	1058	TDA1165X1058	667	0.5	13
1013	1058	TDA1013X1058	583	0.4	12
860	1058	TDA0860X1058	497	0.3	10
708	1058	TDA0708X1058	411	0.3	8
555	1058	TDA0555X1058	327	0.2	6
FOR OPEN AND HINGED DOOR HUTCHES					
2080	1053	TDA2080X1053	1172	0.8	23
1927	1053	TDA1927X1053	1088	0.7	22
1775	1053	TDA1775X1053	1002	0.7	20
1622	1053	TDA1622X1053	918	0.6	18
1470	1053	TDA1470X1053	834	0.6	17
1318	1053	TDA1318X1053	750	0.5	15
1165	1053	TDA1165X1053	665	0.5	13
1013	1053	TDA1013X1053	580	0.4	11
876	1053	TDA0876X1053	504	0.3	10
860	1053	TDA0860X1053	495	0.3	10
724	1053	TDA0724X1053	419	0.3	8
708	1053	TDA0708X1053	410	0.3	8
555	1053	TDA0555X1053	325	0.2	6

SPECIFY

Code

Acrylic

TZ- -

Code: Consult the product code above.
Acrylic: Opaque acrylic finish: Charcoal (A1), White (A2), Grey (A3) or Sand (A4).





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Small Walls



Small walls

Freestanding small walls	M02
Mobile small walls	M04
Felt tile for small walls	M06
Accessories	M10






A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Freestanding small wall

Freestanding small wall.

Adjustable interior shelf from 1" to 12" deep.

2 sides recessed by 5/8" allowing the addition of a felt tile, to be ordered separately, [see p.M06 to M09](#).



Dimensions				Code	Price	Spec.	
A	B	C	Small wall tile			Cu.Ft.	lb
40 1/2" HIGH							
15	72	40 1/2	TFSWF7039	FSW157240	1182	26.7	180
15	66	40 1/2	TFSWF6439	FSW156640	1118	27.2	167
15	60	40 1/2	TFSWF5839	FSW156040	1057	24.8	152
15	54	40 1/2	TFSWF5239	FSW155440	996	22.4	139
15	48	40 1/2	TFSWF4639	FSW154840	934	20.0	123
15	42	40 1/2	TFSWF4039	FSW154240	874	17.6	117
15	36	40 1/2	TFSWF3439	FSW153640	815	15.1	101
15	30	40 1/2	TFSWF2839	FSW153040	754	12.7	86
15	24	40 1/2	TFSWF2239	FSW152440	693	10.3	73
27 7/8" HIGH							
15	72	27 7/8	TFSWF7026	FSW157228	1020	20.8	143
15	66	27 7/8	TFSWF6426	FSW156628	970	19.1	130
15	60	27 7/8	TFSWF5826	FSW156028	920	17.4	119
15	54	27 7/8	TFSWF5226	FSW155428	868	15.7	108
15	48	27 7/8	TFSWF4626	FSW154828	818	14.0	95
15	42	27 7/8	TFSWF4026	FSW154228	768	12.3	90
15	36	27 7/8	TFSWF3426	FSW153628	717	10.6	79
15	30	27 7/8	TFSWF2826	FSW153028	666	8.9	64
15	24	27 7/8	TFSWF2226	FSW152428	617	7.2	55


SPECIFY

Code Base 1 Base 2
 TZ- - L - -

Code: Consult the product code above.

Base 1 & 2: Refer to the different types of finishes, [see p.IG03](#)

Freestanding small wall



Dimensions				Small wall tile	Code	Price	Spec.	
A	B	C	Cu.Ft.				lb	
17" HIGH								
15	72	17	TFSWF7016	FSW157217	835	15.1	101	
15	66	17	TFSWF6416	FSW156617	798	12.0	92	
15	60	17	TFSWF5816	FSW156017	761	11.0	84	
15	54	17	TFSWF5216	FSW155417	723	9.9	77	
15	48	17	TFSWF4616	FSW154817	687	8.8	68	
15	42	17	TFSWF4016	FSW154217	644	7.8	64	
15	36	17	TFSWF3416	FSW153617	600	6.7	55	
15	30	17	TFSWF2816	FSW153017	563	5.6	48	
15	24	17	TFSWF2216	FSW152417	526	4.5	40	

SPECIFY

Code

Base 1

Base 2

TZ-

-

L-

-

-

Code:

Consult the product code above.

Base 1 & 2:

Refer to the different types of finishes, see p.IG03



Mobile small wall

Free-standing small wall.


Adjustable interior shelf from 1" to 12" deep.

2 sides recessed by 5/8" allowing the addition of a felt tile, to be ordered separately, [see p.M06 to M09](#).

4 castors with brake.



Base 1



Base 2

Dimensions			Code		Price	Spec.	
A	B	C	Small wall tile			Cu.Ft.	lb
40 1/2" HIGH							
15	72	40 1/2	TMSWF7037	MSW157240	1207	29.7	174
15	66	40 1/2	TMSWF6437	MSW156640	1142	27.2	161
15	60	40 1/2	TMSWF5837	MSW156040	1086	24.8	145
15	54	40 1/2	TMSWF5237	MSW155440	1021	22.4	132
15	48	40 1/2	TMSWF4637	MSW154840	959	20.0	119
15	42	40 1/2	TMSWF4037	MSW154240	900	17.6	110
15	36	40 1/2	TMSWF3437	MSW153640	839	15.1	97
15	30	40 1/2	TMSWF2837	MSW153040	779	12.7	84
15	24	40 1/2	TMSWF2237	MSW152440	718	10.3	68
27 7/8" HIGH							
15	72	27 7/8	TMSWF7024	MSW157228	1044	20.8	134
15	66	27 7/8	TMSWF6424	MSW156628	995	19.1	123
15	60	27 7/8	TMSWF5824	MSW156028	945	17.4	112
15	54	27 7/8	TMSWF5224	MSW155428	893	15.7	101
15	48	27 7/8	TMSWF4624	MSW154828	843	14.0	90
15	42	27 7/8	TMSWF4024	MSW154228	793	12.3	86
15	36	27 7/8	TMSWF3424	MSW153628	742	10.6	75
15	30	27 7/8	TMSWF2824	MSW153028	691	8.9	64
15	24	27 7/8	TMSWF2224	MSW152428	642	7.2	53


SPECIFY

Code Base 1 Base 2
 TZ- - L - -

Code: Consult the product code above.

Base 1 & 2: Refer to the different types of finishes, [see p.IG03](#)

Mobile small wall



Dimensions				Code	Price	Spec.	
A	B	C	Small wall tile			Cu.Ft	Lb
17" HIGH							
15	72	17	TMSWF7013	MSW157217	860	13.1	92
15	66	17	TMSWF6413	MSW156617	823	12.0	86
15	60	17	TMSWF5813	MSW156017	786	11.0	79
15	54	17	TMSWF5213	MSW155417	749	9.9	70
15	48	17	TMSWF4613	MSW154817	712	8.8	64
15	42	17	TMSWF4013	MSW154217	668	7.8	59
15	36	17	TMSWF3413	MSW153617	625	6.7	51
15	30	17	TMSWF2813	MSW153017	588	5.6	44
15	24	17	TMSWF2213	MSW152417	552	4.5	35

SPECIFY

Code

Base 1

Base 2

TZ-

-

L-

-

-

Code:

Consult the product code above.

Base 1 & 2:

Refer to the different types of finishes, see p.IG03


Felt tile for freestanding small wall

Felt tile for freestanding small wall.

3/8" thick.

Metal finishing rail on the top section.

Installs with Velcro® strips.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
FOR FREESTANDING SMALL WALL 40 1/2" HIGH					
70 1/2	39	TFSWF7039	445	0.8	10
64 1/2	39	TFSWF6439	387	0.8	11
58 1/2	39	TFSWF5839	337	0.7	10
52 1/2	39	TFSWF5239	310	0.7	9
46 1/2	39	TFSWF4639	274	0.6	9
40 1/2	39	TFSWF4039	243	0.6	8
34 1/2	39	TFSWF3439	224	0.5	7
28 1/2	39	TFSWF2839	201	0.4	6
22 1/2	39	TFSWF2239	178	0.4	6
FOR FREESTANDING SMALL WALL 27 7/8" HIGH					
70 1/2	26 3/8	TFSWF7026	300	0.6	9
64 1/2	26 3/8	TFSWF6426	277	0.6	8
58 1/2	26 3/8	TFSWF5826	259	0.5	8
52 1/2	26 3/8	TFSWF5226	240	0.5	7
46 1/2	26 3/8	TFSWF4626	220	0.5	7
40 1/2	26 3/8	TFSWF4026	197	0.4	6
34 1/2	26 3/8	TFSWF3426	175	0.4	6
28 1/2	26 3/8	TFSWF2826	157	0.4	5
22 1/2	26 3/8	TFSWF2226	139	0.3	5

SPECIFY


Code Felt Metal
TZ- - -

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04

Metal: Specify the metal finish, see p.IG05 (34 colors).

Felt tile for freestanding small wall



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
FOR FREESTANDING SMALL WALL 17" HIGH					
70 ½	15 ½	TFSWF7016	218	0.4	6
64 ½	15 ½	TFSWF6416	200	0.4	5
58 ½	15 ½	TFSWF5816	190	0.4	6
52 ½	15 ½	TFSWF5216	174	0.4	5
46 ½	15 ½	TFSWF4616	163	0.4	5
40 ½	15 ½	TFSWF4016	145	0.3	5
34 ½	15 ½	TFSWF3416	134	0.3	4
28 ½	15 ½	TFSWF2816	119	0.3	4
22 ½	15 ½	TFSWF2216	107	0.3	4

SPECIFY

Code

Felt

Metal

TZ-

-

-

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#)


Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Felt tile for mobile small wall

Felt tile for mobile small wall.

3/8" thick.

Metal finishing rail on the top section.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
FOR MOBILE SMALL WALL 40 ½" HIGH					
70 ½	36 ½	TMSWF7037	384	0.6	9
64 ½	36 ½	TMSWF6437	354	0.5	8
58 ½	36 ½	TMSWF5837	318	0.5	7
52 ½	36 ½	TMSWF5237	294	0.4	6
46 ½	36 ½	TMSWF4637	258	0.4	6
40 ½	36 ½	TMSWF4037	228	0.3	5
34 ½	36 ½	TMSWF3437	212	0.3	4
28 ½	36 ½	TMSWF2837	186	0.2	3
22 ½	36 ½	TMSWF2237	164	0.2	3
FOR MOBILE SMALL WALL 27 ⅞" HIGH					
70 ½	23 ⅞	TMSWF7024	280	0.4	6
64 ½	23 ⅞	TMSWF6424	260	0.3	5
58 ½	23 ⅞	TMSWF5824	242	0.3	5
52 ½	23 ⅞	TMSWF5224	225	0.3	4
46 ½	23 ⅞	TMSWF4624	208	0.2	4
40 ½	23 ⅞	TMSWF4024	186	0.2	3
34 ½	23 ⅞	TMSWF3424	166	0.2	3
28 ½	23 ⅞	TMSWF2824	149	0.2	2
22 ½	23 ⅞	TMSWF2224	132	0.1	2

SPECIFY


Code Felt Metal
 TZ - - -

Code: Consult the product code above.

Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, see p.IG04

Metal: Specify the metal finish, see p.IG05 (34 colors).

Felt tile for mobile small wall



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
FOR MOBILE SMALL WALL 17" HIGH					
70 ½	13	TMSWF7013	197	0.2	3
64 ½	13	TMSWF6413	182	0.2	3
58 ½	13	TMSWF5813	173	0.2	3
52 ½	13	TMSWF5213	159	0.2	2
46 ½	13	TMSWF4613	149	0.1	2
40 ½	13	TMSWF4013	134	0.1	2
34 ½	13	TMSWF3413	125	0.1	2
28 ½	13	TMSWF2813	111	0.1	1
22 ½	13	TMSWF2213	102	0.1	1

SPECIFY

Code

Felt

Metal

TZ-

-

-

Code: Consult the product code above.



Felt: Specify your choice of felt: Dune **FE12**, Mist **FE11**, Shadow **FE03** or Storm **FE36**, [see p.IG04](#)

Metal: Specify the metal finish, [see p.IG05 \(34 colors\)](#).

Shelf for small wall

Shelf for small wall.

Set directly on top of the small wall.



			Straight 1"			Straight 1 ½"			
Dimensions		Code	L1	S1		S15	Spec.		
A	B		T.F.L.	H.P.L.	FENIX	H.P.L.	Su.Ft.	lb (1")	lb (1½")
15	36	SHESW1536	164	416	691	430	1.3	18	26
15	33	SHESW1533	158	408	660	420	1.2	18	24
15	30	SHESW1530	153	399	631	410	1.1	15	22
15	27	SHESW1527	149	389	600	400	1.0	15	20
15	24	SHESW1524	145	381	570	389	0.9	13	18
15	21	SHESW1521	139	373	541	380	0.8	13	18
15	18	SHESW1518	135	364	510	370	0.7	11	15
15	15	SHESW1515	131	354	480	359	0.6	9	13
15	12	SHESW1512	127	346	450	349	0.5	9	11

SPECIFY

Code L1/S1/S15 Surface Edge
TZ- - - /


Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#)

Tray

Tray.
Black plastic finish.




Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
12	10	AC-BB1210	80	0.1	1

Bench

Bench with 8" high central modesty panel.

* For the 1 ½" surfaces (**S15**), add ½" to the height (**C**).



				Straight 1"			Straight 1 ½"			
Dimensions			Code	L1	S1		S15	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1")	lb (1½")
15	72	18	BE157218	492	808	1329	827	13.7	59	75
15	66	18	BE156618	475	782	1261	797	12.6	55	70
15	60	18	BE156018	456	756	1192	769	11.5	53	66
15	54	18	BE155418	440	729	1124	746	10.3	48	59
15	48	18	BE154818	424	705	1056	720	9.2	44	55
15	42	18	BE154218	406	679	987	698	8.1	42	51
15	36	18	BE153618	388	652	918	666	7.0	37	46
15	30	18	BE153018	373	629	852	639	5.9	35	40
15	24	18	BE152418	359	605	786	613	4.8	31	35

SPECIFY

Code L1/S1/S15 Surface Edge Base
 TZ- - - / -

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (**L1**= T.F.L. 1", **S1**= H.P.L. 1", **S15**= H.P.L. 1 ½").

Surface/Edge/Base: Refer to the different types of finishes, [see p.IG02-IG03](#)





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Electricity




Electricity

Electrical distribution system - 1 sided	N02
Electrical distribution system - 2 sided	N03
Cabling support for electrical distribution system - 1 sided	N04
Outlets, jumpers, connectors and fasteners for jumper	N05
Cabling poles	N09

Refer to the Take Off Product Guide and the Accessories price list
for electrical options and components

Single-sided electrical system

Single-sided electrical system, with 1 electrical harness and 1 metal front cover.
 Install under a surface.
 Can accommodate 4-circuit system components and a cabling support.
 2 openings for outlets (not included, order separately) and 2 other access openings.
 Openings can accommodate cover plates or telecommunication outlets. Opening dimensions : 2 ½" wide x 1 ⅜" high.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
16	5	WCMA1005	301	0.3	5

SPECIFY

Code

Metal

AC-

-

Code:


Consult the product code above.

Metal:

Specify the metal finish [see p.IG05 \(34 colors\)](#).

Double-sided electrical system

Double-sided electrical system, with 1 electrical harness and 2 metal front covers.
Installs under a surface.
Can accommodate 4-circuit system components and a cabling support.
4 openings for outlets (not included, order separately) and 4 other access openings.
Openings can accommodate cover plates or telecommunication outlets. Opening dimensions : 2 1/2" wide x 1 3/8" high.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	
16	5	2 3/8	WCMB1605	370	0.4	7

SPECIFY

Code

Metal

AC-


-

Code: Consult the product code above.

Metal: Specify the metal finish [see p.IG05 \(34 colors\)](#).

Cabling support for electrical system

Cabling support for single-sided electrical system.
Installation on the front cover of the single-sided electrical system (no hardware required).
Allows managements of cables plugged into the outlets.



Dimensions		Code	Price	Spec.	
A	B			Cu.Ft.	lb
2	16	WCMA0216	42	0.1	1

SPECIFY

Cod

Metal

AC-


-

Code: Consult the product code above.

Metal: Specify the metal finish [see p.IG05 \(34 colors\)](#).

Duplex outlet

Duplex outlet.
Attaches to the power distribution harness.
For protection against induced voltage variations, circuit #4 is an isolated circuit with its own neutral and ground.



	Code	Price	Spec.	
			Cu.Ft.	lb
circuit #1	DO1	28	0.1	1
circuit #2	DO2	28	0.1	1
circuit #3	DO3	28	0.1	1
circuit #4 (dedicated)	DO4	28	0.1	1

SPECIFY

Cod

Plastic

AC-


-

Code: Consult the product code above.

Plastic: Specify the finish : White (B) or Black (N).

Double USB outlet

Double USB outlet.
Attaches to the power distribution harness.
For protection against induced voltage variations, circuit #4 is an isolated circuit with its own neutral and ground.



	Code	Price	Spec.	
			Cu.Ft.	lb
circuit #1	USB1	190	0.1	1
circuit #2	USB2	190	0.1	1
circuit #3	USB3	190	0.1	1
circuit #4 (dedicated)	USB4	190	0.1	1

SPECIFY

Cord

Plastic


AC--

Code: Consult the product code above.

Plastic: Specify the finish: White (B) or Black (N).

Jumpers

Jumper to allow the connection of power distribution harnesses together.
 The FT-HR coupling (4 female) must of used to connect two jumpers (male) end to end.



Dimension	Code	Price	Spec.	
A			Cu.Ft.	lb
216	FT-EJS216	479	0.1	5
96	FT-EJS96	275	0.1	5
82	FT-EJS82	253	0.1	5
72	FT-EJS72	234	0.1	4
66	FT-EJS66	224	0.1	4
60	FT-EJS60	213	0.1	4
54	FT-EJS54	203	0.1	4
48	FT-EJS48	194	0.1	4
42	FT-EJS42	176	0.1	3
36	FT-EJS36	167	0.1	3
30	FT-EJS30	158	0.1	3
24	FT-EJS24	149	0.1	2

Coupling

Coupling (4 female) used to connect four jumpers (male) end to end.




Code	Price	Spec.	
		Cu.Ft.	lb
FT-HR	56	0.1	1

Junction box cover

Junction box cover with "Plug and Play" (female) outlet for **FT-EJS** jumper.

4 11/16" x 4 11/16".

The junction box (not included) may be wall-mounted to the height specified by the applicable building code, or on the ceiling.




	Code	Price	Spec.	
			Cu.Ft.	lb
	FT-ECWD	156	0.1	1

Power feed cable

Power feed cable.

Connects "Plug and Play" to a harness and connects to the power source with electrical hardware (not included) specified by the applicable building code.

Flexible oval metal conduit with cable feed for 4-circuit electrical system.



Dimension	Code	Price	Spec.	
A			Cu.Ft.	lb
216	FT-EC216	461	0.7	1
180	FT-EC180	408	0.6	3
72	FT-EC72	217	0.3	2

Fastener for jumper

Metal fastener, galvanized steel.

Pack of 5 fasteners.


To attach shielded cables (jumpers) under a surface, screws included.



	Code	Price	Spec.	
			Cu.Ft.	lb
	E2-EJB5	15	0.1	1

Cable pole for credenza

Cable pole for credenza.
Can be cut on-site if necessary.
The lower section of the cable pole includes 1 opening that is perfectly aligned with the grommet on the side of a credenza.
Included : screws to fix to the credenza, stopper for cover and a ceiling tile adapter (white).
An interior metal divider can be ordered separately if required.
Power feed to be ordered separately.



Dimensions			Code	Price	Spec.	
A	B	C			Cu.Ft.	lb
3	3	120	CPC33120	489	2.0	13,5
1 ½	3	120	CPC13120	433	5	11

SPECIFY

Cod

Metal

AC-


-

Code: Consult the product code above.

Metal: Specify the metal finish [see p.IG05 \(34 colors\)](#).


Cable pole divider

Metal divider for 3" x 3" cable pole.
Set of 2-48" lengths in order to separate the power feed cable and communication cables.
Recycled paint finish #2021.
* Grey will vary depending on the proportions of the different recycled colors.



	Code	Price	Spec.	
			Cu.Ft.	lb
Set of 2 lengths of 48".	AC-CPD33	100	0.4	5

Metal divider for 1 1/2" x 3" cable pole.
Set of 2-48" lengths in order to separate the power feed cable and communication cables.
Recycled paint finish #2021.
* Grey will vary depending on the proportions of the different recycled colors.



	Code	Price	Spec.	
			Cu.Ft.	lb
Set of 2 lengths of 48".	AC-CPD13	94	0.3	4





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Complements



Complements


Shelf	O02
Stiffeners	O03
Junction bars	O03
Junction plates	O04

Corner shelf

Corner shelf.

Allows the usage of a keyboard or a keyboard mechanism in a 90° surface configuration.

2 junction plates included.



			Straight 1"		Straight 1 ½"				
Dimensions			Code	L1	S1	S15	Spec.		
A	B	C		T.F.L.	H.P.L.	FENIX	H.P.L.	Cu.Ft.	lb (1") lb (1½")
14	14	20	JC1414	112	145	221	157	0.2	2 4

SPECIFY

TZ- - - /

Code: Consult the product code above.

L1/S1/S15: Specify the code identifying the type of finish for the surface (L1= T.F.L. 1", S1= H.P.L. 1", S15= H.P.L. 1 ½").

Surface/Edge: Refer to the different types of finishes, [see p.IG02](#).

Stiffener


Metal stiffener.

Recycled gray paint finish.

* Gray will vary depending on the proportions of the different recycled colors.

Suggested for work surfaces 54" or longer.

Installation hardware included.



Dimension		Tube	Code	Price	Spec.	
A					Cu.Ft.	lb
64	For surfaces of 72" and more	1 ¼" x 1 ¼"	AC-RSTF64	112	2.0	1
58	For surfaces of 66"	1 ¼" x 1 ¼"	AC-RSTF58	101	2.0	1
52	For surfaces of 60"	1 ¼" x 1 ¼"	AC-RSTF52	94	2.0	1
46	For surfaces of 54"	1" x 1"	AC-RSTF46	87	2.0	1
40	For collaborative work surfaces of 48"	1" x 1"	AC-RSTF40	78	1.0	1
34	For surfaces with feet and freestanding pedestals	1" x 1"	AC-RSTF34	73	1.0	1


Junction bar

Metal junction bar.

Recycled gray paint finish.

* Gray will vary depending on the proportions of the different recycled colors.


Installation hardware included.



Dimension	Code	Price	Spec.	
A			Cu.Ft.	lb
18	AC-RSTi18	50	0.1	1

Junction plates for surfaces with straight edge


Metal junction plates for surfaces with straight edge.
Pack of 2 plates.
Black finish.
Used to join 2 surfaces side-by-side.



		Straight		
Code		Price	Spec.	
			Cu.Ft.	lb
AC-FJP2		24	0.1	1

Junction plates for surfaces with reversed edge

Metal junction plates for surfaces with reversed edge.
Pack of 2 plates.
Black finish.
Used to join 2 surfaces side-by-side.



		Reversed		
Code		Price	Spec.	
			Cu.Ft.	lb
AC-FJPV2		33	0.1	1





A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Update summary

Update summary

January 20th 2025

PAGES	SECTION	PRODUCT	MODIFICATION
			Overall price increase of 3% (some exceptions).

November 18th 2024

PAGES	SECTION	PRODUCT	MODIFICATION
			New section: Supported-panels

A
B
C
D
E
F
G
H
I
J
K
L
M
N
O

Designing, manufacturing,
advising, planning and supporting:
that's the art that distinguishes
our purpose at Artopex.

ARTOPEX
Head Office
artopex.com

800 Vadnais Street
Granby, QC, Canada J2J 1A7
T 1 800 378 0189